

# KATL

Hartsfield-Jackson Atlanta Intl


# KPWM

Portland International Jetport

2024/05/18 0243Z

KATL ODF **J48** LANNA **Q448** DBABE **Q406** BAF **Q480** ENE KPWM

895.42 nm / 1658.32 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KATL APT	-	33.63660 -84.42800	0 ft 0 m	-	Hartsfield-Jackson Atlanta Intl
ODF VOR	-	34.69590 -83.29770	30,300 ft 9,235 m	84	FOOTHILLS (TOCCOA)
SPA92 FIX	J48 AWY-HI	36.41240 -81.11990	35,000 ft 10,668 m	148	-
REAVS FIX	J48 AWY-HI	36.70310 -80.73670	35,000 ft 10,668 m	25	-
FLASK FIX	J48 AWY-HI	37.01780 -80.31630	35,000 ft 10,668 m	27	-
MOL VOR	J48 AWY-HI	37.90050 -79.10690	35,000 ft 10,668 m	78	MONTEBELLO
CSN VOR	J48 AWY-HI	38.64120 -77.86550	35,000 ft 10,668 m	73	CASANOVA
EMI VOR	J48 AWY-HI	39.49500 -76.97860	35,000 ft 10,668 m	65	WESTMINSTER
PENSY FIX	J48 AWY-HI	39.90720 -76.18250	35,000 ft 10,668 m	44	-
HAAGN FIX	J48 AWY-HI	39.96150 -76.07620	35,000 ft 10,668 m	5	-
BYRDD FIX	J48 AWY-HI	40.09220 -75.81870	35,000 ft 10,668 m	14	-
PTW VOR	J48 AWY-HI	40.22220 -75.56020	35,000 ft 10,668 m	14	POTTSTOWN
LANNA FIX	J48 AWY-HI	40.55970 -75.02770	35,000 ft 10,668 m	31	-
DBABE FIX	Q448 AWY-HI	41.14170 -74.09610	35,000 ft 10,668 m	54	-
BASYE FIX	Q406 AWY-HI	41.34370 -73.79860	35,000 ft 10,668 m	18	-
TRIBS FIX	Q406 AWY-HI	41.65810 -73.31750	35,000 ft 10,668 m	28	-
BIGGO FIX	Q406 AWY-HI	41.95580 -73.06790	33,900 ft 10,333 m	21	-
BAF VOR	Q406 AWY-HI	42.16200 -72.71620	29,600 ft 9,022 m	19	BARNES (WESTFIELD/SPRINGFIELD)
ENE VOR	Q480 AWY-HI	43.42570 -70.61350	4,000 ft 1,219 m	119	KENNEBUNK
KPWM APT	-	43.64570 -70.30830	0 ft 0 m	18	Portland International Jetport

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.632 W

## METAR

KATL 180152Z 16004KT 10SM BKN014 OVC020 21/18 A2987 RMK A02 SLP107 T02110178

## TAF

KATL 180147Z 1802/1906 20004KT P6SM FEW008 OVC015 FM180400 19004KT 6SM -SHRA BR SCT006 OVC012 FM180800 22004KT 4SM

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.65		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.63		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.63		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m

## KPWM

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 75 ft / 23 m  
Location: 43.645700 -70.308300  
Magnetic Var: 14.811 W

## METAR

KPWM 180151Z 00000KT 10SM BKN100 13/11 A3006 RMK A02 SLP178 T01280111

## TAF

KPWM 172324Z 1800/1824 VRB05KT P6SM FEW040 BKN100 FM180500 VRB03KT 6SM BR BKN100 FM180900 VRB03KT 6SM BR VCSH BKN0

## Frequencies

COM - 120.90 MHz - CTAF	COM - 122.95 MHz - UNICOM
REC - 119.05 MHz - ATIS	GND - 121.90 MHz - PORTLAND GROUND
TWR - 120.90 MHz - PORTLAND TOWER	APP - 119.75 MHz - PORTLAND APPROACH
APP - 125.50 MHz - PORTLAND APPROACH	APP - 132.40 MHz - BOSTON ARTCC APPROACH
DEP - 119.75 MHz - PORTLAND DEPARTURE	DEP - 125.50 MHz - PORTLAND DEPARTURE
DEP - 132.40 MHz - BOSTON ARTCC DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft	7,207 ft	95.32	ASPHALT	0 ft	180 ft
	46 m	2,197 m	110.13		0 m	55 m
29	150 ft	7,207 ft	275.34	ASPHALT	0 ft	190 ft
	46 m	2,197 m	290.15		0 m	58 m
18	150 ft	6,106 ft	163.27	ASPHALT	449 ft	0 ft
	46 m	1,861 m	178.08		137 m	0 m
36	150 ft	6,106 ft	343.27	ASPHALT	499 ft	0 ft
	46 m	1,861 m	358.08		152 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	IPWM	109.90 MHz	18 nm	-	-	78 ft
				33 km	-		78 m
29	DME	IGCS	109.90 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
11	LOC-ILS	IPWM	109.90 MHz	18 nm	95.33	-	75 ft
				33 km	110.14		75 m
29	LOC-ILS	IGCS	109.90 MHz	18 nm	275.33	-	77 ft
				33 km	290.14		77 m
11	GS	IPWM	109.90 MHz	10 nm	95.33	3.00	75 ft
				19 km	110.14		75 m
29	GS	IGCS	109.90 MHz	10 nm	275.33	3.00	77 ft
				19 km	290.14		77 m