

EBSP

Spa


LFMN

Nice/Cote d'Azur

2024/05/10 0239Z

EBSP NANCY **UM624** EPL **UL47** PENDU **UN853** KINES LFMN

418.24 nm / 774.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBSP	-	50.48251	0 ft	-	Spa
APT	-	5.91028	0 m		
NANCY	-	48.81750	35,000 ft	100	-
FIX	-	6.08389	10,668 m		
EPL	UM624	48.31783	34,000 ft	30	EPINAL MIRECOURT VOR
VOR	AWY-HI	6.05942	10,363 m		
DANAR	UL47	48.06778	34,000 ft	15	-
FIX	AWY-HI	6.05361	10,363 m		
IXILU	UL47	47.74028	34,000 ft	19	-
FIX	AWY-HI	6.04139	10,363 m		
PENDU	UL47	47.34889	34,000 ft	23	-
FIX	AWY-HI	6.03278	10,363 m		
GILIR	UN853	47.06333	35,000 ft	19	-
FIX	AWY-HI	6.23917	10,668 m		
VADEM	UN853	46.72167	35,000 ft	22	-
FIX	AWY-HI	6.48333	10,668 m		
MOLUS	UN853	46.44389	35,000 ft	18	-
FIX	AWY-HI	6.67944	10,668 m		
UBIMA	UN853	46.12639	31,100 ft	19	-
FIX	AWY-HI	6.70111	9,479 m		
MOBLO	UN853	45.80972	27,100 ft	19	-
FIX	AWY-HI	6.72278	8,260 m		
VANAS	UN853	45.45722	23,500 ft	21	-
FIX	AWY-HI	6.74694	7,163 m		
KINES	UN853	45.33139	21,900 ft	7	-
FIX	AWY-HI	6.75528	6,675 m		
LFMN	-	43.65798	0 ft	102	Nice/Cote d'Azur
APT	-	7.21536	0 m		

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.736 E

METAR

LFMN 100200Z 35007KT CAVOK 18/10 Q1018 NOSIG

TAF

TAF LFMN 100200Z 1003/1109 34010KT CAVOK BECMG 1007/1009 19007KT PROB30 TEMPO 1012/1017 FEW070TCU BECMG 1019/1021

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m