


2024/05/16 0839Z

EYVI TOTRA EYPA

164.30 nm / 304.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EYVI	-	54.63420	0 ft	-	Vilnius
APT	-	25.28570	0 m		
TOTRA	-	55.44310	13,900 ft	99	-
FIX	-	22.77110	4,237 m		
EYPA	-	55.97310	0 ft	65	PALANGA INTL
APT	-	21.09390	0 m		

EYVI

Region: LITHUANIA

Timezone: EUROPE/VILNIUS

Runways: 1

Elevation: 645 ft / 197 m

Location: 54.634200 25.285700

Magnetic Var: 8.329 E

METAR

EYVI 160820Z 16007KT 120V190 CAVOK 17/03 Q1027 NOSIG

TAF

TAF TAF EYVI 160503Z 1606/1706 14008KT 9000 NSC

Frequencies

REC - 125.80 MHz - ATIS

APP - 120.70 MHz - VILNIUS APPROACH

TWR - 118.20 MHz - VILNIUS TOWER

REC - 123.85 MHz - VILNIUS INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	164 ft	8,259 ft	21.85	ASPHALT	0 ft	194 ft
	50 m	2,517 m	13.52		0 m	59 m
19	164 ft	8,259 ft	201.86	ASPHALT	0 ft	194 ft
	50 m	2,517 m	193.53		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IAV	110.50 MHz	18 nm	21.88	-	646 ft
				33 km	13.55		646 m
19	LOC-ILS	IBK	109.10 MHz	18 nm	201.87	-	646 ft
				33 km	193.54		646 m
01	GS	IAV	110.50 MHz	10 nm	22.80	2.67	646 ft
				19 km	14.47		646 m
19	GS	IBK	109.10 MHz	10 nm	202.80	3.00	646 ft
				19 km	194.47		646 m

EYPA

Region: LITHUANIA
Timezone: EUROPE/VILNIUS
Runways: 1

Elevation: 33 ft / 10 m
Location: 55.973100 21.093900
Magnetic Var: 7.435 E

METAR

EYPA 160820Z 14011KT 090V190 CAVOK 18/02 Q1025

TAF

TAF EYPA 160500Z 1606/1706 12011KT CAVOK

Frequencies

APP - 124.30 MHz - PALANGA APPROACH
REC - 127.80 MHz - PALANGA ATIS

TWR - 118.30 MHz - PALANGA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	7,487 ft	12.67	ASPHALT	515 ft	0 ft
	45 m	2,282 m	5.24		157 m	0 m
19	148 ft	7,487 ft	192.68	ASPHALT	492 ft	0 ft
	45 m	2,282 m	185.25		150 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IAN	110.10 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
19	LOC-ILS	IAN	110.10 MHz	18 nm	192.71	-	33 ft
				33 km	185.27		33 m
19	GS	IAN	110.10 MHz	10 nm	193.41	3.00	33 ft
				19 km	185.98		33 m