


2024/06/04 2101Z

LZIB TOVKA LOKVU VLM LKKB

160.05 nm / 296.42 km



Notes

Requested: LZIB TOVKA LOKVU VLM LKKB

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LZIB	-	48.16830	0 ft	-	Bratislava Airport
APT	-	17.21560	0 m	-	
TOVKA	-	48.27030	0 ft	13	-
FIX	-	16.92640	0 m	-	
LOKVU	-	48.87470	0 ft	56	-
FIX	-	15.83500	0 m	-	
VLM	-	49.70430	0 ft	58	VLASIM
VOR	-	15.06670	0 m	-	
LKKB	-	50.12140	0 ft	32	Kbely Airport
APT	-	14.54370	0 m	-	

LZIB

Region: SLOVAKIA
Timezone: EUROPE/BRATISLAVA
Runways: 2

Elevation: 436 ft / 133 m
Location: 48.168300 17.215600
Magnetic Var: 5.169 E

METAR

LZIB 042030Z VRB02KT CAVOK 16/13 Q1013 NOSIG

TAF

TAF LZIB 041715Z 0418/0518 33007KT 9999 FEW035 BKN042 BECMG 0516/0518 VRB02KT PROB40 TEMPO 0500/0505 2000 BR FEW00

Frequencies

TWR - 118.30 MHz - STEFANIK TOWER
APP - 128.65 MHz - STEFANIK ARRIVAL
TWR - 118.70 MHz - STEFANIK TOWER
APP - 119.70 MHz - STEFANIK APPROACH
APP - 120.90 MHz - STEFANIK APPROACH
REC - 133.87 MHz - STEFANIK ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,689 ft	134.00	CONCRETE	0 ft	98 ft
	45 m	2,953 m	128.83		0 m	30 m
31	148 ft	9,689 ft	314.02	CONCRETE	0 ft	787 ft
	45 m	2,953 m	308.85		0 m	240 m
04	197 ft	9,541 ft	43.83	CONCRETE	0 ft	0 ft
	60 m	2,908 m	38.66		0 m	0 m
22	197 ft	9,541 ft	223.85	CONCRETE	0 ft	49 ft
	60 m	2,908 m	218.68		0 m	15 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	OKR	108.30 MHz	25 nm	-	-	436 ft
				46 km	-		436 m
31	DME	OB	110.70 MHz	25 nm	-	-	433 ft
				46 km	-		433 m
22	LOC-ILS	OKR	108.30 MHz	18 nm	223.84	-	436 ft
				33 km	218.67		436 m
31	LOC-ILS	OB	110.70 MHz	18 nm	314.01	-	436 ft
				33 km	308.84		436 m
22	GS	OKR	108.30 MHz	10 nm	223.84	3.00	436 ft
				19 km	218.67		436 m
31	GS	OB	110.70 MHz	10 nm	314.01	3.00	436 ft
				19 km	308.84		436 m

LKKB

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 1

Elevation: 938 ft / 286 m
Location: 50.121400 14.543700
Magnetic Var: 4.746 E

METAR

LKKB 042000Z 15005KT CAVOK 15/11 Q1012 NOSIG

TAF

TAF LKKB 041700Z 0418/0518 17007KT CAVOK PROB40 TEMPO 0500/0505 VRB02KT 5000 MIFG BR BECMG 0506/0508 24012KT SCT0

Frequencies

TWR - 120.87 MHz - TOWER

APP - 124.67 MHz - APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	161 ft	6,552 ft	62.30	ASPHALT	0 ft	0 ft
	49 m	1,997 m	57.55		0 m	0 m
24	161 ft	6,552 ft	242.31	ASPHALT	0 ft	0 ft
	49 m	1,997 m	237.57		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	KD	108.35 MHz	18 nm	-	-	976 ft
				33 km	-		976 m
24	LOC-ILS	KD	108.35 MHz	18 nm	242.31	-	938 ft
				33 km	237.56		938 m
24	GS	KD	108.35 MHz	10 nm	242.31	3.00	938 ft
				19 km	237.56		938 m