

KSBP

San Luis County Rgnl


KSFO

San Francisco International

2024/05/19 0546Z

KSBP SNS KSFO

165.76 nm / 306.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KSBP	-	35.23720	0 ft	-		San Luis County Rgnl
APT	-	-120.64400	0 m			
SNS	-	36.66380	14,600 ft	97		SALINAS
VOR	-	-121.60300	4,450 m			
KSFO	-	37.61850	0 ft	68		San Francisco International
APT	-	-122.37500	0 m			

KSBP

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 212 ft / 65 m
Location: 35.237200 -120.644000
Magnetic Var: 12.098 E

METAR

KSBP 190456Z AUTO 24004KT 10SM OVC021 16/09 A3003 RMK A02 SLP169 T01610094

TAF

TAF KSBP 182338Z 1900/1924 22008KT P6SM OVC025 FM190400 VRB03KT P6SM OVC015 FM191700 VRB03KT P6SM OVC020 FM192000

Frequencies

COM - 124.00 MHz - CTAF
REC - 120.60 MHz - ATIS
TWR - 124.00 MHz - SAN LUIS TOWER
DEP - 127.72 MHz - SANTA BARBARA DEPARTURE
COM - 122.95 MHz - SAN LUIS UNICOM
GND - 121.60 MHz - SAN LUIS GROUND
APP - 127.72 MHz - SANTA BARBARA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft	6,105 ft	124.88	ASPHALT	801 ft	594 ft
	46 m	1,861 m	112.79		244 m	181 m
29	150 ft	6,105 ft	304.89	ASPHALT	502 ft	614 ft
	46 m	1,861 m	292.79		153 m	187 m
07	100 ft	2,495 ft	89.79	ASPHALT	0 ft	0 ft
	31 m	760 m	77.69		0 m	0 m
25	100 ft	2,495 ft	269.80	ASPHALT	0 ft	299 ft
	31 m	760 m	257.70		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	ISBP	109.70 MHz	18 nm	124.89	-	212 ft
				33 km	112.79		212 m
11	GS	ISBP	109.70 MHz	10 nm	124.89	3.00	212 ft
				19 km	112.79		212 m

KSFO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 13 ft / 4 m
Location: 37.618500 -122.375000
Magnetic Var: 12.841 E

METAR

KSFO 190456Z 27006KT 10SM FEW009 FEW025 14/09 A2999 RMK A02 SLP157 T01390094

TAF

KSFO 190304Z 1903/2006 25012KT P6SM FEW010 FM190500 25008KT P6SM SKC FM190800 23005KT P6SM SCT015 FM191500 27006KT

Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.06		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.06		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m