


2024/05/17 2153Z

ZYTX OMDUS **A575** ANDIN **W83** NIKIT ZBAA

334.42 nm / 619.35 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZYTX APT	-	41.64000 123.48300	0 ft 0 m	-	Shenyang Taoxian
OMDUS FIX	-	41.57500 121.18300	35,000 ft 10,668 m	103	-
CHG VOR	A575 AWY-HI	41.53670 120.43300	35,000 ft 10,668 m	33	CHAOYANG
ANDIN FIX	A575 AWY-HI	41.07830 118.71500	24,600 ft 7,498 m	82	-
NIKIT FIX	W83 AWY-HI	40.65330 117.45000	11,100 ft 3,383 m	62	-
ZBAA APT	-	40.07870 116.59500	0 ft 0 m	52	Beijing-Capital

ZYTX

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 1

Elevation: 198 ft / 60 m
Location: 41.640000 123.483000
Magnetic Var: 9.484 W

METAR

ZYTX 172130Z 19002MPS CAVOK 17/12 Q1010 NOSIG

TAF

TAF ZYTX 171501Z 1718/1818 20004MPS 6000 SCT040 TX29/1806Z TN15/1721Z

Frequencies

REC - 127.45 MHz - ATIS	TWR - 118.10 MHz - SHENYANG TOWER
TWR - 124.30 MHz - SHENYANG TOWER	GND - 121.90 MHz - TAOXIAN GROUND
APP - 125.55 MHz - SHENYANG APPROACH	APP - 126.55 MHz - SHENYANG APPROACH
APP - 119.82 MHz - SHENYANG APPROACH	GND - 121.95 MHz - TAOXIAN APRON
GND - 121.80 MHz - TAOXIAN APRON	CLD - 121.67 MHz - TAOXIAN DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,508 ft	48.46	ASPHALT	0 ft	190 ft
	45 m	3,203 m	57.95		0 m	58 m
24	148 ft	10,508 ft	228.48	ASPHALT	0 ft	187 ft
	45 m	3,203 m	237.96		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IPU	110.50 MHz	18 nm	48.47	-	198 ft
				33 km	57.95		198 m
24	LOC-ILS	IKY	110.30 MHz	18 nm	228.47	-	198 ft
				33 km	237.95		198 m
06	GS	IPU	110.50 MHz	10 nm	48.47	3.00	198 ft
				19 km	57.95		198 m
24	GS	IKY	110.30 MHz	10 nm	228.47	3.00	198 ft
				19 km	237.95		198 m

ZBAA

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 115 ft / 35 m
Location: 40.078700 116.595000
Magnetic Var: 7.354 W

METAR

ZBAA 172130Z 05001MPS CAVOK 17/15 Q1008 NOSIG

TAF

TAF TAF ZBAA 171500Z 1718/1818 13004MPS CAVOK TX33/1807Z TN17/1721Z

Frequencies

REC - 127.60 MHz - ATIS	REC - 128.65 MHz - ATIS
CLD - 121.60 MHz - BEIJING DELIVERY	CLD - 121.65 MHz - BEIJING DELIVERY
GND - 121.90 MHz - BEIJING GROUND	GND - 121.80 MHz - BEIJING GROUND
GND - 121.70 MHz - BEIJING GROUND	GND - 121.75 MHz - BEIJING GROUND
GND - 121.85 MHz - BEIJING GROUND	GND - 122.22 MHz - BEIJING APRON
GND - 122.65 MHz - BEIJING APRON	TWR - 124.30 MHz - BEIJING TOWER
TWR - 118.50 MHz - BEIJING TOWER	TWR - 118.60 MHz - BEIJING TOWER
APP - 126.10 MHz - BEIJING APPROACH	APP - 119.00 MHz - BEIJING APPROACH
APP - 126.50 MHz - BEIJING APPROACH	APP - 121.10 MHz - BEIJING APPROACH
APP - 119.70 MHz - BEIJING APPROACH	APP - 124.70 MHz - BEIJING APPROACH
APP - 127.75 MHz - BEIJING APPROACH	APP - 120.60 MHz - BEIJING APPROACH
APP - 125.50 MHz - BEIJING APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	195 ft	12,481 ft	353.17	CONCRETE	0 ft	394 ft
	59 m	3,804 m	0.53		0 m	120 m
19	195 ft	12,481 ft	173.17	CONCRETE	0 ft	397 ft
	59 m	3,804 m	180.52		0 m	121 m
18L	197 ft	12,493 ft	173.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	180.52		0 m	58 m
36R	197 ft	12,493 ft	353.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	0.53		0 m	58 m
18R	164 ft	10,512 ft	173.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	180.50		0 m	61 m
36L	164 ft	10,512 ft	353.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	0.51		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	ILG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
01	LOC-ILS	INJ	108.50 MHz	18 nm	353.17	-	116 ft
				33 km	0.52		116 m
18L	LOC-ILS	IOR	109.30 MHz	18 nm	173.17	-	116 ft
				33 km	180.52		116 m
18R	LOC-ILS	ILG	110.30 MHz	18 nm	173.15	-	116 ft
				33 km	180.50		116 m
19	LOC-ILS	ISZ	108.90 MHz	18 nm	173.17	-	116 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	180.52		116 m
36L	LOC-ILS	IDK	111.70 MHz	18 nm	353.15	-	116 ft
				33 km	0.50		116 m
36R	LOC-ILS	IQU	109.90 MHz	18 nm	353.10	-	116 ft
				33 km	0.45		116 m
01	GS	INJ	108.50 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m
18L	GS	IOR	109.30 MHz	10 nm	173.17	3.00	116 ft
				19 km	180.52		116 m
18R	GS	ILG	110.30 MHz	10 nm	173.15	3.00	116 ft
				19 km	180.50		116 m
19	GS	ISZ	108.90 MHz	10 nm	173.17	3.20	116 ft
				19 km	180.52		116 m
36L	GS	IDK	111.70 MHz	10 nm	353.15	3.00	116 ft
				19 km	0.50		116 m
36R	GS	IQU	109.90 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m