

LIRF

Roma Fiumicino Leonardo Da Vinci


EBLG

Liege

2024/05/10 1904Z

LIRF AMTEL **L995** CANNE **A9** TRA **N850** NATOR **Y711** MOPAN **T711** LUPEN **R11** STR **R7** AKELU EBLG

615.26 nm / 1139.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81081	0 ft	-	Roma Fiumicino Leonardo Da Vinci
APT	-	12.25090	0 m	-	
AMTEL	-	43.22028	30,800 ft	89	-
FIX	-	11.60861	9,388 m	-	
KUGIX	L995	43.55222	18,500 ft	22	-
FIX	AWY-LO	11.36222	5,639 m	-	
FRZ	L995	44.02718	18,500 ft	32	FIRENZE VORTAC
VOR	AWY-LO	11.00331	5,639 m	-	
LUPOS	L995	44.50472	18,500 ft	33	-
FIX	AWY-LO	10.58139	5,639 m	-	
PAR	L995	44.82229	18,500 ft	22	PARMA NDB
NDB	AWY-LO	10.29327	5,639 m	-	
MAXIM	L995	45.02389	18,500 ft	15	-
FIX	AWY-LO	10.08056	5,639 m	-	
BEKAN	L995	45.32500	18,500 ft	22	-
FIX	AWY-LO	9.76111	5,639 m	-	
TZO	L995	45.55916	18,500 ft	17	TREZZO VOR-DME
VOR	AWY-LO	9.50722	5,639 m	-	
PEPAG	L995	45.98389	18,500 ft	31	-
FIX	AWY-LO	9.07139	5,639 m	-	
CANNE	L995	46.16667	18,500 ft	13	-
FIX	AWY-LO	8.88111	5,639 m	-	
LUKOM	A9	46.58500	16,500 ft	25	-
FIX	AWY-LO	8.75861	5,029 m	-	
URNAS	A9	47.00222	16,500 ft	25	-
FIX	AWY-LO	8.63833	5,029 m	-	
AGERI	A9	47.11722	16,500 ft	7	-
FIX	AWY-LO	8.60500	5,029 m	-	
ALBIX	A9	47.24972	16,500 ft	8	-
FIX	AWY-LO	8.56444	5,029 m	-	
BARIG	A9	47.26861	16,500 ft	1	-
FIX	AWY-LO	8.56111	5,029 m	-	
RISLI	A9	47.45306	16,500 ft	11	-
FIX	AWY-LO	8.50750	5,029 m	-	
TRA	A9	47.68950	16,500 ft	14	TRASADINGEN VOR-DME
VOR	AWY-LO	8.43695	5,029 m	-	
TITIX	N850	47.85833	24,000 ft	10	-
FIX	AWY-LO	8.39667	7,315 m	-	
NATOR	N850	48.17000	24,000 ft	18	-
FIX	AWY-LO	8.32139	7,315 m	-	
MOPAN	Y711	48.24639	22,000 ft	8	-
FIX	AWY-LO	8.15444	6,706 m	-	
DENEL	T711	48.36528	22,000 ft	12	-
FIX	AWY-LO	7.88417	6,706 m	-	
LUPEN	T711	48.43500	22,000 ft	7	-
FIX	AWY-LO	7.73361	6,706 m	-	
STR	R11	48.50539	18,500 ft	7	STRASBOURG ENTZHEIM VOR-DME
VOR	AWY-LO	7.57197	5,639 m	-	
PHALO	R7	48.77778	14,500 ft	25	-
FIX	AWY-LO	7.09528	4,420 m	-	
GTQ	R7	48.98644	14,500 ft	19	GROSTENQUIN VOR-DME
VOR	AWY-LO	6.71622	4,420 m	-	
AKELU	R7	49.36694	18,400 ft	24	-

Ident Type	Via		Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	6.46389	5,608 m			
EBLG	-	50.63812	0 ft	85	Liege	
APT	-	5.44314	0 m			

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 101820Z 15006KT CAVOK 20/14 Q1014 NOSIG

TAF

TAF LIRF 101700Z 1018/1124 20010KT CAVOK BECMG 1100/1102 05006KT BECMG 1108/1110 26012KT BECMG 1116/1118 VRB05KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.293 E

METAR

EBLG 101820Z 03006KT CAVOK 18/09 Q1022 NOSIG

TAF

TAF EBLG 101703Z 1018/1124 06005KT CAVOK

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.88		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.90		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.85		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.87		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.90		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.90		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.87		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.90		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.90		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.87		645 m