

KSEA

Seattle-Tacoma Intl


NTAA

Tahiti Faa'a Intl

2024/05/18 0026Z

KSEA SCAPO **V165** UBG **V287** OTH **V27** FOT **V494** JENNI 3900N12500W ALCOA **R463** ALLBE 3700N12700W BAART
3600N12700W 3400N12800W 3200N12900W 3100N13000W FLITY 2900N13100W 2700N13200W 2600N13200W AHND0
AMATT **B200** BENTS BINGE **A220** TAF NTAA

4382.71 nm / 8116.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSEA	-	47.45020	0 ft	-	Seattle-Tacoma Intl
APT	-	-122.31200	0 m	-	
SCAPO	-	45.75200	35,000 ft	106	-
FIX	-	-123.02800	10,668 m	-	-
HOGUM	V165	45.68590	35,000 ft	3	-
FIX	AWY-LO	-123.02000	10,668 m	-	-
UBG	V165	45.35320	35,000 ft	20	NEWBERG
VOR	AWY-LO	-122.97800	10,668 m	-	
MCCOY	V287	45.08800	35,000 ft	17	-
FIX	AWY-LO	-123.14600	10,668 m	-	-
CRAAF	V287	44.76030	35,000 ft	21	-
FIX	AWY-LO	-123.35200	10,668 m	-	-
TICKY	V287	44.33500	35,000 ft	27	-
FIX	AWY-LO	-123.61400	10,668 m	-	-
RARES	V287	43.66030	35,000 ft	44	-
FIX	AWY-LO	-124.02300	10,668 m	-	-
ZUBOR	V287	43.62970	35,000 ft	1	-
FIX	AWY-LO	-124.04100	10,668 m	-	-
OTH	V287	43.41550	35,000 ft	14	NORTH BEND
VOR	AWY-LO	-124.16900	10,668 m	-	
OLINE	V27	43.24890	35,000 ft	10	-
FIX	AWY-LO	-124.17600	10,668 m	-	-
OVLEE	V27	43.18230	35,000 ft	4	-
FIX	AWY-LO	-124.17900	10,668 m	-	-
LUPCI	V27	43.14890	35,000 ft	2	-
FIX	AWY-LO	-124.18100	10,668 m	-	-
LEDGE	V27	43.08230	35,000 ft	4	-
FIX	AWY-LO	-124.18400	10,668 m	-	-
ROOTY	V27	42.47220	35,000 ft	36	-
FIX	AWY-LO	-124.21100	10,668 m	-	-
WIPOG	V27	42.07120	35,000 ft	24	-
FIX	AWY-LO	-124.22800	10,668 m	-	-
KEVZU	V27	41.98630	35,000 ft	5	-
FIX	AWY-LO	-124.23200	10,668 m	-	-
CEC	V27	41.77960	35,000 ft	12	CRESCENT CITY
VOR	AWY-LO	-124.24100	10,668 m	-	
CHIDE	V27	41.59680	35,000 ft	10	-
FIX	AWY-LO	-124.24000	10,668 m	-	-
ZIKNO	V27	41.52950	35,000 ft	4	-
FIX	AWY-LO	-124.23900	10,668 m	-	-
OLJEK	V27	41.47520	35,000 ft	3	-
FIX	AWY-LO	-124.23900	10,668 m	-	-
CULDU	V27	41.16730	35,000 ft	18	-
FIX	AWY-LO	-124.23700	10,668 m	-	-
WHEEL	V27	41.09740	35,000 ft	4	-
FIX	AWY-LO	-124.23700	10,668 m	-	-
TRIAL	V27	41.06290	35,000 ft	2	-
FIX	AWY-LO	-124.23700	10,668 m	-	-
HOCUT	V27	40.97630	35,000 ft	5	-
FIX	AWY-LO	-124.23600	10,668 m	-	-
HEXIT	V27	40.88470	35,000 ft	5	-
FIX	AWY-LO	-124.23600	10,668 m	-	-
SEGVE	V27	40.80960	35,000 ft	4	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-124.23500	10,668 m		
FOT	V27	40.67130	35,000 ft	8	FORTUNA
VOR	AWY-LO	-124.23500	10,668 m		
JENNI	V494	39.76970	35,000 ft	54	-
FIX	AWY-LO	-124.02900	10,668 m		
3900N12500W	-	39.00000	35,000 ft	64	-
LATLON	-	-125.00000	10,668 m		
ALCOA	-	37.83330	35,000 ft	80	-
FIX	-	-125.83500	10,668 m		
ALLBE	R463	37.50640	35,000 ft	58	-
FIX	AWY-HI	-127.00000	10,668 m		
3700N12700W	-	37.00000	35,000 ft	30	-
LATLON	-	-127.00000	10,668 m		
BAART	-	36.46190	35,000 ft	32	-
FIX	-	-126.93300	10,668 m		
3600N12700W	-	36.00000	35,000 ft	27	-
LATLON	-	-127.00000	10,668 m		
3400N12800W	-	34.00000	35,000 ft	129	-
LATLON	-	-128.00000	10,668 m		
3200N12900W	-	32.00000	35,000 ft	130	-
LATLON	-	-129.00000	10,668 m		
3100N13000W	-	31.00000	35,000 ft	78	-
LATLON	-	-130.00000	10,668 m		
FLITY	-	29.26440	35,000 ft	116	-
FIX	-	-131.02200	10,668 m		
2900N13100W	-	29.00000	35,000 ft	15	-
LATLON	-	-131.00000	10,668 m		
2700N13200W	-	27.00000	35,000 ft	131	-
LATLON	-	-132.00000	10,668 m		
2600N13200W	-	26.00000	35,000 ft	60	-
LATLON	-	-132.00000	10,668 m		
AHND0	-	24.42830	35,000 ft	99	-
FIX	-	-131.41200	10,668 m		
AMATT	-	23.26030	35,000 ft	98	-
FIX	-	-130.16400	10,668 m		
BENTS	B200	16.88530	35,000 ft	501	-
FIX	AWY-HI	-135.90000	10,668 m		
BINGE	-	16.48330	35,000 ft	38	-
FIX	-	-135.38400	10,668 m		
CRONN	A220	8.75000	35,000 ft	506	-
FIX	AWY-HI	-138.83600	10,668 m		
MAEVA	A220	3.50000	35,000 ft	342	-
FIX	AWY-HI	-141.08300	10,668 m		
MIMAS	A220	0.00000	35,000 ft	225	-
FIX	AWY-HI	-142.45000	10,668 m		
MUP0D	A220	-5.00000	35,000 ft	322	-
FIX	AWY-HI	-144.43300	10,668 m		
MOMBO	A220	-10.00000	35,000 ft	323	-
FIX	AWY-HI	-146.43300	10,668 m		
MAGBA	A220	-15.00000	35,000 ft	324	-
FIX	AWY-HI	-148.51700	10,668 m		
MIKAT	A220	-15.68330	26,000 ft	44	-
FIX	AWY-HI	-148.80000	7,925 m		
TAF	A220	-17.54710	100 ft	121	TAHITI
VOR	AWY-HI	-149.60200	30 m		
NTAA	-	-17.55370	0 ft	0	Tahiti Faa'a Intl

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
APT	-	-149.60700	0 m		

KSEA

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 432 ft / 132 m
Location: 47.450200 -122.312000
Magnetic Var: 14.771 E

METAR

KSEA 172353Z 22010KT 10SM SCT050 BKN075 16/03 A3013 RMK A02 SLP208 T01560028 10172 20133 57007

TAF

KSEA 172331Z 1800/1906 21012KT P6SM FEW035 OVC070 FM180900 19009KT P6SM BKN025 OVC035 FM182000 34006KT P6SM -RA S

Frequencies

REC - 118.00 MHz - SEATTLE ATIS
GND - 121.70 MHz - SEATTLE GROUND
TWR - 120.95 MHz - SEATTLE TOWER
DEP - 120.10 MHz - SEATTLE DEPARTURE
CLD - 128.00 MHz - SEATTLE CLEARANCE
TWR - 119.90 MHz - SEATTLE TOWER
APP - 133.65 MHz - SEATTLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	11,904 ft	180.35	CONCRETE	0 ft	400 ft
	46 m	3,628 m	165.58		0 m	122 m
34R	151 ft	11,904 ft	0.35	CONCRETE	0 ft	400 ft
	46 m	3,628 m	345.58		0 m	122 m
16C	151 ft	9,428 ft	180.34	CONCRETE	0 ft	400 ft
	46 m	2,874 m	165.57		0 m	122 m
34C	151 ft	9,428 ft	0.34	CONCRETE	0 ft	397 ft
	46 m	2,874 m	345.57		0 m	121 m
16R	151 ft	8,502 ft	180.34	CONCRETE	0 ft	200 ft
	46 m	2,591 m	165.57		0 m	61 m
34L	151 ft	8,502 ft	0.34	CONCRETE	0 ft	197 ft
	46 m	2,591 m	345.57		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	ISZI	111.70 MHz	18 nm	-	-	470 ft
				33 km	-		470 m
16L	DME	ISNQ	110.30 MHz	18 nm	-	-	369 ft
				33 km	-		369 m
16R	DME	ICJL	110.75 MHz	18 nm	-	-	410 ft
				33 km	-		410 m
34C	DME	ITUC	111.70 MHz	18 nm	-	-	470 ft
				33 km	-		470 m
34L	DME	IB EJ	110.75 MHz	18 nm	-	-	410 ft
				33 km	-		410 m
34R	DME	ISEA	110.30 MHz	18 nm	-	-	469 ft
				33 km	-		469 m
16C	LOC-ILS	ISZI	111.70 MHz	18 nm	180.34	-	355 ft
				33 km	165.57		355 m
16L	LOC-ILS	ISNQ	110.30 MHz	18 nm	180.34	-	338 ft
				33 km	165.57		338 m
16R	LOC-ILS	ICJL	110.75 MHz	18 nm	180.34	-	410 ft
				33 km	165.56		410 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34C	LOC-ILS	ITUC	111.70 MHz	18 nm	0.34	-	422 ft
				33 km	345.57		422 m
34L	LOC-ILS	IBEJ	110.75 MHz	18 nm	0.34	-	433 ft
				33 km	345.56		433 m
34R	LOC-ILS	ISEA	110.30 MHz	18 nm	0.34	-	428 ft
				33 km	345.57		428 m
16C	GS	ISZI	111.70 MHz	10 nm	180.67	3.00	418 ft
				19 km	165.90		418 m
16L	GS	ISNQ	110.30 MHz	10 nm	180.69	3.00	425 ft
				19 km	165.91		425 m
16R	GS	ICJL	110.75 MHz	10 nm	180.67	3.00	410 ft
				19 km	165.90		410 m
34C	GS	ITUC	111.70 MHz	10 nm	0.67	3.00	367 ft
				19 km	345.90		367 m
34L	GS	IBEJ	110.75 MHz	10 nm	0.67	3.00	360 ft
				19 km	345.90		360 m
34R	GS	ISEA	110.30 MHz	10 nm	0.69	2.75	355 ft
				19 km	345.91		355 m

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 180000Z 29005KT 9999 FEW023 BKN300 29/20 Q1010 NOSIG

TAF

TAF NTAA 172300Z 1800/1906 VRB05KT 9999 FEW023 TEMPO 1800/1803 31006KT

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER
GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m