


2024/05/23 1523Z

LOWI VEKEN LOWG

182.03 nm / 337.12 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWI	-	47.26080	0 ft	-	Innsbruck
APT	-	11.34150	0 m		
VEKEN	-	46.56360	18,900 ft	93	-
FIX	-	13.37940	5,761 m		
LOWG	-	46.99030	0 ft	88	Graz
APT	-	15.43970	0 m		

LOWI

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,907 ft / 581 m
Location: 47.260800 11.341500
Magnetic Var: 3.784 E

METAR

LOWI 231450Z 13016G28KT 090V190 9999 FEW050 FEW060CB SCT070 19/06 Q1013 NOSIG

TAF

TAF LOWI 231115Z 2312/2412 08008KT 9999 FEW030 BKN100 TX19/2312Z TN10/2402Z TEMPO 2312/2321 VRB15G25KT SHRA SCT040

Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR
REC - 126.02 MHz - INNSBRUCK INFORMATION

TWR - 120.10 MHz - INNSBRUCK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,548 ft	80.95	ASPHALT	335 ft	0 ft
	45 m	1,996 m	77.16		102 m	0 m
26	148 ft	6,548 ft	260.96	ASPHALT	0 ft	0 ft
	45 m	1,996 m	257.18		0 m	0 m
08C	125 ft	3,671 ft	81.00	GRASS	0 ft	0 ft
	38 m	1,119 m	77.22		0 m	0 m
26C	125 ft	3,671 ft	261.01	GRASS	0 ft	0 ft
	38 m	1,119 m	257.23		0 m	0 m
08L	164 ft	1,149 ft	81.11	GRASS	0 ft	0 ft
	50 m	350 m	77.33		0 m	0 m
26R	164 ft	1,149 ft	261.11	GRASS	0 ft	0 ft
	50 m	350 m	257.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm	-	-	1,906 ft
				56 km	-		1,906 m
26	DME	OEV	111.10 MHz	27 nm	-	-	1,911 ft
				50 km	-		1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm	260.96	-	1,907 ft
				33 km	257.18		1,907 m
26	GS	OEV	111.10 MHz	10 nm	260.96	3.77	1,907 ft
				19 km	257.18		1,907 m

LOWG

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,115 ft / 340 m
Location: 46.990300 15.439700
Magnetic Var: 4.667 E

METAR

LOWG 231450Z AUTO 10011KT 9999 VCTS FEW017 BKN050 FEW050CB 20/13 Q1015 NOSIG

TAF

TAF LOWG 231115Z 2312/2412 VRB05KT 9999 FEW050 TX22/2412Z TN10/2403Z TEMPO 2312/2317 16008KT FEW050CB SCT070 PROB

Frequencies

REC - 126.12 MHz - ATIS
APP - 119.30 MHz - GRAZ RADAR

TWR - 118.20 MHz - GRAZ TOWER
APP - 123.02 MHz - GRAZ DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	148 ft	9,852 ft	169.37	ASPHALT	853 ft	95 ft
	45 m	3,003 m	164.70		260 m	29 m
35C	148 ft	9,852 ft	349.37	ASPHALT	0 ft	95 ft
	45 m	3,003 m	344.71		0 m	29 m
17R	82 ft	2,496 ft	169.39	GRASS	492 ft	0 ft
	25 m	761 m	164.73		150 m	0 m
35L	82 ft	2,496 ft	349.39	GRASS	492 ft	0 ft
	25 m	761 m	344.73		150 m	0 m
17L	98 ft	2,102 ft	169.38	GRASS	0 ft	0 ft
	30 m	641 m	164.72		0 m	0 m
35R	98 ft	2,102 ft	349.39	GRASS	0 ft	0 ft
	30 m	641 m	344.72		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35C	DME	OEG	110.90 MHz	18 nm	-	-	1,098 ft
				33 km	-		1,098 m
35C	LOC-ILS	OEG	110.90 MHz	18 nm	349.36	-	1,098 ft
				33 km	344.70		1,098 m
35C	GS	OEG	110.90 MHz	10 nm	349.74	3.00	1,098 ft
				19 km	345.07		1,098 m