

EDDF
Frankfurt


LGTS

Thessaloniki Makedonia International Airport

2024/05/03 0742Z

EDDF LGTS

832.90 nm / 1542.54 km



Notes

Requested: EDDF LGTS

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
EDDF	-	50.03260	0 ft	-	Frankfurt	
APT	-	8.54067	0 m			
LGTS	-	40.52010	0 ft	832	Thessaloniki Makedonia International Airport	
APT	-	22.96910	0 m			

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.171 E

METAR

EDDF 030720Z AUTO 21014KT 9999 -DZ SCT012 BKN023 OVC028 11/09 Q1011 TEMPO BKN011

TAF

TAF EDDF 030500Z 0306/0412 21012KT 9999 FEW012 BKN025 PROB30 TEMPO 0306/0308 BKN014 BECMG 0312/0314 SCT035 BECMG 0314/0316 BKN025

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.42		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.46		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m

LGTS

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 21 ft / 6 m
Location: 40.520100 22.969100
Magnetic Var: 5.266 E

METAR

LGTS 030720Z 26004KT 9999 SCT025 19/16 Q1008 NOSIG

TAF

TAF LGTS 030500Z 0306/0406 32012KT 9999 FEW025 SCT050 PROB40 TEMPO 0307/0315 5000 RA SCT025 BKN050 PROB30 TEMPO 03

Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS
TWR - 118.05 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR
GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 120.80 MHz - THESSALONIKI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.72		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.17		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m