

EDDF
Frankfurt


—

LGTS
Thessaloniki Makedonia International Airport

2024/05/03 1206Z

EDDF ANEKI **Y163** NATOR **UN850** TRA **UP131** RESIA **Q333** BABAG PEVAL PETAK PINDO **UM603** EDASI LGTS

930.38 nm / 1723.06 km



Notes

Requested: EDDF ANEIK8L ANEKI Y163 NATOR UN850 TRA UP131 RESIA Q333 BABAG UN606 PEVAL PETAK UL607 PINDO UM603 EDAS
Unmatched points: ANEIK8L

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF	-	50.03260	0 ft	-	Frankfurt
APT	-	8.54067	0 m		
ANEKI	-	49.31730	0 ft	43	-
FIX	-	8.48043	0 m		
NEKLO	Y163	49.28610	0 ft	1	-
FIX	AWY-HI	8.47639	0 m		
BADLI	Y163	49.06360	0 ft	13	-
FIX	AWY-HI	8.44750	0 m		
PABLA	Y163	48.78860	0 ft	16	-
FIX	AWY-HI	8.35197	0 m		
HERBI	Y163	48.49080	0 ft	18	-
FIX	AWY-HI	8.24361	0 m		
NATOR	Y163	48.17000	0 ft	19	-
FIX	AWY-HI	8.32126	0 m		
TITIX	UN850	47.85830	0 ft	18	-
FIX	AWY-HI	8.39667	0 m		
TRA	UN850	47.68950	0 ft	10	TRASADINGEN
VOR	AWY-HI	8.43697	0 m		
ARGAX	UP131	47.05000	0 ft	51	-
FIX	AWY-HI	9.29806	0 m		
RESIA	UP131	46.47830	0 ft	46	-
FIX	AWY-HI	10.04330	0 m		
UNTAD	Q333	46.22000	0 ft	36	-
FIX	AWY-HI	10.84280	0 m		
DIKEM	Q333	46.03970	0 ft	25	-
FIX	AWY-HI	11.39940	0 m		
ROKIB	Q333	45.93560	0 ft	13	-
FIX	AWY-HI	11.69220	0 m		
BABAG	Q333	45.38690	0 ft	68	-
FIX	AWY-HI	13.12690	0 m		
PEVAL	-	45.31140	0 ft	6	-
FIX	-	13.24750	0 m		
PETAK	-	41.77530	0 ft	338	-
FIX	-	19.31390	0 m		
PINDO	-	40.48080	0 ft	107	-
FIX	-	20.95580	0 m		
KAS	UM603	40.45100	0 ft	14	KASTORIA
VOR	AWY-HI	21.27530	0 m		
EDASI	UM603	40.45750	0 ft	52	-
FIX	AWY-HI	22.42750	0 m		
LGTS	-	40.52010	0 ft	25	Thessaloniki Makedonia International Airport
APT	-	22.96910	0 m		

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.171 E

METAR

EDDF 031120Z AUTO 22011KT 9999 SCT020 OVC026 12/08 Q1013 NOSIG

TAF

TAF TAF EDDF 031100Z 0312/0418 21012KT 9999 FEW012 BKN025 BECMG 0313/0315 SCT035 BECMG 0318/0321 VRB03KT BECMG 0401/0404

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL
GND - 121.80 MHz - GROUND
GND - 121.70 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER
TWR - 124.85 MHz - TOWER
TWR - 136.50 MHz - TOWER
APP - 127.27 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 119.90 MHz - TOWER
TWR - 127.32 MHz - TOWER
CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 118.50 MHz - FRANKFURT DIRECT
APP - 126.55 MHz - LANGEN RADAR
APP - 120.15 MHz - LANGEN RADAR
APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.42		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.46		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m

LGTS

```
Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2
```

Elevation: 21 ft / 6 m
Location: 40.520100 22.969100
Magnetic Var: 5.266 E

METAR

LGTS 031120Z 29006KT 9999 FEW018 SCT025 21/05 Q1007 RETS NOSIG

TAF

TAF LGTS 031100Z 0312/0412 32013KT 9999 SCT025 PROB40 TEMPO 0312/0315 5000 SHRA FEW020TCU SCT025 PROB30 TEMPO 031

Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.72		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.17		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.17		0 m	0 m

Approach NavAids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m