


2024/05/16 2028Z

URKK AGIDA URKA

78.18 nm / 144.78 km



Notes

Requested: URKK AGIDA URKA

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URKK	-	45.03430	0 ft	-	Krasnodar Pashkovsky
APT	-	39.18820	0 m		
AGIDA	-	45.01140	0 ft	55	-
FIX	-	37.87830	0 m		
URKA	-	45.00210	0 ft	22	Anapa Vityazevo Regl
APT	-	37.34730	0 m		

URKK

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 118 ft / 36 m
Location: 45.034300 39.188200
Magnetic Var: 7.967 E

METAR

URKK 162000Z 33001MPS CAVOK 10/09 Q1022 R05R/CLRD70 NOSIG RMK QFE763

TAF

TAF URKK 161657Z 1618/1718 05003MPS 6000 SCT020CB PROB40 TEMPO 1618/1621 3100 -TSRA BKN016CB TEMPO 1621/1706 0200

Frequencies

REC - 122.45 MHz - ATIS
GND - 119.00 MHz - KRASNODAR GROUND
APP - 129.60 MHz - KRASNODAR APPROACH
TWR - 118.20 MHz - KRASNODAR TOWER
APP - 127.70 MHz - KRASNODAR APPROACH
APP - 121.30 MHz - KRASNODAR RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	145 ft	9,833 ft	52.49	CONCRETE	0 ft	0 ft
	44 m	2,997 m	44.52		0 m	0 m
23L	145 ft	9,833 ft	232.51	CONCRETE	0 ft	0 ft
	44 m	2,997 m	224.54		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	IKR	110.70 MHz	18 nm	52.50	-	118 ft
				33 km	44.53		118 m
23L	LOC-ILS	ILD	109.50 MHz	18 nm	232.50	-	118 ft
				33 km	224.53		118 m
05R	GS	IKR	110.70 MHz	10 nm	52.50	2.70	118 ft
				19 km	44.53		118 m
23L	GS	ILD	109.50 MHz	10 nm	232.50	2.70	118 ft
				19 km	224.53		118 m

URKA

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 176 ft / 54 m
Location: 45.002100 37.347300
Magnetic Var: 7.798 E

METAR

URKA 162000Z VRB01MPS CAVOK 07/07 Q1022 R21/010070 NOSIG RMK QFE762/1016

TAF

TAF TAF URKA 161652Z 1618/1718 06003G08MPS 6000 SCT030 TEMPO 1618/1705 0300 FG BKN002 FM170600 04003G08MPS 9999 S

Frequencies

TWR - 119.80 MHz - ANAPA TOWER
REC - 125.40 MHz - ANAPA ATIS

COM - 118.70 MHz - ANAPA RADAR
TWR - 118.90 MHz - ANAPA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,210 ft	42.13	CONCRETE	0 ft	0 ft
	45 m	2,502 m	34.33		0 m	0 m
22	148 ft	8,210 ft	222.15	CONCRETE	0 ft	0 ft
	45 m	2,502 m	214.35		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAN	109.10 MHz	18 nm	42.14	-	176 ft
				33 km	34.34		176 m
22	LOC-ILS	IAP	110.90 MHz	18 nm	222.14	-	176 ft
				33 km	214.34		176 m
04	GS	IAN	109.10 MHz	10 nm	42.14	3.00	176 ft
				19 km	34.34		176 m
22	GS	IAP	110.90 MHz	10 nm	222.14	3.00	176 ft
				19 km	214.34		176 m