

# GVAC

Espargos-Amilcar Cabral Intl


# LPFR

Faro

2024/05/17 2016Z

GVAC PISPU **B623** IPERA **UN873** GDV **UN858** AKUDA LPFR

1454.01 nm / 2692.83 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GVAC APT	-	16.73760 -22.95000	0 ft 0 m	-	Espargos-Amilcar Cabral Intl
PISPU FIX	-	17.88890 -22.24810	28,500 ft 8,687 m	80	-
IPERA FIX	B623 AWY-LO	20.36500 -20.70000	35,000 ft 10,668 m	172	-
ISOKA FIX	UN873 AWY-HI	22.08140 -19.59000	35,000 ft 10,668 m	120	-
LIMAL FIX	UN873 AWY-HI	25.00000 -17.62560	35,000 ft 10,668 m	205	-
UDATI FIX	UN873 AWY-HI	26.19780 -16.78640	35,000 ft 10,668 m	85	-
ODEGI FIX	UN873 AWY-HI	26.89460 -16.29010	35,000 ft 10,668 m	49	-
LOMAS FIX	UN873 AWY-HI	27.72040 -15.69110	35,000 ft 10,668 m	59	-
GDV VOR	UN873 AWY-HI	28.07710 -15.42900	35,000 ft 10,668 m	25	GRAN CANARIA
VASTO FIX	UN858 AWY-HI	30.50940 -13.57280	35,000 ft 10,668 m	175	-
SULAM FIX	UN858 AWY-HI	30.91580 -13.24830	35,000 ft 10,668 m	29	-
DIMSA FIX	UN858 AWY-HI	31.97190 -12.39890	35,000 ft 10,668 m	76	-
IBLIV FIX	UN858 AWY-HI	33.17390 -11.40610	35,000 ft 10,668 m	87	-
SUNID FIX	UN858 AWY-HI	34.61970 -10.15670	35,000 ft 10,668 m	106	-
AKUDA FIX	UN858 AWY-HI	35.96670 -8.95000	16,800 ft 5,121 m	100	-
LPFR APT	-	37.01530 -7.97232	0 ft 0 m	78	Faro

## GVAC

Region: CAPE VERDE

Timezone: ATLANTIC/CAPE\_VERDE

Runways: 1

Elevation: 184 ft / 56 m

Location: 16.737600 -22.950000

Magnetic Var: 8.490 W

## METAR

GVAC 172000Z 04012KT 9999 SCT014 23/17 Q1014 NOSIG

## TAF

TAF GVAC 171700Z 1718/1824 05012KT 9999 SCT014

## Frequencies

REC - 127.60 MHz - AMILCABRAL ATIS

TWR - 119.70 MHz - AMILCABRAL TOWER

APP - 126.40 MHz - SAL APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,781 ft	359.61	ASPHALT	879 ft	0 ft
	45 m	3,286 m	8.10		268 m	0 m
19	148 ft	10,781 ft	179.61	ASPHALT	0 ft	0 ft
	45 m	3,286 m	188.10		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	SL	109.90 MHz	18 nm	359.58	-	177 ft
				33 km	8.07		177 m
01	GS	SL	109.90 MHz	10 nm	359.64	3.00	184 ft
				19 km	8.13		184 m

## LPFR

Region: PORTUGAL  
Timezone: EUROPE/LISBON  
Runways: 1

Elevation: 22 ft / 7 m  
Location: 37.015300 -7.972320  
Magnetic Var: 1.173 W

## METAR

LPFR 171900Z 32015KT 9999 FEW030 21/10 Q1012

## TAF

TAF TAF LPFR 171947Z 1718/1818 CNL

## Frequencies

REC - 124.20 MHz - ATIS  
TWR - 120.75 MHz -  
GND - 118.57 MHz -  
APP - 119.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,179 ft	100.08	ASPHALT	148 ft	0 ft
	45 m	2,493 m	101.25		45 m	0 m
28	148 ft	8,179 ft	280.09	ASPHALT	144 ft	0 ft
	45 m	2,493 m	281.27		44 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IIF	109.50 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28	LOC-ILS	IIF	109.50 MHz	18 nm	280.08	-	22 ft
				33 km	281.25		22 m
28	GS	IIF	109.50 MHz	10 nm	280.17	3.00	24 ft
				19 km	281.35		24 m