


2024/05/01 2045Z

YPPH VEMON **H18** BURGU **Y135** YORKE **J15** AD AD **H247** NATYA YMOM YSCB YJBY ABBEY SOSIJ ATRET YSSY

1825.48 nm / 3380.78 km



Notes

Requested: YPPH VEMON H18 BURGU Y135 YORKE J15 AD AD H247 NATYA YMOM YSCB YJBY ABBEY SOSIJ ATRET YSSY

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPPH	-	-31.93980	0 ft	-	Perth International
APT	-	115.96700	0 m	-	
VEMON	-	-32.53930	0 ft	66	-
FIX	-	117.07400	0 m	-	-
BURGU	H18	-32.96990	0 ft	83	-
FIX	AWY-HI	118.65500	0 m	-	-
HECTO	Y135	-33.00500	0 ft	93	-
FIX	AWY-HI	120.51500	0 m	-	-
STILE	Y135	-33.19830	0 ft	67	-
FIX	AWY-HI	121.84300	0 m	-	-
HITCH	Y135	-33.71000	0 ft	161	-
FIX	AWY-HI	125.00000	0 m	-	-
HOLLA	Y135	-34.11670	0 ft	151	-
FIX	AWY-HI	128.00000	0 m	-	-
HUSKY	Y135	-34.49500	0 ft	175	-
FIX	AWY-HI	131.50000	0 m	-	-
HYDRA	Y135	-34.77170	0 ft	173	-
FIX	AWY-HI	135.00000	0 m	-	-
ROGAS	Y135	-34.83190	0 ft	49	-
FIX	AWY-HI	136.00000	0 m	-	-
YORKE	Y135	-34.91150	0 ft	79	-
FIX	AWY-HI	137.61300	0 m	-	-
AD	J15	-34.94690	0 ft	44	ADELAIDE VOR-DME
DME	AWY-HI	138.52400	0 m	-	
AD	-	-34.94700	0 ft	0	ADELAIDE
VOR	-	138.52500	0 m	-	
PANKI	H247	-34.97720	0 ft	89	-
FIX	AWY-HI	140.34900	0 m	-	-
NATYA	H247	-34.96890	0 ft	141	-
FIX	AWY-HI	143.23300	0 m	-	-
YMOM	-	-35.06140	0 ft	39	MOULAMEIN
APT	-	144.01800	0 m	-	
YSCB	-	-35.30550	0 ft	254	Canberra Intl
APT	-	149.19300	0 m	-	
YJBY	-	-35.14700	0 ft	74	Jervis Bay
APT	-	150.69700	0 m	-	
ABBEY	-	-34.40300	0 ft	48	-
FIX	-	151.09500	0 m	-	-
SOSIJ	-	-34.17230	0 ft	15	-
FIX	-	151.23500	0 m	-	-
ATRET	-	-34.05800	0 ft	7	-
FIX	-	151.20500	0 m	-	-
YSSY	-	-33.94610	0 ft	6	Sydney Kingsford Smith Intl
APT	-	151.17700	0 m	-	

YPPH

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 67 ft / 20 m
Location: -31.939800 115.967000
Magnetic Var: 1.732 W

METAR

YPPH 012030Z 05007KT CAVOK 19/15 Q1019

TAF

TAF YPPH 011704Z 0118/0300 03008KT 9999 -SHRA NSC FM020500 32008KT 9999 -SHRA NSC BECMG 0212/0213 VRB04KT 9999 -SH

Frequencies

REC - 113.70 MHz - PERTH ATIS
DEP - 118.70 MHz - PERTH DEPARTURE
GND - 121.70 MHz - PERTH GROUND WEST
CLD - 118.55 MHz - PERTH CLEARANCE DELIVERY
APP - 123.60 MHz - PERTH APPROACH
TWR - 127.40 MHz - PERTH TOWER
GND - 122.20 MHz - PERTH GROUND EAST

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,100 ft	58.88	ASPHALT	0 ft	217 ft
	45 m	2,164 m	60.62		0 m	66 m
24	148 ft	7,100 ft	238.87	ASPHALT	0 ft	220 ft
	45 m	2,164 m	240.61		0 m	67 m
03	148 ft	11,307 ft	13.88	ASPHALT	0 ft	302 ft
	45 m	3,446 m	15.61		0 m	92 m
21	148 ft	11,307 ft	193.88	ASPHALT	0 ft	210 ft
	45 m	3,446 m	195.61		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IPN	110.10 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
21	DME	IGD	109.50 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
24	DME	IPH	109.90 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
03	LOC-ILS	IPN	110.10 MHz	18 nm	13.88	-	67 ft
				33 km	15.61		67 m
21	LOC-ILS	IGD	109.50 MHz	18 nm	193.87	-	67 ft
				33 km	195.60		67 m
24	LOC-ILS	IPH	109.90 MHz	18 nm	238.88	-	67 ft
				33 km	240.61		67 m
03	GS	IPN	110.10 MHz	10 nm	13.88	3.00	67 ft
				19 km	15.61		67 m
21	GS	IGD	109.50 MHz	10 nm	193.87	3.00	67 ft
				19 km	195.60		67 m
24	GS	IPH	109.90 MHz	10 nm	238.88	3.00	67 ft
				19 km	240.61		67 m

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.671 E

METAR

YSSY 012030Z 23010G23KT 9999 -SHRA FEW020 SCT030 BKN060 15/13 Q1030

TAF

TAF YSSY 011723Z 0118/0300 23012KT 9999 -SHRA BKN020 FM012300 19014KT 9999 -SHRA BKN020 INTER 0118/0200 2000 SHRA

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m