

DTTA

Tunis-Carthage


LIRN

Napoli-Capodichino "Ugo Niutta"

2024/05/16 0756Z

DTTA PININ M725 PEVIR LIRN

310.17 nm / 574.43 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DTTA	-	36.85130	0 ft	-	Tunis-Carthage
APT	-	10.23000	0 m	-	
PININ	-	37.92970	30,400 ft	85	-
FIX	-	11.39440	9,266 m	-	-
GIANO	M725	38.86920	32,000 ft	75	-
FIX	AWY-HI	12.44750	9,754 m	-	-
PEVIR	M725	40.28170	8,200 ft	111	-
FIX	AWY-HI	13.99420	2,499 m	-	-
LIRN	-	40.88600	0 ft	38	Napoli-Capodichino "Ugo Niutta"
APT	-	14.29080	0 m	-	

DTTA

Region: TUNISIA
Timezone: AFRICA/TUNIS
Runways: 2

Elevation: 20 ft / 6 m
Location: 36.851300 10.230000
Magnetic Var: 3.020 E

METAR

UNKNOWN

TAF

TAF DTTA 160500Z 1606/1706 30006KT 8000 SCT023 BECMG 1608/1610 35012KT 9999 FEW020

Frequencies

REC - 118.67 MHz - TUNIS ATIS
TWR - 118.10 MHz - TUNIS TWR

GND - 121.90 MHz - TUNIS GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,509 ft	12.29	ASPHALT	0 ft	190 ft
	45 m	3,203 m	9.27		0 m	58 m
19	148 ft	10,509 ft	192.29	ASPHALT	0 ft	184 ft
	45 m	3,203 m	189.27		0 m	56 m
11	148 ft	9,360 ft	112.55	ASPHALT	0 ft	197 ft
	45 m	2,853 m	109.53		0 m	60 m
29	148 ft	9,360 ft	292.57	ASPHALT	682 ft	535 ft
	45 m	2,853 m	289.55		208 m	163 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	TBL	111.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
29	DME	TKE	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
01	LOC-ILS	TBL	111.10 MHz	18 nm	12.29	-	20 ft
				33 km	9.27		20 m
19	LOC-ILS	TSI	110.30 MHz	18 nm	192.29	-	20 ft
				33 km	189.27		20 m
29	LOC-ILS	TKE	108.50 MHz	18 nm	292.56	-	20 ft
				33 km	289.54		20 m
01	GS	TBL	111.10 MHz	10 nm	12.29	3.00	20 ft
				19 km	9.27		20 m
19	GS	TSI	110.30 MHz	10 nm	192.29	3.00	20 ft
				19 km	189.27		20 m
29	GS	TKE	108.50 MHz	10 nm	292.56	3.00	20 ft
				19 km	289.54		20 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.963 E

METAR

LIRN 160720Z 35004KT 300V050 CAVOK 24/14 Q1005 NOSIG

TAF

TAF LIRN 160500Z 1606/1706 VRB05KT CAVOK BECMG 1609/1611 21012KT BECMG 1617/1619 VRB05KT

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.07		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m