


2024/05/23 0544Z

CYWG YBR CYBR

104.76 nm / 194.01 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYWG	-	49.90710	0 ft	-	WINNIPEG INTL
APT	-	-97.23930	0 m		
YBR	-	49.90990	0 ft	104	BRANDON
VOR	-	-99.94570	0 m		
CYBR	-	49.90890	0 ft	0	Brandon Municipal Airport
APT	-	-99.94730	0 m		

CYWG

Region: CANADA
Timezone: AMERICA/WINNIPEG
Runways: 2

Elevation: 783 ft / 239 m
Location: 49.907100 -97.239300
Magnetic Var: 2.581 E

METAR

CYWG 230500Z 02008KT 15SM BKN096 07/05 A2982 RMK AC5 SLP105

TAF

TAF CYWG 222340Z 2300/2324 02012KT P6SM SCT030 BKN060 OVC120 TEMPO 2300/2302 P6SM -SHRA BKN030 OVC060 FM230200 040

Frequencies

REC - 120.20 MHz - ATIS	CLD - 121.30 MHz - CLNC DEL
GND - 121.90 MHz -	TWR - 126.90 MHz - INTL AIR
TWR - 118.30 MHz -	TWR - 125.40 MHz -
APP - 119.50 MHz - ARR	DEP - 119.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	200 ft	11,010 ft	188.48	ASPHALT	0 ft	98 ft
	61 m	3,356 m	185.90		0 m	30 m
36	200 ft	11,010 ft	8.48	ASPHALT	0 ft	0 ft
	61 m	3,356 m	5.90		0 m	0 m
13	200 ft	8,696 ft	138.57	ASPHALT	0 ft	0 ft
	61 m	2,651 m	135.99		0 m	0 m
31	200 ft	8,696 ft	318.59	ASPHALT	0 ft	0 ft
	61 m	2,651 m	316.01		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	INP	109.50 MHz	18 nm	138.58	-	783 ft
				33 km	136.00		783 m
31	LOC-ILS	IHV	110.30 MHz	18 nm	318.58	-	783 ft
				33 km	316.00		783 m
36	LOC-ILS	IWG	109.90 MHz	18 nm	8.48	-	783 ft
				33 km	5.90		783 m
13	GS	INP	109.50 MHz	10 nm	138.58	3.00	783 ft
				19 km	136.00		783 m
31	GS	IHV	110.30 MHz	10 nm	318.58	3.00	783 ft
				19 km	316.00		783 m
36	GS	IWG	109.90 MHz	10 nm	8.48	3.00	783 ft
				19 km	5.90		783 m

CYBR

Region: CANADA
Timezone: AMERICA/WINNIPEG
Runways: 2

Elevation: 1,342 ft / 409 m
Location: 49.908900 -99.947300
Magnetic Var: 4.737 E

METAR

CYBR 230500Z 06014KT 15SM BKN073 BKN100 OVC210 09/05 A2981 RMK AC5AC2CI1 SLP107

TAF

TAF CYBR 222340Z 2300/2312 06012G22KT P6SM BKN060 TEMPO 2300/2303 P6SM -SHRA VCTS OVC040CB FM230300 06012KT P6SM O

Frequencies

TWR - 122.10 MHz - CTAF
APP - 285.40 MHz - WINNIPEG CENTER

APP - 132.25 MHz - WINNIPEG CENTER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	6,489 ft	90.34	ASPHALT	0 ft	0 ft
	46 m	1,978 m	85.61		0 m	0 m
26	150 ft	6,489 ft	270.37	ASPHALT	0 ft	0 ft
	46 m	1,978 m	265.63		0 m	0 m
14	60 ft	3,003 ft	150.46	GRAVEL	0 ft	0 ft
	18 m	915 m	145.72		0 m	0 m
32	60 ft	3,003 ft	330.46	GRAVEL	0 ft	0 ft
	18 m	915 m	325.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IBR	110.10 MHz	18 nm	-	-	1,343 ft
				33 km	-		1,343 m
08	LOC-ILS	IBR	110.10 MHz	18 nm	90.36	-	1,342 ft
				33 km	85.62		1,342 m
08	GS	IBR	110.10 MHz	10 nm	90.36	3.00	1,342 ft
				19 km	85.62		1,342 m