

SAEZ

Ministro Pistarini Intl


SBPA

Salgado Filho Intl

2024/06/05 0358Z

SAEZ NEGIR **A314** PAMUG SBPA

476.63 nm / 882.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m		
NEGIR	-	-33.68170	35,000 ft	104	-
FIX	-	-56.95060	10,668 m		
DUR	A314	-33.35630	35,000 ft	29	DURAZNO
VOR	AWY-LO	-56.49610	10,668 m		
MUMET	A314	-33.01060	35,000 ft	30	-
FIX	AWY-LO	-56.06470	10,668 m		
ISALA	A314	-31.67620	35,000 ft	114	-
FIX	AWY-LO	-54.44640	10,668 m		
BGE	A314	-31.39070	35,000 ft	24	BAGE
VOR	AWY-LO	-54.10970	10,668 m		
AKPIG	A314	-31.19420	31,700 ft	24	-
FIX	AWY-LO	-53.68080	9,662 m		
PAMUG	A314	-30.38640	10,100 ft	100	-
FIX	AWY-LO	-51.96710	3,078 m		
SBPA	-	-29.99460	0 ft	47	Salgado Filho Intl
APT	-	-51.17120	0 m		

SAEZ

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 2

Elevation: 66 ft / 20 m
Location: -34.822000 -58.532600
Magnetic Var: 9.822 W

METAR

SAEZ 050300Z 05007KT CAVOK 12/08 Q1022 NOSIG

TAF

TAF SAEZ 042300Z 0500/0524 07006KT CAVOK TX15/0518Z TN10/0509Z BECMG 0500/0502 05005KT PROB30 TEMPO 0506/0511 500

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.75 MHz - EZEIZA GROUND
APP - 119.90 MHz - EZEIZA APPROACH
CLD - 127.10 MHz - EZEIZA CLEARANCE
TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.90		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.89		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.13		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.89		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.13		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.89		66 m

SBPA

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 12 ft / 4 m
Location: -29.994600 -51.171200
Magnetic Var: 17.892 W

METAR

UNKNOWN

TAF

TAF SBPA 042100Z 0500/0524 11010KT 9999 BKN045 TN10/0509Z TX22/0518Z BECMG 0501/0503 08003KT SCT010 PROB40 0506/0

Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.23		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.22		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.82		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.09		11 m