


2024/06/15 1253Z

KGSO LOCKS **V454** GRD **V185** IRQ **V56** MCN **V323** POTAR KDHN

408.32 nm / 756.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KGSO	-	36.10060	0 ft	-	Piedmont Triad
APT	-	-79.94180	0 m		
LOCKS	-	34.92770	34,400 ft	96	-
FIX	-	-81.29240	10,485 m		
ADENA	V454	34.73300	35,000 ft	17	-
FIX	AWY-LO	-81.54280	10,668 m		
UNARM	V454	34.65490	35,000 ft	6	-
FIX	AWY-LO	-81.64270	10,668 m		
GRD	V454	34.25160	35,000 ft	35	GREENWOOD
VOR	AWY-LO	-82.15420	10,668 m		
LUKES	V185	34.03090	35,000 ft	13	-
FIX	AWY-LO	-82.15740	10,668 m		
BLANE	V185	33.90650	35,000 ft	7	-
FIX	AWY-LO	-82.15920	10,668 m		
COLON	V185	33.81750	35,000 ft	5	-
FIX	AWY-LO	-82.16050	10,668 m		
IRQ	V185	33.70740	35,000 ft	6	COLLIERS
VOR	AWY-LO	-82.16210	10,668 m		
HARLE	V56	33.37880	35,000 ft	31	-
FIX	AWY-LO	-82.64900	10,668 m		
MISTY	V56	33.24620	35,000 ft	12	-
FIX	AWY-LO	-82.84350	10,668 m		
HADOC	V56	33.12050	35,000 ft	11	-
FIX	AWY-LO	-83.02710	10,668 m		
RIPPI	V56	32.90560	30,800 ft	20	-
FIX	AWY-LO	-83.33880	9,388 m		
MCN	V56	32.69120	26,500 ft	20	MACON
VOR	AWY-LO	-83.64720	8,077 m		
BYROE	V323	32.61800	24,600 ft	8	-
FIX	AWY-LO	-83.79630	7,498 m		
POTAR	V323	32.49040	21,400 ft	15	-
FIX	AWY-LO	-84.05500	6,523 m		
KDHN	-	31.32070	0 ft	99	Dothan Regional
APT	-	-85.44880	0 m		

## KGSO

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 924 ft / 282 m  
Location: 36.100600 -79.941800  
Magnetic Var: 8.795 W

## METAR

KGSO 151154Z 06007KT 10SM FEW075 SCT100 SCT250 23/17 A3003 RMK A02 SLP157 T02330172 10233 20217 53031

## TAF

TAF KGSO 151120Z 1512/1612 02009KT P6SM FEW060 FEW250

## Frequencies

REC - 128.55 MHz - GREENSBORO ATIS  
GND - 121.90 MHz - GREENSBORO GROUND  
DEP - 124.35 MHz - GREENSBORO DEPARTURE  
TWR - 119.10 MHz - GREENSBORO TOWER  
APP - 124.35 MHz - GREENSBORO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	6,379 ft	135.26	ASPHALT	0 ft	92 ft
	45 m	1,944 m	144.06		0 m	28 m
32	148 ft	6,379 ft	315.27	ASPHALT	0 ft	197 ft
	45 m	1,944 m	324.07		0 m	60 m
05R	148 ft	9,987 ft	45.87	ASPHALT	0 ft	213 ft
	45 m	3,044 m	54.66		0 m	65 m
23L	148 ft	9,987 ft	225.88	ASPHALT	0 ft	180 ft
	45 m	3,044 m	234.68		0 m	55 m
05L	148 ft	9,003 ft	45.85	ASPHALT	0 ft	400 ft
	45 m	2,744 m	54.64		0 m	122 m
23R	148 ft	9,003 ft	225.86	ASPHALT	0 ft	400 ft
	45 m	2,744 m	234.66		0 m	122 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-ILS	ILLG	109.55 MHz	18 nm	45.86	-	924 ft
				33 km	54.65		924 m
05R	LOC-ILS	ILZY	111.90 MHz	18 nm	45.88	-	924 ft
				33 km	54.67		924 m
23L	LOC-ILS	IHIH	109.30 MHz	18 nm	225.88	-	924 ft
				33 km	234.67		924 m
23R	LOC-ILS	IIDB	109.55 MHz	18 nm	225.86	-	924 ft
				33 km	234.65		924 m
32	LOC-ILS	IGFN	111.15 MHz	18 nm	315.27	-	924 ft
				33 km	324.06		924 m
05L	GS	ILLG	109.55 MHz	10 nm	45.86	3.00	924 ft
				19 km	54.65		924 m
05R	GS	ILZY	111.90 MHz	10 nm	45.88	3.00	924 ft
				19 km	54.67		924 m
23L	GS	IHIH	109.30 MHz	10 nm	225.88	3.00	924 ft
				19 km	234.67		924 m
23R	GS	IIDB	109.55 MHz	10 nm	225.86	3.00	924 ft
				19 km	234.65		924 m
32	GS	IGFN	111.15 MHz	10 nm	315.27	3.00	924 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	324.06		924 m

## KDHN

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 400 ft / 122 m  
Location: 31.320700 -85.448800  
Magnetic Var: 4.727 W

## METAR

KDHN 151153Z AUTO 00000KT 10SM CLR 25/20 A3001 RMK A02 SLP157 T02500200 10250 20217 53018

## TAF

TAF KDHN 151120Z 1512/1612 10005KT P6SM FEW070 FM160000 18005KT P6SM SCT250

## Frequencies

REC - 135.72 MHz - ATIS  
GND - 121.70 MHz - DOTHAN GROUND  
APP - 125.40 MHz - CAIRNS APPROACH  
COM - 122.95 MHz - DOTHAN UNICOM  
TWR - 118.40 MHz - DOTHAN TOWER  
DEP - 125.40 MHz - CAIRNS DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	100 ft	5,497 ft	179.99	ASPHALT	502 ft	0 ft
	30 m	1,676 m	184.72		153 m	0 m
36	100 ft	5,497 ft	359.99	ASPHALT	0 ft	0 ft
	30 m	1,676 m	4.72		0 m	0 m
14	150 ft	8,507 ft	135.08	ASPHALT	0 ft	0 ft
	46 m	2,593 m	139.81		0 m	0 m
32	150 ft	8,507 ft	315.09	ASPHALT	0 ft	0 ft
	46 m	2,593 m	319.82		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IODA	108.30 MHz	18 nm	135.09	-	400 ft
				33 km	139.82		400 m
32	LOC-ILS	IDHN	108.30 MHz	18 nm	315.09	-	400 ft
				33 km	319.82		400 m
14	GS	IODA	110.75 MHz	10 nm	135.09	3.00	400 ft
				19 km	139.82		400 m
32	GS	IDHN	108.30 MHz	10 nm	315.09	3.00	400 ft
				19 km	319.82		400 m