


2024/06/06 2042Z

CYTR SIKBO **Q905** HOCKE **Q824** FNT **J547** OBK **V100** RFD **V63** CVA **V6** IOW **J192** PWE **J64** TBC **J236** EED KTNP

1884.83 nm / 3490.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 100kts
- Cruise Altitude: 35000ft
- Cruise Speed: 130kts
- Descent Rate: 1500ft/min
- Descent Speed: 100kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYTR	-	44.11890	0 ft	-	CFB Trenton
APT	-	-77.52810	0 m		
SIKBO	-	43.65360	35,000 ft	83	-
FIX	-	-79.34920	10,668 m		
DASIR	Q905	43.32210	35,000 ft	127	-
FIX	AWY-HI	-82.24810	10,668 m		
HOCKE	Q905	43.26210	35,000 ft	20	-
FIX	AWY-HI	-82.71060	10,668 m		
FNT	Q824	42.96680	35,000 ft	48	FLINT
VOR	AWY-HI	-83.74700	10,668 m		
DEWIT	J547	42.80250	35,000 ft	36	-
FIX	AWY-HI	-84.55000	10,668 m		
HASTE	J547	42.67100	35,000 ft	28	-
FIX	AWY-HI	-85.16740	10,668 m		
PMM	J547	42.46600	35,000 ft	43	PULLMAN
VOR	AWY-HI	-86.10480	10,668 m		
KUBBS	J547	42.29810	35,000 ft	58	-
FIX	AWY-HI	-87.40320	10,668 m		
OBK	J547	42.22140	35,000 ft	24	NORTHBROOK
VOR	AWY-HI	-87.95160	10,668 m		
UMUZI	V100	42.25670	35,000 ft	5	-
FIX	AWY-LO	-88.07650	10,668 m		
FARMM	V100	42.33600	35,000 ft	13	-
FIX	AWY-LO	-88.35940	10,668 m		
KRENA	V100	42.37490	35,000 ft	6	-
FIX	AWY-LO	-88.49950	10,668 m		
SMULA	V100	42.34110	35,000 ft	7	-
FIX	AWY-LO	-88.65990	10,668 m		
GRIFT	V100	42.29110	35,000 ft	10	-
FIX	AWY-LO	-88.89480	10,668 m		
RFD	V100	42.22560	35,000 ft	14	ROCKFORD
VOR	AWY-LO	-89.19930	10,668 m		
MIHAL	V63	41.95650	35,000 ft	34	-
FIX	AWY-LO	-89.87460	10,668 m		
CVA	V63	41.70850	35,000 ft	31	DAVENPORT
VOR	AWY-LO	-90.48330	10,668 m		
ZELMI	V6	41.61810	35,000 ft	25	-
FIX	AWY-LO	-91.03100	10,668 m		
MOSCO	V6	41.59260	35,000 ft	6	-
FIX	AWY-LO	-91.18280	10,668 m		
IOW	V6	41.51900	35,000 ft	19	IOWA CITY
VOR	AWY-LO	-91.61330	10,668 m		
PWE	J192	40.20040	35,000 ft	223	PAWNEE CITY
VOR	AWY-HI	-96.20630	10,668 m		
HLC	J64	39.25870	35,000 ft	194	HILL CITY
VOR	AWY-HI	-100.22600	10,668 m		
PUB	J64	38.29430	35,000 ft	205	PUEBLO
VOR	AWY-HI	-104.42900	10,668 m		
RSK	J64	36.74840	35,000 ft	197	RATTLESNAKE (FARMINGTON)
VOR	AWY-HI	-108.09900	10,668 m		
COCAN	J64	36.31250	35,000 ft	111	-
FIX	AWY-HI	-110.35200	10,668 m		
RHYSS	J64	36.20530	35,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-110.87100	10,668 m		
TBC	J64	36.12130	35,000 ft	19	TUBA CITY
VOR	AWY-HI	-111.27000	10,668 m		
EED	J236	34.76600	35,000 ft	176	NEEDLES
VOR	AWY-HI	-114.47400	10,668 m		
KTNP	-	34.13110	0 ft	82	Twentynine Palms
APT	-	-115.94600	0 m		

CYTR

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 1

Elevation: 283 ft / 86 m
Location: 44.118900 -77.528100
Magnetic Var: 11.619 W

METAR

CYTR 062000Z 22013G20KT 15SM FEW020 FEW040 24/17 A2944 RMK SC1SC1 DENSITY ALT 2176FT MOD CU ASOCTD SLP970

TAF

TAF TAF CYTR 061740Z 0618/0718 32008KT P6SM BKN050 BKN140 TEMPO 0618/0620 5SM -SHRA BR FEW010 BKN020 PROB30 0618/0

Frequencies

REC - 135.45 MHz - ATIS
GND - 121.90 MHz - GROUND
APP - 128.40 MHz - APPROACH
CLD - 124.35 MHz - CLEARANCE DELIVERY
TWR - 128.70 MHz - TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,986 ft	50.58	ASPHALT	0 ft	0 ft
	61 m	3,044 m	62.20		0 m	0 m
24	200 ft	9,986 ft	230.60	ASPHALT	1,001 ft	0 ft
	61 m	3,044 m	242.22		305 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	ITR	109.70 MHz	18 nm	243.00	-	283 ft
				33 km	254.62		283 m
06	LOC-ILS	INT	110.75 MHz	18 nm	63.00	-	283 ft
				33 km	74.62		283 m
24	GS	ITR	109.70 MHz	10 nm	243.00	3.00	283 ft
				19 km	254.62		283 m
06	GS	INT	110.75 MHz	10 nm	63.00	3.00	283 ft
				19 km	74.62		283 m