


2024/05/15 0016Z

KENW LNR **V24** ZELET KCNB

384.58 nm / 712.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 6000ft
- Cruise Speed: 160kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KENW APT	-	42.59570 -87.92780	0 ft 0 m	-	KENOSHA RGNL
LNR VOR	-	43.29440 -90.13310	6,000 ft 1,829 m	105	LONE ROCK
WITOL FIX	V24 AWY-LO	43.41540 -90.71570	6,000 ft 1,829 m	26	-
DOURS FIX	V24 AWY-LO	43.50190 -91.14230	6,000 ft 1,829 m	19	-
FALAR FIX	V24 AWY-LO	43.57390 -91.50510	6,000 ft 1,829 m	16	-
LEFTY FIX	V24 AWY-LO	43.64870 -91.88870	6,000 ft 1,829 m	17	-
EMORE FIX	V24 AWY-LO	43.70570 -92.18590	6,000 ft 1,829 m	13	-
RST VOR	V24 AWY-LO	43.78290 -92.59700	6,000 ft 1,829 m	18	ROCHESTER
KASPR FIX	V24 AWY-LO	43.96550 -93.24700	6,000 ft 1,829 m	30	-
ALMAY FIX	V24 AWY-LO	44.05860 -93.58500	6,000 ft 1,829 m	15	-
ZELET FIX	V24 AWY-LO	44.37500 -94.77110	6,000 ft 1,829 m	54	-
KCNB APT	-	44.72950 -96.26600	0 ft 0 m	67	MYERS FIELD

KENW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 743 ft / 226 m
Location: 42.595700 -87.927800
Magnetic Var: 4.173 W

METAR

KENW 142353Z 02012G21KT 10SM CLR 11/05 A2984 RMK A02 SLP106 T01110050 10139 20111 53003

TAF

TAF KENW 142325Z 1500/1524 02011G22KT P6SM SCT030 SCT100 FM150400 02009KT P6SM BKN090 FM151200 03009KT P6SM FEW11

Frequencies

REC - 127.17 MHz - ASOS	REC - 127.17 MHz - ATIS
COM - 118.60 MHz - CTAF	COM - 122.95 MHz - UNICOM
CLD - 118.60 MHz - CLNC DEL	GND - 121.87 MHz -
TWR - 118.60 MHz -	APP - 120.15 MHz - MILWAUKEE APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	100 ft	5,492 ft	63.67	CONCRETE	0 ft	0 ft
	30 m	1,674 m	67.85		0 m	0 m
25R	100 ft	5,492 ft	243.69	CONCRETE	0 ft	0 ft
	30 m	1,674 m	247.86		0 m	0 m
15	100 ft	4,438 ft	143.85	CONCRETE	0 ft	0 ft
	30 m	1,353 m	148.02		0 m	0 m
33	100 ft	4,438 ft	323.86	CONCRETE	0 ft	0 ft
	30 m	1,353 m	328.03		0 m	0 m
07R	75 ft	3,297 ft	63.64	ASPHALT	0 ft	0 ft
	23 m	1,005 m	67.82		0 m	0 m
25L	75 ft	3,297 ft	243.65	ASPHALT	0 ft	0 ft
	23 m	1,005 m	247.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IENW	109.35 MHz	18 nm	63.69	-	743 ft
				33 km	67.86		743 m
07L	GS	IENW	109.35 MHz	10 nm	64.35	3.00	743 ft
				19 km	68.52		743 m