

# UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl


# LTBA

Istanbul Ataturk

2024/05/09 0430Z

UUEE UK **R22** ABUTO **A842** PIMEN **N181** TUVOG **M856** GOBLI **L919** BAGRI **T219** RIXEN LTBA

995.24 nm / 1843.19 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUEE	-	55.97250	0 ft	-	Moscow Sheremetyevo	Alexander S. Pushkin Intl
APT	-	37.41310	0 m			
UK	-	54.73750	36,000 ft	105	YUKHNOV	
NDB	-	35.22110	10,973 m			
SUNAB	R22	54.41810	36,000 ft	20	-	
FIX	AWY-HI	34.99640	10,973 m			
OGRUS	R22	53.53530	36,000 ft	57	-	
FIX	AWY-HI	34.39060	10,973 m			
BANIP	R22	53.21310	36,000 ft	20	-	
FIX	AWY-HI	34.17640	10,973 m			
ABUTO	R22	52.98810	36,000 ft	17	-	
FIX	AWY-HI	33.87310	10,973 m			
BUSUG	A842	52.71970	36,000 ft	17	-	
FIX	AWY-HI	33.67500	10,973 m			
PIMEN	A842	52.27500	36,000 ft	45	-	
FIX	AWY-HI	32.67330	10,973 m			
NEMIP	N181	52.07030	36,000 ft	16	-	
FIX	AWY-HI	32.38640	10,973 m			
TUVOG	N181	50.94640	36,000 ft	85	-	
FIX	AWY-HI	30.97780	10,973 m			
BRP	M856	50.28570	36,000 ft	39	BORYSPIL (KYIV)	
VOR	AWY-HI	30.90100	10,973 m			
BASOR	M856	50.05190	36,000 ft	14	-	
FIX	AWY-HI	30.83330	10,973 m			
SULUM	M856	49.55780	36,000 ft	30	-	
FIX	AWY-HI	30.69250	10,973 m			
RUBOS	M856	49.19420	36,000 ft	21	-	
FIX	AWY-HI	30.68470	10,973 m			
GOBLI	M856	48.08810	36,000 ft	66	-	
FIX	AWY-HI	30.66170	10,973 m			
ODSAN	L919	47.15780	36,000 ft	56	-	
FIX	AWY-HI	30.43110	10,973 m			
RATNO	L919	46.17330	36,000 ft	59	-	
FIX	AWY-HI	30.19640	10,973 m			
BAGRI	L919	45.18670	36,000 ft	61	-	
FIX	AWY-HI	29.80330	10,973 m			
IRDUM	T219	43.72330	36,000 ft	89	-	
FIX	AWY-HI	29.38940	10,973 m			
RIXEN	T219	42.08220	14,200 ft	102	-	
FIX	AWY-HI	28.76610	4,328 m			
LTBA	-	40.97610	0 ft	66	Istanbul Ataturk	
APT	-	28.81420	0 m			

## UUEE

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 3

Elevation: 630 ft / 192 m  
Location: 55.972500 37.413100  
Magnetic Var: 11.977 E

## METAR

UUEE 090400Z 30007MPS 9999 SCT018 M01/M05 Q1019 R24L/290051 R24C/290051 NOSIG

## TAF

TAF UUEE 090156Z 0903/1003 31005MPS 9000 FEW008 BKN016 TX05/0912Z TNM01/0903Z BECMG 0905/0906 31008G13MPS TEMPO 0

## Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

## LTBA

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 1

Elevation: 163 ft / 50 m  
Location: 40.976100 28.814200  
Magnetic Var: 6.066 E

## METAR

LTBA 090350Z 03014KT 9999 SCT009 BKN030 15/13 Q1015 RMK RWY23 03013KT 360V070

## TAF

TAF LTBA 082240Z 0900/0924 02015KT 9999 SCT010 BKN030 BECMG 0900/0903 BKN004 PROB30 0903/0907 2500 BR BKN002 BECMG

## Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.38		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.39		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.39		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m