


2024/06/08 1743Z

KRME ROOMS KALB

76.36 nm / 141.43 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KRME	-	43.23380	0 ft	-	Griffiss International
APT	-	-75.40700	0 m		
ROOMS	-	43.01940	8,100 ft	38	-
FIX	-	-74.58420	2,469 m		
KALB	-	42.74910	0 ft	38	Albany International
APT	-	-73.80170	0 m		

KRME

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 504 ft / 154 m
Location: 43.233800 -75.407000
Magnetic Var: 12.566 W

METAR

KRME 081653Z 26013G22KT 10SM FEW030 BKN037 BKN050 18/12 A2976 RMK AO2 SLP075 T01780122

TAF

TAF KRME 081139Z 0812/0912 26009G18KT P6SM -SHRA BKN022 TEMPO 0812/0815 BKN015 FM081600 28014G23KT P6SM BKN050 FM

Frequencies

COM - 125.60 MHz - CTAF
APP - 120.92 MHz - APP/DEP

COM - 122.70 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	200 ft	11,815 ft	134.16	CONCRETE	0 ft	1,000 ft
	61 m	3,601 m	146.72		0 m	305 m
33	200 ft	11,815 ft	314.18	CONCRETE	0 ft	1,000 ft
	61 m	3,601 m	326.74		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IFYQ	109.10 MHz	18 nm	134.18	-	504 ft
				33 km	146.74		504 m
33	LOC-ILS	IRME	110.10 MHz	18 nm	314.13	-	504 ft
				33 km	326.70		504 m
15	GS	IFYQ	109.10 MHz	10 nm	134.33	3.00	504 ft
				19 km	146.90		504 m
33	GS	IRME	110.10 MHz	10 nm	314.33	3.00	504 ft
				19 km	326.90		504 m

KALB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 285 ft / 87 m
Location: 42.749100 -73.801700
Magnetic Var: 13.229 W

METAR

KALB 081651Z 27012G21KT 10SM BKN035 BKN042 BKN100 20/12 A2975 RMK AO2 SLP073 T02000117

TAF

TAF AMD KALB 081238Z 0813/0912 22007KT P6SM BKN025 OVC050 TEMPO 0813/0815 27011G18KT SCT025 FM081500 27011G18KT P

Frequencies

COM - 122.95 MHz - ALBANY UNICOM
GND - 121.70 MHz - ALBANY GROUND
APP - 118.05 MHz - ALBANY APPROACH
CLD - 127.50 MHz - CLEARANCE DELIVERY
REC - 120.45 MHz - ALBANY ATIS
TWR - 119.50 MHz - ALBANY TOWER
DEP - 118.05 MHz - ALBANY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	8,510 ft	358.18	ASPHALT	0 ft	200 ft
	46 m	2,594 m	11.41		0 m	61 m
19	150 ft	8,510 ft	178.18	ASPHALT	0 ft	197 ft
	46 m	2,594 m	191.41		0 m	60 m
10	150 ft	7,180 ft	88.17	ASPHALT	0 ft	197 ft
	46 m	2,188 m	101.40		0 m	60 m
28	150 ft	7,180 ft	268.19	ASPHALT	1,184 ft	197 ft
	46 m	2,188 m	281.42		361 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IDEJ	109.50 MHz	18 nm	358.18	-	285 ft
				33 km	11.41		285 m
19	LOC-ILS	IALB	109.50 MHz	18 nm	178.18	-	285 ft
				33 km	191.41		285 m
01	GS	IDEJ	109.50 MHz	10 nm	358.18	3.00	285 ft
				19 km	11.41		285 m
19	GS	IALB	109.50 MHz	10 nm	178.18	3.00	285 ft
				19 km	191.41		285 m