

LIPQ

Ronchi Dei Legionari


LIRF

Roma Fiumicino Leonardo Da Vinci

2024/05/23 0324Z

LIPQ BAXON **UN737** GUBIN LIRF

252.10 nm / 466.90 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPQ APT	-	45.82786 13.46666	0 ft 0 m	-	Ronchi Dei Legionari
BAXON FIX	-	44.41639 13.46306	30,200 ft 9,205 m	84	-
LANLI FIX	UN737 AWY-HI	43.95722 13.18056	29,300 ft 8,931 m	30	-
VAPIX FIX	UN737 AWY-HI	43.63361 12.98417	24,800 ft 7,559 m	21	-
GUBIN FIX	UN737 AWY-HI	43.48694 12.77417	22,100 ft 6,736 m	12	-
LIRF APT	-	41.81081 12.25090	0 ft 0 m	103	Roma Fiumicino Leonardo Da Vinci

LIPQ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 37 ft / 11 m
Location: 45.827900 13.466700
Magnetic Var: 4.162 E

METAR

LIPQ 230250Z AUTO VRB02KT 9999 NCD 12/12 Q1015

TAF

TAF LIPQ 222300Z 2300/2324 VRB05KT 9999 SCT030 TEMPO 2308/2312 SHRA TEMPO 2314/2318 TSRA

Frequencies

TWR - 119.17 MHz - RONCHI APPROACH

TWR - 130.20 MHz - RONCHI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,852 ft	90.41	ASPHALT	656 ft	0 ft
	45 m	3,003 m	86.25		200 m	0 m
27	148 ft	9,852 ft	270.44	ASPHALT	0 ft	0 ft
	45 m	3,003 m	266.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	RNC	110.75 MHz	18 nm	-	-	53 ft
				33 km	-		53 m
09	LOC-ILS	RNC	110.75 MHz	18 nm	90.43	-	43 ft
				33 km	86.27		43 m
09	GS	RNC	110.75 MHz	10 nm	90.86	3.00	82 ft
				19 km	86.70		82 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.669 E

METAR

LIRF 230250Z 08003KT 060V130 CAVOK 14/13 Q1017 NOSIG

TAF

TAF LIRF 222300Z 2300/2406 15008KT 9999 SCT020 BECMG 2308/2310 24013KT BECMG 2318/2320 VRB05KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m