

# OIAW

Ahwaz


# OIMM

MASHHAD INTL

2024/05/02 0859Z

OIAW IMKEN W6 ISN G202 ORSOK G663 TBS TBS G663 RAMIL OIMM

654.49 nm / 1212.11 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIAW	-	31.33740	0 ft	-	Ahwaz
APT	-	48.76200	0 m		
IMKEN	-	31.73530	17,500 ft	49	-
FIX	-	49.60310	5,334 m		
GADLU	W6	32.27920	35,000 ft	68	-
FIX	AWY-HI	50.78220	10,668 m		
EGPAT	W6	32.55830	35,000 ft	35	-
FIX	AWY-HI	51.40250	10,668 m		
ISN	W6	32.74700	35,000 ft	24	ESFAHAN
VOR	AWY-HI	51.82800	10,668 m		
PARUG	G202	32.78440	35,000 ft	33	-
FIX	AWY-HI	52.49640	10,668 m		
LABOT	G202	32.81080	35,000 ft	26	-
FIX	AWY-HI	53.01470	10,668 m		
ALNER	G202	32.85610	35,000 ft	50	-
FIX	AWY-HI	54.02170	10,668 m		
MITET	G202	32.87390	35,000 ft	23	-
FIX	AWY-HI	54.48060	10,668 m		
NODLA	G202	32.89170	35,000 ft	25	-
FIX	AWY-HI	54.98060	10,668 m		
ORSOK	G202	32.91720	35,000 ft	39	-
FIX	AWY-HI	55.75890	10,668 m		
ALMUD	G663	33.29940	35,000 ft	36	-
FIX	AWY-HI	56.32810	10,668 m		
RIBEN	G663	33.48390	35,000 ft	17	-
FIX	AWY-HI	56.60560	10,668 m		
TBS	G663	33.66400	35,000 ft	18	TABAS NDB-DME
DME	AWY-HI	56.89960	10,668 m		
TBS	-	33.67260	35,000 ft	0	TABAS
VOR	-	56.89190	10,668 m		
PATEN	G663	34.14030	35,000 ft	37	-
FIX	AWY-HI	57.39280	10,668 m		
TASLU	G663	34.42530	31,000 ft	22	-
FIX	AWY-HI	57.69190	9,449 m		
RAMIL	G663	35.48580	12,800 ft	84	-
FIX	AWY-HI	58.82810	3,901 m		
OIMM	-	36.23520	0 ft	59	MASHHAD INTL
APT	-	59.64110	0 m		

## OIAW

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 1

Elevation: 64 ft / 20 m  
Location: 31.337400 48.762000  
Magnetic Var: 4.251 E

## METAR

OIAW 020830Z 18006KT 9999 SCT020 SCT030CB BKN035 24/20 Q1004

## TAF

TAF OIAW 020530Z 0206/0312 12007KT 8000 FEW035CB SCT040 BKN090 TEMPO 0206/0217 30018KT 3000 TSRA SCT035CB BKN040

## Frequencies

REC - 126.40 MHz - AHWAZ ATIS  
TWR - 121.90 MHz - AHWAZ TOWER

TWR - 120.85 MHz - AHWAZ TOWER  
TWR - 121.10 MHz - AHWAZ TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,139 ft	124.22	ASPHALT	0 ft	978 ft
	45 m	3,395 m	119.97		0 m	298 m
30	148 ft	11,139 ft	304.24	ASPHALT	0 ft	978 ft
	45 m	3,395 m	299.99		0 m	298 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IAWZ	109.90 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
30	LOC-ILS	IAWZ	109.90 MHz	18 nm	304.24	-	66 ft
				33 km	299.99		66 m
30	GS	IAWZ	109.90 MHz	10 nm	304.49	3.06	64 ft
				19 km	300.24		64 m

## OIMM

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 2

Elevation: 3,263 ft / 995 m  
Location: 36.235200 59.641100  
Magnetic Var: 4.692 E

## METAR

OIMM 020830Z 06004KT 9999 FEW040 BKN120 21/05 Q1010 A2985

## TAF

TAF OIMM 020530Z 0206/0312 12007KT 8000 FEW040 SCT100 TEMPO 0208/0222 13015KT 5000 RA FEW040 OVC070 TEMPO 0222/0300 15015KT 5000 RA FEW040 OVC070

## Frequencies

REC - 126.40 MHz - ATIS  
TWR - 121.70 MHz -  
APP - 127.30 MHz -  
TWR - 121.90 MHz -  
TWR - 118.10 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	12,851 ft	133.72	ASPHALT	0 ft	758 ft
	45 m	3,917 m	129.03		0 m	231 m
31L	148 ft	12,851 ft	313.74	ASPHALT	0 ft	994 ft
	45 m	3,917 m	309.05		0 m	303 m
13L	148 ft	12,495 ft	133.73	ASPHALT	0 ft	1,017 ft
	45 m	3,809 m	129.04		0 m	310 m
31R	148 ft	12,495 ft	313.75	ASPHALT	0 ft	1,001 ft
	45 m	3,809 m	309.06		0 m	305 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	DME	IMSD	109.90 MHz	18 nm	-	-	3,258 ft
				33 km	-		3,258 m
31R	LOC-ILS	IMSD	109.90 MHz	18 nm	313.74	-	3,263 ft
				33 km	309.05		3,263 m
31R	GS	IMSD	109.90 MHz	10 nm	313.74	3.00	3,263 ft
				19 km	309.05		3,263 m