


2024/06/07 0636Z

LCLK BALMA **UR655** CEDAR **R655** KTN **A21** TAN **G202** PUSTO **M203** ILMAP **P975** SIDAD **R784** IMDAT **B416** ORSAR  
**R784** TATLA **L223** LOVEM **L562** SERSA **P574** MIXAM **P513** MCT **T502** MUSRU **P574** BBM **W56S** UNSAL **W101E** BIA **T5**  
LEKAP VOPC

2907.37 nm / 5384.45 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LCLK	-	34.87380	0 ft	-	Larnaca Intl
APT	-	33.62400	0 m		
BALMA	-	34.48230	26,500 ft	74	-
FIX	-	35.05060	8,077 m		
CAK	UR655	34.30050	35,000 ft	33	CHEKA
VOR	AWY-HI	35.69990	10,668 m		
CEDAR	UR655	34.28700	35,000 ft	14	-
FIX	AWY-HI	36.00120	10,668 m		
LEBOR	R655	34.26570	35,000 ft	28	-
FIX	AWY-HI	36.58300	10,668 m		
KTN	R655	34.21330	35,000 ft	33	KARIATAIN
VOR	AWY-HI	37.26420	10,668 m		
FIRAS	A21	33.87190	35,000 ft	38	-
FIX	AWY-HI	37.92000	10,668 m		
TAN	A21	33.48240	35,000 ft	43	TANF
VOR	AWY-HI	38.65410	10,668 m		
MODIK	G202	33.46830	35,000 ft	18	-
FIX	AWY-HI	39.01670	10,668 m		
RAPLU	G202	33.38330	35,000 ft	137	-
FIX	AWY-HI	41.75830	10,668 m		
PUSTO	G202	33.35000	35,000 ft	49	-
FIX	AWY-HI	42.75000	10,668 m		
SILBO	M203	32.98330	35,000 ft	42	-
FIX	AWY-HI	43.48330	10,668 m		
LOVEK	M203	32.36890	35,000 ft	70	-
FIX	AWY-HI	44.66690	10,668 m		
SETSA	M203	31.75000	35,000 ft	80	-
FIX	AWY-HI	46.06670	10,668 m		
ILMAP	M203	31.35920	35,000 ft	50	-
FIX	AWY-HI	46.95060	10,668 m		
PEBAD	P975	30.83970	35,000 ft	42	-
FIX	AWY-HI	47.49940	10,668 m		
SIDAD	P975	29.87530	35,000 ft	77	-
FIX	AWY-HI	48.49560	10,668 m		
DESLU	R784	29.46670	35,000 ft	37	-
FIX	AWY-HI	49.03060	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
ALNIN	R784	28.55170	35,000 ft	46	-
FIX	AWY-HI	50.17670	10,668 m		
IMDAT	R784	27.68330	35,000 ft	74	-
FIX	AWY-HI	51.18330	10,668 m		
DURSI	B416	27.20530	35,000 ft	53	-
FIX	AWY-HI	52.02890	10,668 m		
PEGET	B416	27.07610	35,000 ft	14	-
FIX	AWY-HI	52.25420	10,668 m		
EGMIT	B416	26.56110	35,000 ft	56	-
FIX	AWY-HI	53.14030	10,668 m		
LEVNA	B416	26.25970	35,000 ft	32	-
FIX	AWY-HI	53.64920	10,668 m		
ORSAR	B416	26.07500	35,000 ft	20	-
FIX	AWY-HI	53.95830	10,668 m		
GIBIB	R784	25.91860	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	54.28670	10,668 m		
EMOTA	R784	25.88170	35,000 ft	6	-
FIX	AWY-HI	54.40390	10,668 m		
TATLA	R784	25.79810	35,000 ft	15	-
FIX	AWY-HI	54.66890	10,668 m		
VUTEB	L223	25.61250	35,000 ft	15	-
FIX	AWY-HI	54.86360	10,668 m		
LOVEM	L223	25.44590	35,000 ft	22	-
FIX	AWY-HI	55.24460	10,668 m		
SERSA	L562	25.32920	35,000 ft	16	-
FIX	AWY-HI	55.52170	10,668 m		
RUKOR	P574	25.13970	35,000 ft	17	-
FIX	AWY-HI	55.76750	10,668 m		
GIVKO	P574	25.06440	35,000 ft	8	-
FIX	AWY-HI	55.90420	10,668 m		
IMPED	P574	24.97350	35,000 ft	10	-
FIX	AWY-HI	56.06840	10,668 m		
MIVEK	P574	24.87780	35,000 ft	11	-
FIX	AWY-HI	56.25440	10,668 m		
GISMO	P574	24.79530	35,000 ft	8	-
FIX	AWY-HI	56.37670	10,668 m		
PUXIL	P574	24.68800	35,000 ft	10	-
FIX	AWY-HI	56.52910	10,668 m		
SOLUD	P574	24.53970	35,000 ft	14	-
FIX	AWY-HI	56.73920	10,668 m		
EMATA	P574	24.38580	35,000 ft	15	-
FIX	AWY-HI	56.95590	10,668 m		
MIXAM	P574	23.69420	35,000 ft	67	-
FIX	AWY-HI	57.92310	10,668 m		
MCT	P513	23.59110	35,000 ft	19	MUSCAT
VOR	AWY-HI	58.26010	10,668 m		
MUSRU	T502	23.04890	35,000 ft	69	-
FIX	AWY-HI	59.37310	10,668 m		
KAXEM	P574	22.85080	35,000 ft	30	-
FIX	AWY-HI	59.87860	10,668 m		
LOSIM	P574	22.58690	35,000 ft	40	-
FIX	AWY-HI	60.54390	10,668 m		
TOTOX	P574	21.84170	35,000 ft	111	-
FIX	AWY-HI	62.37500	10,668 m		
BOLIS	P574	20.55920	35,000 ft	165	-
FIX	AWY-HI	65.00060	10,668 m		
ADPOP	P574	19.05080	35,000 ft	192	-
FIX	AWY-HI	68.00000	10,668 m		
BISET	P574	18.38920	35,000 ft	84	-
FIX	AWY-HI	69.30190	10,668 m		
DARMI	P574	17.79500	35,000 ft	81	-
FIX	AWY-HI	70.57750	10,668 m		
GUNDI	P574	17.36030	35,000 ft	58	-
FIX	AWY-HI	71.49330	10,668 m		
ERVIS	P574	17.09110	35,000 ft	35	-
FIX	AWY-HI	72.05390	10,668 m		
OKILA	P574	16.59280	35,000 ft	67	-
FIX	AWY-HI	73.10780	10,668 m		
UDULO	P574	16.36780	35,000 ft	29	-
FIX	AWY-HI	73.56190	10,668 m		
MADOG	P574	16.20280	35,000 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	73.90420	10,668 m		
BBM	P574	15.85710	35,000 ft	46	BELGAUM
VOR	AWY-HI	74.61930	10,668 m		
IBEPA	W56S	15.00110	35,000 ft	74	-
FIX	AWY-HI	75.54500	10,668 m		
UNSA	W56S	14.40140	35,000 ft	50	-
FIX	AWY-HI	76.16560	10,668 m		
BIA	W101E	13.20680	30,600 ft	116	BENGALURU
VOR	AWY-HI	77.73220	9,327 m		
LEKAP	T5	12.08470	3,000 ft	128	-
FIX	AWY-HI	79.59860	914 m		
VOPC	-	11.96830	0 ft	14	Puducherry
APT	-	79.81170	0 m		

## LCLK

Region: CYPRUS  
Timezone: ASIA/NICOSIA  
Runways: 1

Elevation: 11 ft / 3 m  
Location: 34.873800 33.624000  
Magnetic Var: 5.553 E

## METAR

LCLK 070600Z 05008KT CAVOK 38/11 Q1007 NOSIG

## TAF

TAF TAF LCLK 070530Z 0706/0806 35009KT CAVOK BECMG 0707/0711 19010KT BECMG 0715/0718 32008KT

## Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.54		191 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.54		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.54		11 m