

WIII

Jakarta Soekarno-Hatta Intl


VAAH

Sardar Vallabhbhai Patel Intl

2024/06/10 2012Z

WIII DOLTA **G579** PLB **A585** MDN **L762** ANSAX **P574** NOPEK ANOKO IGOGU **N571** LAGOG **N877** NNP NNP ATMUV **G472**
BODAR VAAH

2720.54 nm / 5038.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
DOLTA FIX	-	-5.12614 105.92500	26,400 ft 8,047 m	73	-
DOMIL FIX	G579 AWY-HI	-3.91892 105.23800	35,000 ft 10,668 m	83	-
PLB VOR	G579 AWY-HI	-2.87859 104.65300	35,000 ft 10,668 m	71	PALEMBANG
JATAM FIX	A585 AWY-HI	-1.07232 102.89400	35,000 ft 10,668 m	151	-
PKU VOR	A585 AWY-HI	0.42558 101.44200	35,000 ft 10,668 m	125	PEKANBARU
MDN VOR	A585 AWY-HI	3.50455 98.60770	35,000 ft 10,668 m	251	MEDAN
ANSAX FIX	L762 AWY-HI	6.00000 95.50830	35,000 ft 10,668 m	238	-
IGEB0 FIX	P574 AWY-HI	6.23580 95.08080	35,000 ft 10,668 m	29	-
NOPEK FIX	P574 AWY-HI	6.60390 94.41670	35,000 ft 10,668 m	45	-
ANOKO FIX	- -	7.13670 94.41670	35,000 ft 10,668 m	31	-
IGOGU FIX	- -	7.51690 94.41670	35,000 ft 10,668 m	22	-
LAGOG FIX	N571 AWY-HI	8.59417 91.99720	35,000 ft 10,668 m	157	-
DOTEN FIX	N877 AWY-HI	10.74280 89.99720	35,000 ft 10,668 m	175	-
SADAP FIX	N877 AWY-HI	12.10170 88.68920	35,000 ft 10,668 m	112	-
ORARA FIX	N877 AWY-HI	15.98440 84.91440	35,000 ft 10,668 m	320	-
SUPLU FIX	N877 AWY-HI	16.84580 84.06250	35,000 ft 10,668 m	71	-
NODAX FIX	N877 AWY-HI	17.22920 83.68750	35,000 ft 10,668 m	31	-
VVZ VOR	N877 AWY-HI	17.66770 83.25280	35,000 ft 10,668 m	36	VISHAKHAPATNAM
RIBRO FIX	N877 AWY-HI	18.71390 81.99830	35,000 ft 10,668 m	95	-
UXENA FIX	N877 AWY-HI	19.57920 80.94750	35,000 ft 10,668 m	79	-
OMLEG FIX	N877 AWY-HI	20.90420 79.27500	35,000 ft 10,668 m	123	-
NNP VOR	N877 AWY-HI	21.08130 79.05610	35,000 ft 10,668 m	16	NAGPUR
NNP DME	- -	21.11160 79.01990	35,000 ft 10,668 m	2	NAGPUR VOR-DME
ATMUV FIX	- -	21.18310 78.73560	35,000 ft 10,668 m	16	-
UPTAR FIX	G472 AWY-HI	21.51170 77.68190	35,000 ft 10,668 m	62	-
DULAR	G472	21.60810	35,000 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	77.38220	10,668 m		
LIPDU	G472	21.89190	35,000 ft	50	-
FIX	AWY-HI	76.53830	10,668 m		
MONPI	G472	22.07060	35,000 ft	31	-
FIX	AWY-HI	75.99890	10,668 m		
BODAR	G472	22.60530	19,700 ft	103	-
FIX	AWY-HI	74.22140	6,005 m		
VAAH	-	23.07720	0 ft	92	Sardar Vallabhbhai Patel Intl
APT	-	72.63440	0 m		

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.528 E

METAR

WIII 102000Z 20006KT 4000 BR SCT020 27/25 Q1010 NOSIG

TAF

TAF WIII 101700Z 1018/1200 11005KT 8000 SCT020 TEMPO 1019/1021 5000 HZ TEMPO 1022/1100 5000 TSRA FEW018CB BECMG 11

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

VAAH

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 188 ft / 57 m
Location: 23.077200 72.634400
Magnetic Var: 0.902 E

METAR

VAAH 102000Z 03003KT 3000 HZ FEW015 SCT020 BKN080 28/24 Q1005 NOSIG

TAF

TAF VAAH 101700Z 1018/1124 19010G20KT 2000 TSRA RA SCT015 SCT020 FEW030CB BKN080 TEMPO 1018/1021 36010G20KT BECMG

Frequencies

TWR - 118.10 MHz - AHMEDABAD TOWER	TWR - 119.60 MHz - AHMEDABAD TOWER
APP - 119.80 MHz - AHMEDABAD APPROACH	APP - 123.75 MHz - AHMEDABAD RADAR
APP - 134.20 MHz - AHMEDABAD RADAR	REC - 126.80 MHz - AHMEDABAD INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	11,513 ft	44.50	ASPHALT	0 ft	0 ft
	45 m	3,509 m	43.60		0 m	0 m
23	148 ft	11,513 ft	224.51	ASPHALT	0 ft	0 ft
	45 m	3,509 m	223.61		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	AHD	110.30 MHz	18 nm	-	-	180 ft
				33 km	-		180 m
23	LOC-ILS	IAHD	110.30 MHz	18 nm	224.50	-	188 ft
				33 km	223.60		188 m
23	GS	IAHD	110.30 MHz	10 nm	224.50	3.00	188 ft
				19 km	223.60		188 m