


2024/05/16 0313Z

YOLD YOLD **W238** ACTIN YPAD

280.89 nm / 520.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YOLD	-	-30.48490	0 ft	-	Olympic Dam
APT	-	136.87600	0 m		
YOLD	-	-30.48500	0 ft	0	-
FIX	-	136.87700	0 m		
AVPAS	W238	-32.52630	32,300 ft	129	-
FIX	AWY-LO	137.70100	9,845 m		
ACTIN	W238	-33.50370	19,300 ft	60	-
FIX	AWY-LO	138.02600	5,883 m		
YPAD	-	-34.94740	0 ft	90	Adelaide Intl
APT	-	138.53000	0 m		

YPAD

Region: AUSTRALIA
Timezone: AUSTRALIA/ADELAIDE
Runways: 2

Elevation: 20 ft / 6 m
Location: -34.947400 138.530000
Magnetic Var: 7.847 E

METAR

YPAD 160300Z 27008KT CAVOK 18/08 Q1027

TAF

TAF YPAD 160223Z 1602/1706 24010KT CAVOK FM160900 13006KT CAVOK FM161200 05005KT CAVOK FM170000 18010KT 9999 SCT0

Frequencies

REC - 116.40 MHz - ATIS	REC - 134.50 MHz - ATIS
CLD - 126.10 MHz - ADELAIDE DELIVERY	GND - 121.70 MHz - ADELAIDE GROUND
TWR - 120.50 MHz - ADELAIDE TOWER	APP - 124.20 MHz - ADELAIDE APPROACH
APP - 118.20 MHz - ADELAIDE APPROACH	DEP - 124.20 MHz - ADELAIDE DEPARTURE
DEP - 118.20 MHz - ADELAIDE DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	10,170 ft	50.04	ASPHALT	492 ft	0 ft
	46 m	3,100 m	42.19		150 m	0 m
23	151 ft	10,170 ft	230.03	ASPHALT	0 ft	0 ft
	46 m	3,100 m	222.18		0 m	0 m
12	151 ft	5,417 ft	123.64	ASPHALT	0 ft	0 ft
	46 m	1,651 m	115.79		0 m	0 m
30	151 ft	5,417 ft	303.63	ASPHALT	0 ft	0 ft
	46 m	1,651 m	295.78		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IAD	109.70 MHz	18 nm	230.03	-	20 ft
				33 km	222.19		20 m
23	GS	IAD	109.70 MHz	10 nm	230.03	3.00	20 ft
				19 km	222.19		20 m