

# LTFE

Milas Bodrum International Airport


# LTAF

Adana Sakirpasa Airport

2024/05/19 0039Z

LTFE LAMSA **UT489** AYT AYT AYT **UR55** MUT LTAF

366.87 nm / 679.45 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LTFE	-	37.24720	0 ft	-		Milas Bodrum International Airport
APT	-	27.68140	0 m			
LAMSA	-	37.11080	35,000 ft	107	-	
FIX	-	29.92280	10,668 m			
AYT	UT489	36.91560	35,000 ft	42		ANTALYA TACAN
DME	AWY-HI	30.78280	10,668 m			
AYT	-	36.92080	35,000 ft	0		ANTALYA
VOR	-	30.79450	10,668 m			
AYT	-	36.92140	35,000 ft	0		ANTALYA VOR-DME
DME	-	30.79690	10,668 m			
KONAK	UR55	36.89470	35,000 ft	29	-	
FIX	AWY-HI	31.41610	10,668 m			
ADBEL	UR55	36.90530	35,000 ft	15	-	
FIX	AWY-HI	31.74630	10,668 m			
KETEK	UR55	36.88780	28,800 ft	35	-	
FIX	AWY-HI	32.47830	8,778 m			
MUT	UR55	36.86300	20,500 ft	39		MUT
VOR	AWY-HI	33.29180	6,248 m			
LTAF	-	36.98220	0 ft	95		Adana Sakirpasa Airport
APT	-	35.28030	0 m			

## LTFE

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 37.247200 27.681400  
Magnetic Var: 5.445 E

## METAR

LTFE 182350Z VRB02KT 9999 FEW035 BKN100 18/15 Q1012 NOSIG RMK RWY10 VRB02KT

## TAF

TAF LTFE 182240Z 1900/1924 VRB02KT 9999 FEW035 BKN100 BECMG 1905/1907 CAVOK BECMG 1907/1909 26012KT BECMG 1916/19

## Frequencies

REC - 128.50 MHz - ATIS  
TWR - 124.20 MHz - MILAS TOWER

GND - 121.90 MHz - MILAS GROUND CONTROL  
APP - 119.50 MHz - MILAS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,812 ft	106.70	CONCRETE	0 ft	207 ft
	45 m	2,991 m	101.25		0 m	63 m
29	148 ft	9,812 ft	286.72	CONCRETE	0 ft	210 ft
	45 m	2,991 m	281.27		0 m	64 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IBDR	109.30 MHz	18 nm	106.64	-	21 ft
				33 km	101.20		21 m
29	LOC-ILS	IGML	109.10 MHz	18 nm	286.68	-	21 ft
				33 km	281.24		21 m
11	GS	IBDR	109.30 MHz	10 nm	107.38	3.30	21 ft
				19 km	101.94		21 m
29	GS	IGML	109.10 MHz	10 nm	287.38	3.90	21 ft
				19 km	281.94		21 m

## LTAF

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 1

Elevation: 63 ft / 19 m  
Location: 36.982200 35.280300  
Magnetic Var: 5.912 E

## METAR

LTAF 182350Z 14003KT 9999 SCT035 19/19 Q1012 NOSIG RMK RWY23 VRB01KT 4CU035

## TAF

TAF LTAF 182240Z 1900/1924 VRB02KT 9999 SCT035 TEMPO 1901/1905 BKN015 BECMG 1907/1909 CAVOK BECMG 1910/1912 21012

## Frequencies

REC - 119.22 MHz - ADANA ATIS  
TWR - 121.10 MHz - ADANA TOWER

GND - 121.90 MHz - ADANA GROUND CONTROL  
APP - 126.50 MHz - INCIRLIK APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	9,020 ft	53.46	ASPHALT	0 ft	0 ft
	45 m	2,749 m	47.55		0 m	0 m
23	148 ft	9,020 ft	233.47	ASPHALT	0 ft	0 ft
	45 m	2,749 m	227.56		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IADA	108.70 MHz	18 nm	53.01	-	65 ft
				33 km	47.10		65 m
05	GS	IADA	108.70 MHz	10 nm	53.92	3.00	65 ft
				19 km	48.01		65 m