

LSGG

Geneva


OMDB

Dubai Intl

2024/05/23 0239Z

LSGG INVOP **L612** SRN **Z982** TZO VAKON **Q702** CHI **L614** ADORU **UA4** YAVRU **UA17** BAG **UG8** GEM GEM **UW73** ERH
ERH **UW73** DYB **UP975** NOLDO **P975** SIDAD **R784** IMDAT **B416** ORSAR OMDB

2694.51 nm / 4990.23 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
INVOP	-	45.80280	31,800 ft	89	-
FIX	-	8.15639	9,693 m		
SRN	L612	45.64600	35,000 ft	37	SARONNO
VOR	AWY-HI	9.02158	10,668 m		
TZO	Z982	45.55920	35,000 ft	21	TREZZO
VOR	AWY-HI	9.50700	10,668 m		
VAKON	-	45.47810	35,000 ft	21	-
FIX	-	10.00000	10,668 m		
USOBU	Q702	45.36970	35,000 ft	27	-
FIX	AWY-HI	10.63610	10,668 m		
CHI	Q702	45.07110	35,000 ft	71	CHIOGGIA
VOR	AWY-HI	12.28140	10,668 m		
AGOMO	L614	45.01690	35,000 ft	22	-
FIX	AWY-HI	12.80190	10,668 m		
LABIN	L614	44.98580	35,000 ft	12	-
FIX	AWY-LO	13.09140	10,668 m		
PUL	L614	44.89240	35,000 ft	35	PULA
VOR	AWY-LO	13.91810	10,668 m		
PALEZ	L614	44.57500	35,000 ft	71	-
FIX	AWY-LO	15.53310	10,668 m		
SONIK	L614	44.44830	35,000 ft	27	-
FIX	AWY-LO	16.14330	10,668 m		
ELTIB	L614	44.30360	35,000 ft	30	-
FIX	AWY-LO	16.81640	10,668 m		
SOLGU	L614	44.11580	35,000 ft	38	-
FIX	AWY-LO	17.66140	10,668 m		
KEB	L614	43.93390	35,000 ft	35	SARAJEVO
VOR	AWY-LO	18.44980	10,668 m		
MITNO	L614	43.77330	35,000 ft	35	-
FIX	AWY-LO	19.24170	10,668 m		
PESAK	L614	43.71860	35,000 ft	11	-
FIX	AWY-LO	19.50420	10,668 m		
TORTO	L614	43.67090	35,000 ft	10	-
FIX	AWY-LO	19.73130	10,668 m		
RAMAP	L614	43.41840	35,000 ft	52	-
FIX	AWY-LO	20.89110	10,668 m		
GINAM	L614	43.30860	35,000 ft	22	-
FIX	AWY-LO	21.37640	10,668 m		
NISVA	L614	42.97280	35,000 ft	65	-
FIX	AWY-LO	22.79750	10,668 m		
BLO	L614	42.66720	35,000 ft	48	BAILOVO
VOR	AWY-HI	23.81390	10,668 m		
DEDIN	L614	42.59420	35,000 ft	12	-
FIX	AWY-HI	24.07940	10,668 m		
GERGI	L614	42.18330	35,000 ft	68	-
FIX	AWY-HI	25.52190	10,668 m		
ADORU	L614	41.87170	35,000 ft	50	-
FIX	AWY-HI	26.56830	10,668 m		
SERCE	UA4	41.57720	35,000 ft	37	-
FIX	AWY-HI	27.30920	10,668 m		
TIRER	UA4	41.13640	35,000 ft	55	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	28.38420	10,668 m		
BKZ	UA4	41.12700	35,000 ft	34	BEYKOZ
VOR	AWY-HI	29.14290	10,668 m		
GAYEM	UA4	41.04580	35,000 ft	22	-
FIX	AWY-HI	29.63000	10,668 m		
ERKAL	UA4	40.98670	35,000 ft	16	-
FIX	AWY-HI	29.97980	10,668 m		
NUMSO	UA4	40.92270	35,000 ft	17	-
FIX	AWY-HI	30.34540	10,668 m		
ERSEN	UA4	40.86560	35,000 ft	14	-
FIX	AWY-HI	30.66610	10,668 m		
YAVRU	UA4	40.58220	35,000 ft	55	-
FIX	AWY-HI	31.83280	10,668 m		
KIZIK	UA17	40.41830	35,000 ft	17	-
FIX	AWY-HI	32.14940	10,668 m		
BAG	UA17	40.06990	35,000 ft	36	BAGLUM (ANKARA)
VOR	AWY-HI	32.81040	10,668 m		
KUBER	UG8	39.83220	35,000 ft	39	-
FIX	AWY-HI	33.61060	10,668 m		
GOBIT	UG8	39.77610	35,000 ft	13	-
FIX	AWY-HI	33.88690	10,668 m		
MARTI	UG8	39.40170	35,000 ft	64	-
FIX	AWY-HI	35.18280	10,668 m		
GEM	UG8	39.15530	35,000 ft	42	GEMEREK VOR-DME
DME	AWY-HI	36.02920	10,668 m		
GEM	-	39.15380	35,000 ft	0	GEMEREK
VOR	-	36.02850	10,668 m		
UREBO	UW73	38.78940	35,000 ft	56	-
FIX	AWY-HI	37.14420	10,668 m		
ERH	UW73	38.44160	35,000 ft	48	ERHAC TACAN
DME	AWY-HI	38.08620	10,668 m		
ERH	-	38.46250	35,000 ft	1	MALATYA
VOR	-	38.11210	10,668 m		
ASKER	UW73	38.27690	35,000 ft	33	-
FIX	AWY-HI	38.78470	10,668 m		
DIGIL	UW73	38.19530	35,000 ft	14	-
FIX	AWY-HI	39.07720	10,668 m		
MOVUL	UW73	38.15290	35,000 ft	7	-
FIX	AWY-HI	39.23200	10,668 m		
DYB	UW73	37.87340	35,000 ft	49	DIYARBAKIR
VOR	AWY-HI	40.20820	10,668 m		
LEKRO	UP975	37.27740	35,000 ft	51	-
FIX	AWY-HI	40.97150	10,668 m		
LESRI	UP975	37.07220	35,000 ft	17	-
FIX	AWY-HI	41.23030	10,668 m		
SIDNA	UP975	36.56610	35,000 ft	37	-
FIX	AWY-HI	41.68310	10,668 m		
TUBEN	UP975	35.29000	35,000 ft	97	-
FIX	AWY-HI	42.90940	10,668 m		
MUTAG	UP975	34.50080	35,000 ft	59	-
FIX	AWY-HI	43.64280	10,668 m		
SOGUM	UP975	34.20330	35,000 ft	22	-
FIX	AWY-HI	43.91500	10,668 m		
PUTSI	UP975	33.53330	35,000 ft	53	-
FIX	AWY-HI	44.61670	10,668 m		
SINKA	UP975	33.36030	35,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	44.79810	10,668 m		
NOLDO	UP975	32.82560	35,000 ft	42	-
FIX	AWY-HI	45.35810	10,668 m		
KATUT	P975	32.62690	35,000 ft	16	-
FIX	AWY-HI	45.57750	10,668 m		
DENKI	P975	32.37440	35,000 ft	20	-
FIX	AWY-HI	45.85610	10,668 m		
ILMAP	P975	31.35920	35,000 ft	82	-
FIX	AWY-HI	46.95060	10,668 m		
PEBAD	P975	30.83970	35,000 ft	42	-
FIX	AWY-HI	47.49940	10,668 m		
SIDAD	P975	29.87530	35,000 ft	77	-
FIX	AWY-HI	48.49560	10,668 m		
DESLU	R784	29.46670	35,000 ft	37	-
FIX	AWY-HI	49.03060	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
ALNIN	R784	28.55170	35,000 ft	46	-
FIX	AWY-HI	50.17670	10,668 m		
IMDAT	R784	27.68330	35,000 ft	74	-
FIX	AWY-HI	51.18330	10,668 m		
DURSI	B416	27.20530	35,000 ft	53	-
FIX	AWY-HI	52.02890	10,668 m		
PEGET	B416	27.07610	35,000 ft	14	-
FIX	AWY-HI	52.25420	10,668 m		
EGMIT	B416	26.56110	30,800 ft	56	-
FIX	AWY-HI	53.14030	9,388 m		
LEVNA	B416	26.25970	23,800 ft	32	-
FIX	AWY-HI	53.64920	7,254 m		
ORSAR	B416	26.07500	19,500 ft	20	-
FIX	AWY-HI	53.95830	5,944 m		
OMDB	-	25.25110	0 ft	91	Dubai Intl
APT	-	55.37110	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.515 E

METAR

LSGG 230220Z AUTO 31002KT 9999 FEW047 11/10 Q1017 NOSIG

TAF

TAF TAF LSGG 230225Z 2303/2409 VRB02KT 9999 SCT080 TX17/2315Z TN10/2305Z TN10/2405Z TEMPO 2308/2319 SHRA PROB40 T

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 230200Z 19005KT 140V220 CAVOK 30/16 Q1003 NOSIG

TAF

TAF OMDB 222300Z 2300/2406 16005KT CAVOK BECMG 2305/2307 30012KT BECMG 2316/2318 21005KT BECMG 2404/2406 27012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m