

OEJN

King Abdulaziz Intl


OPKC

Karachi Jinnah Intl

2024/05/07 2044Z

OEJN EGREP **B417** PATOR **T532** KIA **M430** SALWA **L681** ULIKA **UM430** DOH DOH **UL305** ALSEM **L305** KIVUS **P559**
PUSOT **M322** LOVEM **M677** LALDO **A791** JI **A325** PUNEL OPKC

1599.91 nm / 2963.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEJN APT	-	21.68280 39.15510	0 ft 0 m	-	King Abdulaziz Intl
EGREP FIX	-	22.46510 39.83520	21,500 ft 6,553 m	60	-
PATOR FIX	B417 AWY-HI	23.27750 40.61580	35,000 ft 10,668 m	65	-
IMGOB FIX	T532 AWY-HI	23.67060 41.75810	35,000 ft 10,668 m	67	-
BOXEB FIX	T532 AWY-HI	23.74420 41.98920	35,000 ft 10,668 m	13	-
KODIS FIX	T532 AWY-HI	24.04830 42.88670	35,000 ft 10,668 m	52	-
DAW VOR	T532 AWY-HI	24.44890 44.11920	35,000 ft 10,668 m	71	AL DAWADMI
TASBA FIX	T532 AWY-HI	24.51640 44.50780	35,000 ft 10,668 m	21	-
KAVUR FIX	T532 AWY-HI	24.71280 45.67670	35,000 ft 10,668 m	64	-
KIA VOR	T532 AWY-HI	24.88610 46.75940	35,000 ft 10,668 m	59	RIYADH
DEGLA FIX	M430 AWY-HI	25.04530 47.47970	35,000 ft 10,668 m	40	-
KOBOX FIX	M430 AWY-HI	25.12110 47.82940	35,000 ft 10,668 m	19	-
GOLNO FIX	M430 AWY-HI	25.19860 48.61610	35,000 ft 10,668 m	43	-
KIREN FIX	M430 AWY-HI	25.24640 49.12330	35,000 ft 10,668 m	27	-
HSA VOR	M430 AWY-HI	25.27910 49.48400	35,000 ft 10,668 m	19	AL AHSA
SALWA FIX	M430 AWY-HI	25.26060 50.51330	35,000 ft 10,668 m	55	-
ULIKA FIX	L681 AWY-HI	25.26260 50.64690	35,000 ft 10,668 m	7	-
GINTO FIX	UM430 AWY-HI	25.26820 51.07110	35,000 ft 10,668 m	23	-
LAGNO FIX	UM430 AWY-HI	25.27030 51.25500	35,000 ft 10,668 m	9	-
DOH DME	UM430 AWY-HI	25.23360 51.57720	35,000 ft 10,668 m	17	DOHA VOR-DME
DOH VOR	- -	25.24990 51.60970	35,000 ft 10,668 m	2	DOHA/HAMAD INTL
ORMAL FIX	UL305 AWY-HI	25.38440 52.36690	35,000 ft 10,668 m	41	-
ENANO FIX	UL305 AWY-HI	25.39670 52.43300	35,000 ft 10,668 m	3	-
ALSEM FIX	UL305 AWY-HI	25.45100 52.72280	35,000 ft 10,668 m	16	-
ASTOG FIX	L305 AWY-HI	25.47280 52.84030	35,000 ft 10,668 m	6	-
PURLI FIX	L305 AWY-HI	25.61220 53.41000	35,000 ft 10,668 m	31	-
GODKI	L305	25.68940	35,000 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	53.72970	10,668 m		
KIVUS	L305	25.75610	35,000 ft	15	-
FIX	AWY-HI	54.00890	10,668 m		
PUSOT	P559	25.65530	35,000 ft	18	-
FIX	AWY-HI	54.33640	10,668 m		
AMBOV	M322	25.57750	35,000 ft	14	-
FIX	AWY-HI	54.58670	10,668 m		
DATOB	M322	25.51470	35,000 ft	11	-
FIX	AWY-HI	54.78250	10,668 m		
LOVEM	M322	25.44590	35,000 ft	25	-
FIX	AWY-HI	55.24460	10,668 m		
KURTU	M677	25.36970	35,000 ft	29	-
FIX	AWY-HI	55.77360	10,668 m		
MISEG	M677	25.35940	35,000 ft	5	-
FIX	AWY-HI	55.86810	10,668 m		
TUKSI	M677	25.33500	35,000 ft	12	-
FIX	AWY-HI	56.09030	10,668 m		
IVURO	M677	25.32780	35,000 ft	3	-
FIX	AWY-HI	56.15420	10,668 m		
KUSEN	M677	25.30780	35,000 ft	13	-
FIX	AWY-HI	56.39440	10,668 m		
LALDO	M677	25.30170	35,000 ft	11	-
FIX	AWY-HI	56.60000	10,668 m		
GIDIL	A791	25.29500	35,000 ft	12	-
FIX	AWY-HI	56.82290	10,668 m		
IMLOT	A791	25.28560	35,000 ft	16	-
FIX	AWY-HI	57.13440	10,668 m		
KATUS	A791	25.26670	35,000 ft	35	-
FIX	AWY-HI	57.78330	10,668 m		
PEDEX	A791	25.20310	35,000 ft	85	-
FIX	AWY-HI	59.35860	10,668 m		
KINOX	A791	25.16250	35,000 ft	43	-
FIX	AWY-HI	60.16170	10,668 m		
EGPIC	A791	25.13640	35,000 ft	25	-
FIX	AWY-HI	60.62500	10,668 m		
EGRON	A791	25.07890	35,000 ft	50	-
FIX	AWY-HI	61.54580	10,668 m		
JI	A791	25.06380	35,000 ft	13	JIWANI
VOR	AWY-HI	61.79540	10,668 m		
PARET	A325	25.42170	27,700 ft	167	-
FIX	AWY-HI	64.85060	8,443 m		
PUNEL	A325	25.30970	21,300 ft	29	-
FIX	AWY-HI	65.37920	6,492 m		
OPKC	-	24.90660	0 ft	99	Karachi Jinnah Intl
APT	-	67.16080	0 m		

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.895 E

METAR

OEJN 072000Z 35009KT CAVOK 28/14 Q1010 NOSIG

TAF

TAF OEJN 071700Z 0718/0824 02005KT CAVOK BECMG 0806/0808 31012KT BECMG 0818/0820 02005KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER	TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND	GND - 121.60 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS	DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 119.10 MHz - JEDDAH APPROACH	APP - 124.00 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	156.00		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.98		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.99		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	156.00		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.98		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.99		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.98		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	336.00		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.99		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	156.00		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.98		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.99		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.98		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	336.00		49 m

OPKC

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 100 ft / 30 m
Location: 24.906600 67.160800
Magnetic Var: 1.467 E

METAR

OPKC 072030Z 28005KT 6000 FEW030 28/24 Q1007 NOSIG

TAF

TAF OPKC 071700Z 0718/0824 27008KT 5000 HZ NSC TEMPO 0801/0805 28006KT 4000 HZ FEW020 FM080600 25010G20KT 6000 NSC

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.80 MHz - KARACHI TOWER
APP - 125.50 MHz - KARACHI APPROACH
GND - 121.60 MHz - KARACHI GROUND
COM - 119.22 MHz - KARACHI UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.93		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m