

ZGGG

Guangzhou Baiyun Intl.


ZJSY

Sanya Phoenix Intl

2024/05/09 1331Z

ZGGG TOMUD **R200** BIGRO **G221** NYB NYB **G221** GIVIL ZJSY

389.62 nm / 721.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZGGG APT	-	23.39040 113.30300	0 ft 0 m	-	Guangzhou Baiyun Intl.
TOMUD FIX	-	21.85830 112.54700	35,000 ft 10,668 m	101	-
BIGRO FIX	R200 AWY-HI	21.57000 111.82700	35,000 ft 10,668 m	43	-
GIVIV FIX	G221 AWY-HI	20.95330 111.05500	35,000 ft 10,668 m	56	-
SAMAS FIX	G221 AWY-HI	20.50500 110.49500	31,300 ft 9,540 m	41	-
NYB VOR	G221 AWY-HI	20.01500 110.13700	23,700 ft 7,224 m	35	NANYINGBINDAO
NYB DME	-	20.01330 110.13700	23,700 ft 7,224 m	0	NANYINGBINDAO VOR-DME
GIVIL FIX	G221 AWY-HI	19.25000 109.83300	13,200 ft 4,023 m	48	-
ZJSY APT	-	18.30290 109.41200	0 ft 0 m	61	Sanya Phoenix Intl

ZGGG

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 50 ft / 15 m
Location: 23.390400 113.303000
Magnetic Var: 3.298 W

METAR

ZGGG 091300Z 09002MPS 9999 BKN046 25/23 Q1015 NOSIG

TAF

TAF ZGGG 090921Z 0912/1012 12003MPS 8000 BKN033 TX29/1007Z TN24/0922Z TEMPO 1006/1012 4000 SHRA FEW030CB BKN033

Frequencies

REC - 128.60 MHz - ATIS	REC - 127.00 MHz - ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BAIYUN GROUND
GND - 121.85 MHz - BAIYUN GROUND	GND - 121.77 MHz - BAIYUN APRON
GND - 121.97 MHz - BAIYUN APRON	GND - 121.82 MHz - BAIYUN APRON
TWR - 118.10 MHz - BAIYUN TOWER	TWR - 118.80 MHz - BAIYUN TOWER
TWR - 118.25 MHz - BAIYUN TOWER	DEP - 119.70 MHz - GUANGZHOU DEPARTURE
APP - 126.55 MHz - GUANGZHOU APPROACH	APP - 126.35 MHz - GUANGZHOU APPROACH
APP - 121.05 MHz - GUANGZHOU APPROACH	APP - 120.40 MHz - GUANGZHOU APPROACH
APP - 121.17 MHz - GUANGZHOU APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02R	197 ft	12,518 ft	13.92	CONCRETE	0 ft	387 ft
	60 m	3,815 m	17.22		0 m	118 m
20L	197 ft	12,518 ft	193.92	CONCRETE	0 ft	390 ft
	60 m	3,815 m	197.22		0 m	119 m
02L	197 ft	12,522 ft	13.91	CONCRETE	0 ft	394 ft
	60 m	3,817 m	17.21		0 m	120 m
20R	197 ft	12,522 ft	193.91	CONCRETE	650 ft	400 ft
	60 m	3,817 m	197.21		198 m	122 m
01	148 ft	11,860 ft	13.91	CONCRETE	0 ft	397 ft
	45 m	3,615 m	17.20		0 m	121 m
19	148 ft	11,860 ft	193.91	CONCRETE	0 ft	400 ft
	45 m	3,615 m	197.21		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	DME	IOO	109.30 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
02R	DME	IBB	110.90 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20L	DME	IAA	110.30 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20R	DME	IPP	111.50 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
01	LOC-ILS	IOO	109.30 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m
02L	LOC-ILS	IBB	110.90 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02R	LOC-ILS	IDM	108.50 MHz	18 nm	13.92	-	50 ft
				33 km	17.22		50 m
19	LOC-ILS	IPP	111.50 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m
20L	LOC-ILS	IXL	111.90 MHz	18 nm	193.92	-	50 ft
				33 km	197.22		50 m
20R	LOC-ILS	IAA	110.75 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m

ZJSY

Region: CHINA

Timezone: ASIA/CHONGQING

Runways: 1

Elevation: 95 ft / 29 m

Location: 18.302900 109.412000

Magnetic Var: 1.869 W

METAR

ZJSY 091300Z 10004MPS CAVOK 29/24 Q1012 NOSIG

TAF

TAF TAF ZJSY 090903Z 0912/1012 10004MPS 9999 FEW020 TX34/1006Z TN26/0921Z TEMPO 0919/0924 SCT016 FEW025CB BKN040

Frequencies

REC - 126.45 MHz - ATIS

TWR - 118.15 MHz - FENGHUANG TOWER

APP - 125.55 MHz - SANYA APPROACH

GND - 121.70 MHz - FENGHUANG GROUND

TWR - 118.85 MHz - FENGHUANG TOWER

APP - 119.25 MHz - SANYA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	11,139 ft	82.19	CONCRETE	0 ft	197 ft
	45 m	3,395 m	84.06		0 m	60 m
26	148 ft	11,139 ft	262.20	CONCRETE	0 ft	197 ft
	45 m	3,395 m	264.07		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IKK	109.50 MHz	18 nm	-	-	68 ft
				33 km	-		68 m
08	LOC-ILS	IKK	109.50 MHz	18 nm	82.19	-	95 ft
				33 km	84.06		95 m
26	LOC-ILS	IFH	108.50 MHz	18 nm	262.19	-	95 ft
				33 km	264.06		95 m
08	GS	IKK	109.50 MHz	10 nm	82.19	3.00	95 ft
				19 km	84.06		95 m
26	GS	IFH	108.50 MHz	10 nm	262.19	3.00	95 ft
				19 km	264.06		95 m