

LIML

Milano-Linate "Enrico Forlanini"


LIEE

Cagliari-Elmas "Mario Mameli"

2024/05/02 1202Z

LIML OLETI **M858** TORTU **UM858** LIBLO **A9** AJO **UM733** CORSI **M733** MINKA LIEE

373.92 nm / 692.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 29000ft
- Cruise Speed: 453kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML APT	-	45.45030 9.27281	0 ft 0 m	-	Milano-Linate "Enrico Forlanini"
OLETI FIX	-	43.81000 9.00861	29,000 ft 8,839 m	99	-
LIGUR FIX	M858 AWY-HI	43.54360 8.97750	29,000 ft 8,839 m	16	-
TORTU FIX	M858 AWY-HI	43.38830 8.95833	29,000 ft 8,839 m	9	-
AKUTI FIX	UM858 AWY-HI	43.22720 8.94028	29,000 ft 8,839 m	9	-
SUDAS FIX	UM858 AWY-HI	42.93810 8.90639	29,000 ft 8,839 m	17	-
OKROK FIX	UM858 AWY-HI	42.80810 8.89139	29,000 ft 8,839 m	7	-
LIBLO FIX	UM858 AWY-HI	42.25110 8.82833	29,000 ft 8,839 m	33	-
AJO VOR	A9 AWY-LO	41.77050 8.77467	29,000 ft 8,839 m	28	AJACCIO
CORSI FIX	UM733 AWY-HI	41.33330 8.81222	24,900 ft 7,590 m	26	-
MINKA FIX	M733 AWY-HI	40.81920 8.85556	18,700 ft 5,700 m	30	-
LIEE APT	-	39.25150 9.05430	0 ft 0 m	94	Cagliari-Elmas "Mario Mameli"

LIML

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 354 ft / 108 m
Location: 45.450300 9.272810
Magnetic Var: 3.236 E

METAR

LIML 021120Z 15009KT 7000 -RA SCT012 BKN025 15/14 Q1005 NOSIG

TAF

TAF LIML 020500Z 0206/0306 11012KT 4000 RA SCT005 BKN030 BECMG 0206/0208 8000 NSW TEMPO 0210/0216 4000 TSRA BECMG

Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.43		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.43		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.45		352 m

LIEE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 13 ft / 4 m
Location: 39.251500 9.054300
Magnetic Var: 2.943 E

METAR

LIEE 021120Z 25017KT 9999 SCT050 16/08 Q1014

TAF

TAF LIEE 020500Z 0206/0306 26015G25KT 9999 SCT020 TEMPO 0206/0209 4000 SHRA

Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.16		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.16		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.16		13 m