


2024/05/08 0206Z

EGJJ NEDUL **N866** SAM **R41** SAM11 EGNX

223.11 nm / 413.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 200ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGJJ APT	-	49.20796 -2.19529	0 ft 0 m	-	Jersey
NEDUL FIX	-	50.66611 -1.54778	28,200 ft 8,595 m	91	-
SAM VOR	N866 AWY-LO	50.95528 -1.34500	24,200 ft 7,376 m	18	SOUTHAMPTON VOR-DME
SAM11 FIX	R41 AWY-LO	51.13222 -1.27083	21,800 ft 6,645 m	10	-
EGNX APT	-	52.83100 -1.32815	0 ft 0 m	102	East Midlands

## EGJJ

Region: UNITED KINGDOM  
Timezone: EUROPE/JERSEY  
Runways: 1

Elevation: 276 ft / 84 m  
Location: 49.208000 -2.195260  
Magnetic Var: 0.001 W

## METAR

EGJJ 080120Z AUTO 03008KT 9000 NCD 11/10 Q1027

## TAF

UNKNOWN

## Frequencies

APP - 118.50 MHz - JERSEY APPROACH  
TWR - 119.45 MHz - JERSEY TOWER

GND - 121.90 MHz - JERSEY GROUND  
REC - 134.60 MHz - JERSEY INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	5,579 ft	82.72	ASPHALT	187 ft	0 ft
	46 m	1,700 m	82.72		57 m	0 m
26	150 ft	5,579 ft	262.74	ASPHALT	299 ft	20 ft
	46 m	1,700 m	262.74		91 m	6 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IJJ	110.90 MHz	18 nm	-	-	287 ft
				33 km	-		287 m
26	DME	IDD	110.30 MHz	18 nm	-	-	289 ft
				33 km	-		289 m
08	LOC-ILS	IJJ	110.90 MHz	18 nm	82.73	-	276 ft
				33 km	82.73		276 m
26	LOC-ILS	IDD	110.30 MHz	18 nm	262.73	-	276 ft
				33 km	262.73		276 m
08	GS	IJJ	110.90 MHz	10 nm	82.73	3.00	276 ft
				19 km	82.73		276 m
26	GS	IDD	110.30 MHz	10 nm	262.73	3.00	276 ft
				19 km	262.73		276 m

## EGNX

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 306 ft / 93 m  
Location: 52.831000 -1.328100  
Magnetic Var: 0.056 W

## METAR

EGNX 080120Z 11004KT 6000 NSC 08/07 Q1028

## TAF

TAF EGNX 072301Z 0800/0824 13004KT 9999 FEW040 TEMPO 0800/0809 6000 BKN005 PROB30 TEMPO 0802/0807 2500 BR BKN003

## Frequencies

REC - 122.65 MHz - EAST MIDLANDS INFORMATION      DEP - 120.10 MHz - EAST MIDLANDS DIRECTOR  
GND - 121.90 MHz - EAST MIDLANDS GROUND            TWR - 124.00 MHz - EAST MIDLANDS TOWER  
APP - 126.10 MHz - EAST MIDLANDS RADAR            APP - 134.10 MHz - EAST MIDLANDS RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,468 ft	88.26	ASPHALT	587 ft	98 ft
	45 m	2,886 m	88.32		179 m	30 m
27	148 ft	9,468 ft	268.30	ASPHALT	423 ft	98 ft
	45 m	2,886 m	268.35		129 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IEMW	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
27	DME	IEME	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
09	LOC-ILS	IEMW	109.35 MHz	18 nm	88.28	-	306 ft
				33 km	88.34		306 m
27	LOC-ILS	IEME	109.35 MHz	18 nm	268.28	-	306 ft
				33 km	268.34		306 m
09	GS	IEMW	109.35 MHz	10 nm	88.28	3.00	306 ft
				19 km	88.34		306 m
27	GS	IEME	109.35 MHz	10 nm	268.28	3.00	306 ft
				19 km	268.34		306 m