

KSJC

Norman Y. Mineta San Jose Intl


KMRY

Monterey Rgnl

2024/05/06 0426Z

KSJC MOVER KMRY

46.83 nm / 86.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KSJC	-	37.36300	0 ft	-	Norman Y. Mineta San Jose Intl	
APT	-	-121.92900	0 m			
MOVER	-	36.85660	3,500 ft	30	-	
FIX	-	-121.89000	1,067 m			
KMRY	-	36.58690	0 ft	16	Monterey Rgnl	
APT	-	-121.84200	0 m			

KSJC

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 62 ft / 19 m
Location: 37.363000 -121.929000
Magnetic Var: 12.725 E

METAR

KSJC 060353Z 31012KT 10SM FEW039 FEW075 12/02 A3014 RMK A02 SLP204 T01220022

TAF

KSJC 052327Z 0600/0624 33016G24KT P6SM SCT030 FM060500 20004KT P6SM SCT250 FM061600 31006KT P6SM FEW250 FM062100

Frequencies

REC - 126.95 MHz - ATIS	COM - 124.00 MHz - CTAF
CLD - 118.00 MHz - CLEARANCE DELIVERY	GND - 121.70 MHz - GROUND
TWR - 124.00 MHz - TOWER	APP - 120.10 MHz - NORCAL APPROACH
APP - 125.35 MHz - NORCAL APPROACH	APP - 134.50 MHz - NORCAL DEPARTURE
DEP - 121.30 MHz - NORCAL DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	151 ft	11,012 ft	138.93	CONCRETE	1,299 ft	217 ft
	46 m	3,356 m	126.20		396 m	66 m
30L	151 ft	11,012 ft	318.94	CONCRETE	2,539 ft	49 ft
	46 m	3,356 m	306.22		774 m	15 m
12L	151 ft	11,012 ft	138.93	CONCRETE	1,309 ft	144 ft
	46 m	3,356 m	126.20		399 m	44 m
30R	151 ft	11,012 ft	318.94	CONCRETE	2,539 ft	141 ft
	46 m	3,356 m	306.22		774 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12R	DME	ISLV	110.90 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
30L	DME	ISJC	110.90 MHz	18 nm	-	-	49 ft
				33 km	-		49 m
12R	LOC-ILS	ISLV	110.90 MHz	18 nm	138.94	-	62 ft
				33 km	126.21		62 m
30L	LOC-ILS	ISJC	110.90 MHz	18 nm	318.94	-	62 ft
				33 km	306.21		62 m
12R	GS	ISLV	110.90 MHz	10 nm	138.94	3.00	62 ft
				19 km	126.21		62 m
30L	GS	ISJC	110.90 MHz	10 nm	318.94	3.00	62 ft
				19 km	306.21		62 m

KMRY

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 255 ft / 78 m
Location: 36.586900 -121.842000
Magnetic Var: 12.560 E

METAR

KMRY 060354Z 26007KT 10SM CLR 10/06 A3015 RMK A02 SLP222 T01000061

TAF

KMRY 052327Z 0600/0624 29012G19KT P6SM FEW020 FM060600 27006KT P6SM SCT250 FM060900 VRB05KT P6SM SKC FM062100 300

Frequencies

REC - 119.25 MHz - ATIS	COM - 122.95 MHz - UNICOM
COM - 118.40 MHz - CTAF	CLD - 135.45 MHz - CLEARANCE DELIVERY
GND - 120.87 MHz - MONTEREY GROUND	TWR - 118.40 MHz - MONTEREY TOWER
APP - 127.15 MHz - NORCAL APPROACH	DEP - 127.15 MHz - NORCAL DEPARTURE
APP - 133.00 MHz - NORCAL APPROACH	DEP - 133.00 MHz - NORCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	60 ft	3,498 ft	112.85	ASPHALT	0 ft	233 ft
	18 m	1,066 m	100.29		0 m	71 m
28R	60 ft	3,498 ft	292.86	ASPHALT	0 ft	0 ft
	18 m	1,066 m	280.30		0 m	0 m
10R	150 ft	7,168 ft	112.85	ASPHALT	174 ft	423 ft
	46 m	2,185 m	100.29		53 m	129 m
28L	150 ft	7,168 ft	292.86	ASPHALT	177 ft	420 ft
	46 m	2,185 m	280.30		54 m	128 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	DME	IMRY	110.70 MHz	18 nm	-	-	267 ft
				33 km	-		267 m
28L	DME	IMTB	110.70 MHz	18 nm	-	-	155 ft
				33 km	-		155 m
10R	LOC-ILS	IMRY	110.70 MHz	18 nm	112.86	-	255 ft
				33 km	100.30		255 m
28L	LOC-LOC	IMTB	110.70 MHz	18 nm	292.86	-	255 ft
				33 km	280.30		255 m
10R	GS	IMRY	110.70 MHz	10 nm	112.86	3.00	255 ft
				19 km	100.30		255 m