


2024/05/17 2220Z

EFHK EXEVO RUMEP **P606** KAL **L990** NEXEN **T503** MIC **UZ707** BSN LFPO

1047.19 nm / 1939.39 km



Notes

Requested: EFHK EXEVO RUMEP P606 KAL L990 NEXEN T503 MIC UZ707 BSN LFPO

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFHK	-	60.32040	0 ft	-	Helsinki Vantaa Intl
APT	-	24.95220	0 m		
EXEVO	-	60.25280	0 ft	5	-
FIX	-	24.80810	0 m		
RUMEP	-	59.51250	0 ft	84	-
FIX	-	22.43220	0 m		
EVADI	P606	59.33970	0 ft	20	-
FIX	AWY-HI	21.85720	0 m		
OKEVU	P606	59.23860	0 ft	11	-
FIX	AWY-HI	21.52670	0 m		
ALAMI	P606	59.04780	0 ft	22	-
FIX	AWY-HI	20.91580	0 m		
OLANU	P606	57.46900	0 ft	138	-
FIX	AWY-HI	17.71860	0 m		
KAL	P606	56.68530	0 ft	66	KALMAR
VOR	AWY-HI	16.28410	0 m		
LAGIS	L990	56.55490	0 ft	13	-
FIX	AWY-HI	15.93700	0 m		
KOTAM	L990	56.13280	0 ft	44	-
FIX	AWY-HI	14.83670	0 m		
PERRY	L990	55.77680	0 ft	36	-
FIX	AWY-HI	13.96280	0 m		
SUP	L990	55.53450	0 ft	24	STURUP (MALMO)
VOR	AWY-HI	13.37950	0 m		
ADVIS	L990	55.38470	0 ft	15	-
FIX	AWY-HI	13.00640	0 m		
LILBI	L990	55.25310	0 ft	13	-
FIX	AWY-HI	12.68280	0 m		
EVBED	L990	55.23080	0 ft	2	-
FIX	AWY-HI	12.62780	0 m		
LUPUR	L990	54.99110	0 ft	24	-
FIX	AWY-HI	12.05080	0 m		
NEXEN	L990	54.81080	0 ft	18	-
FIX	AWY-HI	11.62530	0 m		
GIMRU	T503	54.56000	0 ft	18	-
FIX	AWY-HI	11.31360	0 m		
MIC	T503	54.30550	0 ft	18	MICHAELSDORF
VOR	AWY-HI	11.00520	0 m		
GULMI	UZ707	52.89750	0 ft	114	-
FIX	AWY-HI	8.85333	0 m		
KOMOT	UZ707	51.62860	0 ft	100	-
FIX	AWY-HI	7.07417	0 m		
AKUXO	UZ707	50.87140	0 ft	58	-
FIX	AWY-HI	6.07444	0 m		
ULPEN	UZ707	50.75560	0 ft	8	-
FIX	AWY-HI	5.92750	0 m		
LNO	UZ707	50.58580	0 ft	13	OLNO
VOR	AWY-HI	5.71028	0 m		
RASCA	UZ707	50.14570	0 ft	41	-
FIX	AWY-HI	4.88122	0 m		
FAMEN	UZ707	49.97500	0 ft	15	-
FIX	AWY-HI	4.56667	0 m		
BSN	UZ707	49.18830	0 ft	75	BOURSONNE VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DME	AWY-HI	3.05647	0 m		
LFPO	-	48.72630	0 ft	38	Paris Orly
APT	-	2.36698	0 m		

EFHK

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 3

Elevation: 180 ft / 55 m
Location: 60.320400 24.952200
Magnetic Var: 9.965 E

METAR

EFHK 172150Z VRB02KT CAVOK 09/06 Q1021 NOSIG

TAF

TAF TAF EFHK 172024Z 1721/1821 14004KT CAVOK

Frequencies

REC - 135.07 MHz - ATIS ARRIVAL	REC - 114.20 MHz - ATIS DEPARTURE
TWR - 119.70 MHz - HELSINKI TOWER	TWR - 118.85 MHz - HELSINKI TOWER
TWR - 118.60 MHz - HELSINKI TOWER	GND - 121.80 MHz - HELSINKI GROUND
GND - 118.12 MHz - HELSINKI GROUND	GND - 121.65 MHz - HELSINKI RAMP/TAXI
APP - 119.10 MHz - HELSINKI RADAR APPROACH	APP - 129.85 MHz - HELSINKI RADAR APPROACH
APP - 119.70 MHz - HELSINKI RADAR APPROACH	APP - 124.32 MHz - HELSINKI ARRIVAL
APP - 119.90 MHz - HELSINKI ARRIVAL	GND - 127.02 MHz - HELSINKI DE-ICING

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft	11,459 ft	47.48	ASPHALT	978 ft	210 ft
	60 m	3,493 m	37.52		298 m	64 m
22L	197 ft	11,459 ft	227.52	ASPHALT	0 ft	207 ft
	60 m	3,493 m	217.56		0 m	63 m
04L	197 ft	10,047 ft	47.42	ASPHALT	0 ft	236 ft
	60 m	3,062 m	37.46		0 m	72 m
22R	197 ft	10,047 ft	227.46	ASPHALT	253 ft	177 ft
	60 m	3,062 m	217.49		77 m	54 m
15	197 ft	9,497 ft	153.07	ASPHALT	0 ft	194 ft
	60 m	2,895 m	143.10		0 m	59 m
33	197 ft	9,497 ft	333.09	ASPHALT	0 ft	197 ft
	60 m	2,895 m	323.12		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm	-	-	165 ft
				33 km	-		165 m
04R	DME	HG	111.50 MHz	18 nm	-	-	206 ft
				33 km	-		206 m
15	DME	HL	109.10 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
22L	DME	HK	110.30 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
22R	DME	HUO	110.70 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm	47.45	-	180 ft
				33 km	37.49		180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm	47.51	-	180 ft
				33 km	37.55		180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm	153.08	-	180 ft
				33 km	143.12		180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm	227.51	-	180 ft
				33 km	217.55		180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm	227.45	-	180 ft
				33 km	217.49		180 m
04L	GS	HTV	111.90 MHz	10 nm	47.45	3.00	180 ft
				19 km	37.49		180 m
04R	GS	HG	111.50 MHz	10 nm	47.51	3.00	180 ft
				19 km	37.55		180 m
15	GS	HL	109.10 MHz	10 nm	153.08	3.00	180 ft
				19 km	143.12		180 m
22L	GS	HK	110.30 MHz	10 nm	227.51	3.00	180 ft
				19 km	217.55		180 m
22R	GS	HUO	110.70 MHz	10 nm	227.45	3.00	180 ft
				19 km	217.49		180 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.453 E

METAR

LFPO 172200Z AUTO VRB03KT CAVOK 15/10 Q1012 TEMPO SCT040TCU

TAF

TAF LFPO 171700Z 1718/1824 VRB04KT 9999 SCT040 PROB30 TEMPO 1718/1722 VRB10G20KT -SHRA SCT040TCU TEMPO 1813/1821

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m