

LIEO

Olbia "Costa Smeralda"


LFPG

Paris Charles De Gaulle

2024/05/21 0238Z

LIEO OMEDA **UM622** BARSO **UM733** BULOL **UZ12** PIBAT **UM976** AVLON LFPG

570.76 nm / 1057.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIEO	-	40.89870	0 ft	-	Olbia "Costa Smeralda"
APT	-	9.51764	0 m	-	
OMEDA	-	42.32890	35,000 ft	100	-
FIX	-	8.36194	10,668 m	-	-
ABRON	UM622	42.61420	35,000 ft	19	-
FIX	AWY-HI	8.14778	10,668 m	-	-
LONSU	UM622	42.77690	35,000 ft	11	-
FIX	AWY-HI	8.02389	10,668 m	-	-
MERLU	UM622	43.08000	35,000 ft	20	-
FIX	AWY-HI	7.79333	10,668 m	-	-
DIVUL	UM622	43.30190	35,000 ft	15	-
FIX	AWY-HI	7.62139	10,668 m	-	-
PIGOS	UM622	43.62220	35,000 ft	22	-
FIX	AWY-HI	7.37111	10,668 m	-	-
BARSO	UM622	44.14360	35,000 ft	37	-
FIX	AWY-HI	6.89028	10,668 m	-	-
OKTET	UM733	44.48500	35,000 ft	24	-
FIX	AWY-HI	6.56944	10,668 m	-	-
GIPNO	UM733	45.56000	35,000 ft	78	-
FIX	AWY-HI	5.52917	10,668 m	-	-
BULOL	UM733	46.04570	35,000 ft	34	-
FIX	AWY-HI	5.09192	10,668 m	-	-
MOMIL	UZ12	46.54610	35,000 ft	37	-
FIX	AWY-HI	4.54667	10,668 m	-	-
PIBAT	UZ12	46.80580	31,900 ft	19	-
FIX	AWY-HI	4.25917	9,723 m	-	-
CACHI	UM976	47.06670	28,300 ft	16	-
FIX	AWY-HI	4.10667	8,626 m	-	-
AVLON	UM976	47.56000	21,500 ft	31	-
FIX	AWY-HI	3.81333	6,553 m	-	-
LFPG	-	49.00970	0 ft	100	Paris Charles De Gaulle
APT	-	2.56257	0 m	-	

LIEO

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 37 ft / 11 m
Location: 40.898700 9.517640
Magnetic Var: 3.113 E

METAR

LIEO 210150Z 24013KT 9999 SCT030 18/16 Q1008

TAF

TAF LIEO 202300Z 2100/2124 26016G26KT 9999 SCT030 BECMG 2106/2108 26015KT

Frequencies

TWR - 118.97 MHz - OLBIA TOWER
APP - 125.95 MHz - OLBIA APPROACH

TWR - 122.10 MHz - OLBIA TOWER
REC - 113.90 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,029 ft	55.29	ASPHALT	797 ft	203 ft
	45 m	2,447 m	52.18		243 m	62 m
23	148 ft	8,029 ft	235.31	ASPHALT	489 ft	190 ft
	45 m	2,447 m	232.20		149 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ISM	109.90 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
23	DME	IOL	111.30 MHz	25 nm	-	-	36 ft
				46 km	-		36 m
05	LOC-ILS	ISM	109.90 MHz	18 nm	55.30	-	37 ft
				33 km	52.19		37 m
23	LOC-ILS	IOL	111.30 MHz	18 nm	235.30	-	37 ft
				33 km	232.19		37 m
05	GS	ISM	109.90 MHz	10 nm	55.30	3.50	37 ft
				19 km	52.19		37 m
23	GS	IOL	111.30 MHz	10 nm	235.30	3.00	37 ft
				19 km	232.19		37 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.499 E

METAR

LFPG 210200Z 01004KT 6000 SCT006 BKN011 14/13 Q1008 TEMPO 3000 BR BKN004

TAF

TAF AMD LFPG 210155Z 2101/2206 03005KT 9999 BKN012 TX20/2115Z TN13/2203Z TEMPO 2102/2108 4000 BR BKN006 PROB40 TEMPO 2102/2108 2000 BR BKN004

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m