


2024/05/10 1824Z

LEVC PLANA A34 CRETA UN860 AGN UT185 PERIG A34 LMG UL152 BALAN UN859 AMB UT158 DOMOD LFOB

613.20 nm / 1135.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEVC	-	39.48824	0 ft	-	Valencia
APT	-	-0.48389	0 m		
PLANA	-	39.89043	9,000 ft	25	-
FIX	-	-0.32646	2,743 m		
TATOS	A34	40.00000	11,400 ft	6	-
FIX	AWY-LO	-0.28374	3,475 m		
SAURA	A34	40.25603	17,100 ft	16	-
FIX	AWY-LO	-0.18336	5,212 m		
CRETA	A34	40.87226	23,500 ft	38	-
FIX	AWY-LO	0.06156	7,163 m		
MLA	UN860	41.12959	35,000 ft	16	MAELLA VOR-DME
VOR	AWY-HI	0.16524	10,668 m		
CASPE	UN860	41.26845	35,000 ft	8	-
FIX	AWY-HI	0.19939	10,668 m		
SEROX	UN860	41.34669	35,000 ft	4	-
FIX	AWY-HI	0.21869	10,668 m		
LOBAR	UN860	41.74801	35,000 ft	24	-
FIX	AWY-HI	0.31844	10,668 m		
GRAUS	UN860	41.97904	35,000 ft	14	-
FIX	AWY-HI	0.37645	10,668 m		
TURBO	UN860	42.36754	35,000 ft	23	-
FIX	AWY-HI	0.47496	10,668 m		
ANETO	UN860	42.69300	35,000 ft	19	-
FIX	AWY-HI	0.55846	10,668 m		
GONUP	UN860	43.46083	35,000 ft	46	-
FIX	AWY-HI	0.75889	10,668 m		
AGN	UN860	43.88803	35,000 ft	26	AGEN-Gaudonville VOR-DME
VOR	AWY-HI	0.87286	10,668 m		
PERIG	UT185	45.11722	35,000 ft	73	-
FIX	AWY-HI	0.96944	10,668 m		
LMG18	A34	45.51639	19,500 ft	24	-
FIX	AWY-LO	1.00139	5,944 m		
LMG	A34	45.81592	19,500 ft	18	LIMOGES VOR-DME
VOR	AWY-LO	1.02558	5,944 m		
BALAN	UL152	46.51611	35,000 ft	42	-
FIX	AWY-HI	1.03333	10,668 m		
AMB	UN859	47.42892	27,500 ft	54	AMBOISE VOR-DME
VOR	AWY-HI	1.06444	8,382 m		
DIBES	UT158	47.50750	25,500 ft	4	-
FIX	AWY-HI	1.10472	7,772 m		
DOMOD	UT158	47.86278	21,600 ft	22	-
FIX	AWY-HI	1.28583	6,584 m		
LFOB	-	49.45600	0 ft	101	Beauvais-Tille
APT	-	2.11891	0 m		

## LEVC

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 240 ft / 73 m  
Location: 39.490000 -0.483345  
Magnetic Var: 0.911 E

## METAR

LEVC 101800Z 11008KT 070V140 CAVOK 21/07 Q1017 NOSIG

## TAF

TAF LEVC 101700Z 1018/1118 11010KT CAVOK TX25/1112Z TN12/1106Z BECMG 1018/1020 VRB04KT BECMG 1109/1111 11010KT

## Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.35		295 m	288 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.28		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.61		225 m

## LFOB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 359 ft / 109 m  
Location: 49.456000 2.118930  
Magnetic Var: 1.342 E

## METAR

LFOB 101800Z AUTO 04006KT 360V090 CAVOK 20/12 Q1020 NOSIG

## TAF

TAF LFOB 101700Z 1018/1118 06008KT CAVOK PROB30 1103/1106 3000 BR

## Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.07		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m