

EDDK

Koeln-Bonn Airport Konrad Adenauer


LFL

Lyon Saint Exupery

2024/06/16 0951Z

EDDK ERADI GTQ **G21** EPL **UM129** DJL LFL

328.63 nm / 608.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
EDDK	-	50.86580	0 ft	-	Koeln-Bonn Airport	Konrad Adenauer
APT	-	7.13891	0 m			
ERADI	-	49.16780	35,000 ft	102	-	
FIX	-	6.77639	10,668 m			
GTQ	-	48.98640	35,000 ft	11	GROSTENQUIN	
VOR	-	6.71622	10,668 m			
MONCE	G21	48.70000	35,000 ft	20	-	
FIX	AWY-LO	6.43500	10,668 m			
GIVOR	G21	48.65860	35,000 ft	3	-	
FIX	AWY-LO	6.39139	10,668 m			
EPL	G21	48.31780	35,000 ft	24	EPINAL MIRECOURT	
VOR	AWY-LO	6.05942	10,668 m			
DILAB	UM129	48.04500	31,500 ft	19	-	
FIX	AWY-HI	5.80417	9,601 m			
RESPO	UM129	47.83280	28,300 ft	14	-	
FIX	AWY-HI	5.60800	8,626 m			
DJL	UM129	47.27080	19,800 ft	39	DIJON LONGVIC	
VOR	AWY-HI	5.09733	6,035 m			
LFL	-	45.72580	0 ft	92	Lyon Saint Exupery	
APT	-	5.09073	0 m			

EDDK

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 296 ft / 90 m
Location: 50.865800 7.138910
Magnetic Var: 2.801 E

METAR

EDDK 160920Z AUTO 18013KT 9999 SCT039 18/10 Q1008 TEMPO 20015G25KT SHRA BKN030CB

TAF

TAF EDDK 160500Z 1606/1712 19010KT 9999 SCT040 TEMPO 1610/1615 20015G25KT SHRA BKN030TCU PROB30 TEMPO 1615/1620 S

Frequencies

REC - 112.15 MHz - ATIS	CLD - 121.85 MHz - KOELN BONN DELIVERY
GND - 121.72 MHz - KOELN BONN GROUND	GND - 121.95 MHz - KOELN BONN APRON
TWR - 124.97 MHz - KOELN BONN TOWER	TWR - 136.25 MHz - KOELN BONN MILITARY
APP - 118.75 MHz - LANGEN RADAR	APP - 135.35 MHz - LANGEN RADAR
APP - 121.05 MHz - KOELN BONN DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	197 ft	12,495 ft	137.55	ASPHALT	0 ft	0 ft
	60 m	3,808 m	134.75		0 m	0 m
32R	197 ft	12,495 ft	317.58	ASPHALT	0 ft	0 ft
	60 m	3,808 m	314.78		0 m	0 m
06	148 ft	8,045 ft	64.33	ASPHALT	0 ft	0 ft
	45 m	2,452 m	61.53		0 m	0 m
24	148 ft	8,045 ft	244.36	ASPHALT	0 ft	0 ft
	45 m	2,452 m	241.56		0 m	0 m
14R	148 ft	6,104 ft	137.56	ASPHALT	0 ft	0 ft
	45 m	1,860 m	134.76		0 m	0 m
32L	148 ft	6,104 ft	317.58	ASPHALT	0 ft	0 ft
	45 m	1,860 m	314.78		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	LOC-ILS	IKES	110.90 MHz	18 nm	137.57	-	296 ft
				33 km	134.77		296 m
24	LOC-ILS	IKOW	109.10 MHz	18 nm	244.35	-	296 ft
				33 km	241.55		296 m
32R	LOC-ILS	IKEN	111.10 MHz	18 nm	317.57	-	296 ft
				33 km	314.77		296 m
14L	GS	IKES	110.90 MHz	10 nm	137.57	3.00	296 ft
				19 km	134.77		296 m
24	GS	IKOW	109.10 MHz	10 nm	244.35	3.00	296 ft
				19 km	241.55		296 m
32R	GS	IKEN	111.10 MHz	10 nm	317.57	3.00	296 ft
				19 km	314.77		296 m

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.270 E

METAR

LFL 160930Z 20007KT 170V230 CAVOK 20/10 Q1013 NOSIG

TAF

TAF LFL 160500Z 1606/1712 21007KT CAVOK TEMPO 1612/1620 FEW050TCU PROB40 TEMPO 1613/1619 SHRA SCT040TCU PROB30 T

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.87		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.87		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.87		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.87		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.87		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.88		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.87		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.87		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.88		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.87		818 m