


2024/05/17 0045Z

KOFF LNK **J146** LAS **J100** LAX KLAX

1163.02 nm / 2153.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KOFF	-	41.11930	0 ft	-	Offutt AFB
APT	-	-95.90850	0 m		
LNK	-	40.92380	14,100 ft	39	LINCOLN
VOR	-	-96.74200	4,298 m		
GLD	J146	39.38790	36,000 ft	245	GOODLAND
VOR	AWY-HI	-101.69200	10,973 m		
HBU	J146	38.45210	36,000 ft	256	BLUE MESA (GUNNISON)
VOR	AWY-HI	-107.04000	10,973 m		
DVC	J146	37.80870	36,000 ft	97	DOVE CREEK
VOR	AWY-HI	-108.93100	10,973 m		
DICEE	J146	37.21930	36,000 ft	114	-
FIX	AWY-HI	-111.22400	10,973 m		
FREDD	J146	36.90940	36,000 ft	57	-
FIX	AWY-HI	-112.35100	10,973 m		
BETHL	J146	36.88440	36,000 ft	4	-
FIX	AWY-HI	-112.44000	10,973 m		
NOOTN	J146	36.62570	36,000 ft	46	-
FIX	AWY-HI	-113.34500	10,973 m		
BEALE	J146	36.18250	36,000 ft	76	-
FIX	AWY-HI	-114.82600	10,973 m		
LAS	J146	36.07970	36,000 ft	17	LAS VEGAS
VOR	AWY-HI	-115.16000	10,973 m		
CLARR	J100	35.67570	36,000 ft	35	-
FIX	AWY-HI	-115.68000	10,973 m		
MISEN	J100	35.10230	26,500 ft	49	-
FIX	AWY-HI	-116.40400	8,077 m		
DAG	J100	34.96250	23,900 ft	11	DAGGETT
VOR	AWY-HI	-116.57800	7,285 m		
LAX	J100	33.93320	200 ft	110	LOS ANGELES
VOR	AWY-HI	-118.43200	61 m		
KLAX	-	33.94310	0 ft	1	Los Angeles Intl
APT	-	-118.40900	0 m		

KOFF

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 1,049 ft / 320 m
Location: 41.119300 -95.908500
Magnetic Var: 1.935 E

METAR

KOFF 162355Z AUTO 00000KT 10SM CLR 25/09 A2973 RMK A02 SLP067 T02530087 10264 20232 56008

TAF

TAF KOFF 161800Z 1618/1724 32009KT 9999 FEW050 QNH2976INS BECMG 1701/1702 18009KT 9999 FEW170 QNH2977INS BECMG 17

Frequencies

REC - 126.02 MHz - ATIS
TWR - 123.70 MHz - OFFUTT TOWER
APP - 120.10 MHz - OMAHA APPROACH
DEP - 120.10 MHz - OMAHA DEPARTURE
GND - 121.70 MHz - OFFUTT GROUND
APP - 124.50 MHz - OMAHA APPROACH
DEP - 124.50 MHz - OMAHA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,692 ft	129.22	CONCRETE	1,007 ft	0 ft
	45 m	3,564 m	127.29		307 m	0 m
30	148 ft	11,692 ft	309.25	CONCRETE	1,089 ft	0 ft
	45 m	3,564 m	307.31		332 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IATB	111.70 MHz	18 nm	129.24	-	1,049 ft
				33 km	127.31		1,049 m
30	LOC-ILS	IOFF	109.50 MHz	18 nm	309.24	-	1,049 ft
				33 km	307.31		1,049 m
12	GS	IATB	111.70 MHz	10 nm	129.24	3.00	1,049 ft
				19 km	127.31		1,049 m
30	GS	IOFF	109.50 MHz	10 nm	309.24	2.80	1,049 ft
				19 km	307.31		1,049 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.440 E

METAR

KLAX 162353Z 24011KT 10SM FEW010 FEW033 SCT250 17/12 A2994 RMK A02 SLP136 T01720122 10194 20167 58011

TAF

KLAX 162342Z 1700/1806 26012KT P6SM BKN035 FM170400 26008KT P6SM OVC015 FM170800 20005KT P6SM OVC010 FM171700 250

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m