


2024/05/15 0526Z

VEMR LAXEN **J7** GGT GGT **Q18** BBD **G348** TUMLI **B345** NARAN **L626** HW **W37** DOPOS VIDP

924.58 nm / 1712.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VEMR	-	25.88390	0 ft	-	Dimapur
APT	-	93.77160	0 m		
LAXEN	-	26.06750	27,900 ft	78	-
FIX	-	92.33670	8,504 m		
GGT	J7	26.13410	35,000 ft	40	GUWAHATI
VOR	AWY-HI	91.59790	10,668 m		
GGT	-	26.10190	35,000 ft	2	GUWAHATI VOR-DME
DME	-	91.58570	10,668 m		
DUKUM	Q18	26.27560	35,000 ft	50	-
FIX	AWY-HI	90.66360	10,668 m		
PAGDA	Q18	26.47220	35,000 ft	60	-
FIX	AWY-HI	89.56830	10,668 m		
OPIMO	Q18	26.58280	35,000 ft	34	-
FIX	AWY-HI	88.93060	10,668 m		
BBD	Q18	26.68760	35,000 ft	33	BAGDOGRA VOR-DME
DME	AWY-HI	88.32600	10,668 m		
MECHI	G348	26.76810	35,000 ft	9	-
FIX	AWY-HI	88.18190	10,668 m		
TUMLI	G348	27.31640	35,000 ft	62	-
FIX	AWY-HI	87.19530	10,668 m		
KIMTI	B345	27.49670	35,000 ft	50	-
FIX	AWY-HI	86.26780	10,668 m		
KTM	B345	27.67360	35,000 ft	50	KATHMANDU
VOR	AWY-HI	85.34860	10,668 m		
NARAN	B345	27.67940	35,000 ft	48	-
FIX	AWY-HI	84.42970	10,668 m		
PALPA	L626	27.94810	35,000 ft	50	-
FIX	AWY-HI	83.53780	10,668 m		
SUKET	L626	28.58780	35,000 ft	107	-
FIX	AWY-HI	81.63500	10,668 m		
MAHEN	L626	28.96330	35,000 ft	81	-
FIX	AWY-HI	80.14810	10,668 m		
ONISA	L626	28.96890	34,700 ft	2	-
FIX	AWY-HI	80.09250	10,577 m		
HW	L626	29.03100	27,700 ft	32	PANTNAGAR
NDB	AWY-HI	79.47390	8,443 m		
DOPOS	W37	28.81670	22,000 ft	26	-
FIX	AWY-HI	79.03190	6,706 m		
VIDP	-	28.55850	0 ft	103	Indira Gandhi Intl
APT	-	77.09790	0 m		

VEMR

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 486 ft / 148 m
Location: 25.883900 93.771600
Magnetic Var: 0.178 W

METAR

VEMR 150500Z 28006KT 4000 HZ FEW020 FEW025CB 35/24 Q1011 BECMG 5000 HZ

TAF

UNKNOWN

Frequencies

TWR - 118.45 MHz - DIMAPUR TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,532 ft	118.24	ASPHALT	705 ft	0 ft
	45 m	2,296 m	118.42		215 m	0 m
30	148 ft	7,532 ft	298.25	ASPHALT	0 ft	0 ft
	45 m	2,296 m	298.43		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IDMP	109.30 MHz	18 nm	118.25	-	486 ft
				33 km	118.43		486 m
12	GS	IDMP	109.30 MHz	10 nm	118.25	3.25	486 ft
				19 km	118.43		486 m

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.601 E

METAR

VIDP 150500Z 30003KT 3500 HZ NSC 38/05 Q1011 NOSIG

TAF

TAF VIDP 142300Z 1500/1606 VRB02KT 2000 HZ NSC BECMG 1504/1506 32008KT 3000 HZ BECMG 1508/1510 32008G18KT 5000 HZ

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH
GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m