


2024/05/10 0648Z

LSZH XATER **L856** TRAUN SBG **J21** LNZ LOWW

327.85 nm / 607.17 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 42000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSZH	-	47.46350	0 ft	-	Zurich
APT	-	8.54995	0 m		
XATER	-	47.82750	37,600 ft	105	-
FIX	-	11.09580	11,460 m		
KONIN	L856	47.85580	41,500 ft	11	-
FIX	AWY-LO	11.36810	12,649 m		
MANAL	L856	47.89940	41,500 ft	17	-
FIX	AWY-LO	11.80000	12,649 m		
TRAUN	L856	47.97470	34,600 ft	32	-
FIX	AWY-LO	12.58750	10,546 m		
SBG	-	48.00260	32,000 ft	12	SALZBURG
VOR	-	12.89280	9,754 m		
LNZ	J21	48.22970	21,200 ft	50	LINZ
VOR	AWY-LO	14.10320	6,462 m		
LOWW	-	48.11010	0 ft	99	Vienna
APT	-	16.56960	0 m		

LSZH

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 3

Elevation: 1,416 ft / 432 m
Location: 47.463500 8.549950
Magnetic Var: 3.125 E

METAR

LSZH 100620Z VRB03KT CAVOK 12/08 Q1022 NOSIG

TAF

TAF LSZH 100525Z 1006/1112 32003KT CAVOK TX22/1014Z TN08/1006Z TN06/1104Z BECMG 1007/1010 05007KT 9999 FEW050 BECMG 1010/1012 05007KT 9999 FEW050

Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.91		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.17		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.19		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.87		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.014 E

METAR

LOWW 100620Z 34006KT CAVOK 14/07 Q1023 NOSIG

TAF

TAF LOWW 100515Z 1006/1112 35008KT CAVOK TX21/1015Z TN10/1104Z TEMPO 1020/1106 VRB03KT

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.03		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m