


2024/05/22 0400Z

LOWW OBUTI **M19** OKLOP **N739** NISVA **N131** RODIP **UN131** KULAR **UL854** BAGLU LTAI

974.42 nm / 1804.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWW APT	-	48.11010 16.56960	0 ft 0 m	-	Vienna
OBUTI FIX	-	46.37830 16.27400	35,000 ft 10,668 m	104	-
RASIN FIX	M19 AWY-LO	46.09030 16.67530	35,000 ft 10,668 m	24	-
VBA VOR	M19 AWY-LO	45.74780 17.14670	35,000 ft 10,668 m	28	BARNA
NASSY FIX	M19 AWY-LO	45.44670 18.09970	35,000 ft 10,668 m	43	-
ADULA FIX	M19 AWY-LO	45.27060 18.64190	35,000 ft 10,668 m	25	-
TUVAR FIX	M19 AWY-LO	45.12670 19.07750	35,000 ft 10,668 m	20	-
SMI VOR	M19 AWY-LO	45.00950 19.43080	35,000 ft 10,668 m	16	MITROVICA
OKLOP FIX	M19 AWY-LO	44.18320 21.33160	35,000 ft 10,668 m	95	-
OBAGI FIX	N739 AWY-LO	43.56050 22.09590	35,000 ft 10,668 m	49	-
NISVA FIX	N739 AWY-LO	42.97280 22.79750	35,000 ft 10,668 m	46	-
USALI FIX	N131 AWY-HI	42.30190 23.64560	35,000 ft 10,668 m	55	-
OTKOK FIX	N131 AWY-HI	41.99940 24.01250	35,000 ft 10,668 m	24	-
RODIP FIX	N131 AWY-HI	41.42080 24.70110	35,000 ft 10,668 m	46	-
IDILO FIX	UN131 AWY-HI	40.79060 25.43940	35,000 ft 10,668 m	50	-
BELGI FIX	UN131 AWY-HI	40.50000 25.88330	35,000 ft 10,668 m	26	-
CNK VOR	UN131 AWY-HI	40.13530 26.42750	35,000 ft 10,668 m	33	CANAKKALE
SUDES FIX	UN131 AWY-HI	39.76940 26.89330	35,000 ft 10,668 m	30	-
DUGLA FIX	UN131 AWY-HI	39.49890 27.22440	35,000 ft 10,668 m	22	-
NILER FIX	UN131 AWY-HI	39.08390 27.86970	35,000 ft 10,668 m	38	-
KULAR FIX	UN131 AWY-HI	38.58220 28.63280	30,800 ft 9,388 m	46	-
BAGLU FIX	UL854 AWY-HI	38.07110 29.32530	21,200 ft 6,462 m	44	-
LTAI APT	-	36.89960 30.79750	0 ft 0 m	99	Antalya Intl

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.017 E

METAR

LOWW 220320Z 29007KT 9999 FEW050 15/10 Q1009 NOSIG

TAF

TAF LOWW 220215Z 2203/2309 29010KT 9999 FEW020 BKN040 TX22/2213Z TN14/2303Z TEMPO 2203/2210 28015G25KT -SHRA TEMPO

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.23		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.45		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.45		604 m

LTAI

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 3

Elevation: 175 ft / 53 m
Location: 36.899600 30.797500
Magnetic Var: 5.667 E

METAR

LTAI 220327Z 17004KT CAVOK 22/18 Q1010 WS R18L NOSIG RMK RWY18C 19005KT 120V240 RWY36R 17004KT RWY18L 18004KT 130V

TAF

TAF LTAI 212240Z 2200/2224 34006KT CAVOK BECMG 2206/2209 19010KT FEW030 BKN200 BECMG 2211/2214 13009KT FEW020CB S

Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY	TWR - 121.65 MHz - ANTALYA DELIVERY
REC - 136.12 MHz - ANTALYA ATIS	REC - 118.27 MHz - ANTALYA ATIS
APP - 119.02 MHz - ANTALYA APPROACH	APP - 124.35 MHz - ANTALYA APPROACH
APP - 124.42 MHz - ANTALYA APPROACH	TWR - 125.00 MHz - ANTALYA TOWER
TWR - 119.80 MHz - ANTALYA TOWER	TWR - 120.12 MHz - ANTALYA TOWER
TWR - 126.10 MHz - ANTALYA TOWER	GND - 119.85 MHz - ANTALYA GROUND
GND - 121.75 MHz - ANTALYA GROUND	GND - 121.70 MHz - ANTALYA GROUND
GND - 121.90 MHz - ANTALYA GROUND	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	11,165 ft	186.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.62		0 m	60 m
36R	148 ft	11,165 ft	6.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.62		0 m	60 m
18C	148 ft	11,165 ft	186.25	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.58		0 m	60 m
36C	148 ft	11,165 ft	6.24	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.58		0 m	60 m
18R	148 ft	9,819 ft	186.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	180.58		0 m	90 m
36L	148 ft	9,819 ft	6.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	0.58		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm	186.24	-	175 ft
				33 km	180.57		175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm	6.24	-	175 ft
				33 km	0.57		175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm	6.29	-	175 ft
				33 km	0.62		175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm	186.29	-	175 ft
				33 km	180.62		175 m
18C	GS	IATY	108.70 MHz	10 nm	186.24	3.00	175 ft
				19 km	180.57		175 m
36C	GS	IAYT	110.30 MHz	10 nm	6.24	3.00	175 ft
				19 km	0.57		175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.62		175 m