

KELP

El Paso Intl


KAUS

Austin Bergstrom Intl

2024/06/04 0748Z

KELP FIGMO J2 KEMPL V198 JCT J86 SPURS KAUS

460.40 nm / 852.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KELP APT	-	31.80653 -106.37458	0 ft 0 m	-	El Paso Intl
FIGMO FIX	-	31.59077 -105.38187	18,600 ft 5,669 m	52	-
FST DME	J2 AWY-HI	30.95211 -102.97571	35,000 ft 10,668 m	129	FORT STOCKTON VORTAC
KEMPL FIX	J2 AWY-HI	30.72034 -100.83180	35,000 ft 10,668 m	111	-
JCT VOR	V198 AWY-LO	30.59803 -99.81747	24,500 ft 7,468 m	52	JUNCTION VORTAC
SPURS FIX	J86 AWY-HI	30.40529 -98.34960	8,000 ft 2,438 m	76	-
KAUS APT	-	30.19412 -97.66824	0 ft 0 m	37	Austin Bergstrom Intl

KELP

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 3

Elevation: 3,958 ft / 1,206 m
Location: 31.806700 -106.373000
Magnetic Var: 7.468 E

METAR

KELP 040651Z 27016G25KT 10SM FEW250 31/M11 A2985 RMK A02 PK WND 28028/0559 SLP018 T03061106 403720239

TAF

KELP 040547Z 0406/0506 27018G30KT P6SM SCT250 FM041100 25008KT P6SM SCT250 FM042100 27013KT P6SM SCT250

Frequencies

REC - 120.00 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 125.00 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - EL PASO GROUND
TWR - 118.30 MHz - EL PASO TOWER	APP - 124.25 MHz - EL PASO APPROACH
APP - 119.15 MHz - EL PASO APPROACH	DEP - 119.15 MHz - EL PASO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	12,038 ft	49.86	CONCRETE	0 ft	0 ft
	46 m	3,669 m	42.39		0 m	0 m
22	151 ft	12,038 ft	229.87	CONCRETE	0 ft	0 ft
	46 m	3,669 m	222.40		0 m	0 m
08R	151 ft	9,034 ft	93.32	CONCRETE	0 ft	0 ft
	46 m	2,754 m	85.85		0 m	0 m
26L	151 ft	9,034 ft	273.34	CONCRETE	0 ft	0 ft
	46 m	2,754 m	265.87		0 m	0 m
08L	75 ft	5,504 ft	93.32	CONCRETE	0 ft	0 ft
	23 m	1,678 m	85.85		0 m	0 m
26R	75 ft	5,504 ft	273.33	CONCRETE	0 ft	0 ft
	23 m	1,678 m	265.86		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IETF	111.50 MHz	18 nm	-	-	3,926 ft
				33 km	-		3,926 m
22	DME	IELP	111.50 MHz	18 nm	-	-	3,926 ft
				33 km	-		3,926 m
22	LOC-ILS	IELP	111.50 MHz	18 nm	229.87	-	3,958 ft
				33 km	222.40		3,958 m
04	LOC-LOC	IETF	111.50 MHz	18 nm	49.87	-	3,958 ft
				33 km	42.40		3,958 m
22	LOC-LOC	IELP	111.50 MHz	18 nm	229.87	-	3,958 ft
				33 km	222.40		3,958 m
22	GS	IELP	111.50 MHz	10 nm	229.87	3.00	3,958 ft
				19 km	222.40		3,958 m

KAUS

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 542 ft / 165 m
Location: 30.194100 -97.668300
Magnetic Var: 3.081 E

METAR

KAUS 040653Z 16011KT 10SM SCT017 OVC023 28/25 A2972 RMK A02 SLP049 T02780250

TAF

TAF KAUS 040520Z 0406/0512 15011KT P6SM BKN022 BKN040 FM040630 18009KT P6SM BKN015 FM041600 16013G21KT P6SM SCT03

Frequencies

REC - 124.40 MHz - AUSTIN ATIS	CLD - 125.50 MHz - AUSTIN CLEARANCE DELIVERY
GND - 121.90 MHz - AUSTIN GROUND	TWR - 121.00 MHz - AUSTIN TOWER
APP - 119.00 MHz - AUSTIN APPROACH EAST	APP - 120.87 MHz - AUSTIN APPROACH WEST
APP - 127.22 MHz - AUSTIN APPROACH SOUTH	DEP - 127.22 MHz - AUSTIN DEPARTURE EAST
DEP - 119.00 MHz - AUSTIN DEPARTURE WEST	DEP - 120.87 MHz - AUSTIN DEPARTURE SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	150 ft	9,026 ft	178.72	CONCRETE	0 ft	400 ft
	46 m	2,751 m	175.64		0 m	122 m
35R	150 ft	9,026 ft	358.72	CONCRETE	0 ft	404 ft
	46 m	2,751 m	355.64		0 m	123 m
17R	148 ft	12,288 ft	178.69	CONCRETE	0 ft	1,004 ft
	45 m	3,745 m	175.61		0 m	306 m
35L	148 ft	12,288 ft	358.69	CONCRETE	0 ft	1,004 ft
	45 m	3,745 m	355.61		0 m	306 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IVNK	110.50 MHz	18 nm	-	-	476 ft
				33 km	-		476 m
35R	DME	IHCE	110.50 MHz	18 nm	-	-	476 ft
				33 km	-		476 m
17L	LOC-ILS	IVNK	110.50 MHz	18 nm	178.72	-	542 ft
				33 km	175.64		542 m
17R	LOC-ILS	IGFQ	110.95 MHz	18 nm	178.69	-	542 ft
				33 km	175.61		542 m
35L	LOC-ILS	IBSM	110.95 MHz	18 nm	358.69	-	542 ft
				33 km	355.61		542 m
35R	LOC-ILS	IHCE	110.50 MHz	18 nm	358.72	-	542 ft
				33 km	355.64		542 m
17L	GS	IVNK	110.50 MHz	10 nm	178.72	3.00	542 ft
				19 km	175.64		542 m
17R	GS	IGFQ	110.95 MHz	10 nm	178.69	3.00	542 ft
				19 km	175.61		542 m
35L	GS	IBSM	110.95 MHz	10 nm	358.69	3.00	542 ft
				19 km	355.61		542 m
35R	GS	IHCE	110.50 MHz	10 nm	358.72	3.00	542 ft
				19 km	355.64		542 m