

VCBI

Bandaranaike International


VHHH

Hong Kong Intl

2024/05/09 1118Z

VCBI OLSAR BIDAP **Q110** ESPAP **P762** LALIT **M502** BKK KRT **B460** SAV **A202** SIKOU **V571** GAMBA **V561** MAPLE
V571 COMBI **V561** ROCCA **V571** CANTO CD07L VHHH

2239.57 nm / 4147.69 km



Notes

Requested: VCBI OLSAR BIDAP Q110 ESPAP P762 LALIT M502 BKK W1 KRT B460 SAV A202 SIKOU V571 GAMBA V561 MAPLE V571 CO

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VCBI	-	7.18125	0 ft	-	Bandaranaike International
APT	-	79.88380	0 m		
OLSAR	-	7.25333	0 ft	100	-
FIX	-	81.56220	0 m		
BIDAP	-	7.27750	0 ft	27	-
FIX	-	82.01810	0 m		
ESPAP	Q110	8.22833	0 ft	76	-
FIX	AWY-HI	82.87170	0 m		
DUGOS	P762	8.88500	0 ft	121	-
FIX	AWY-HI	84.79810	0 m		
XOKRO	P762	9.25167	0 ft	67	-
FIX	AWY-HI	85.87170	0 m		
ELSAR	P762	9.76833	0 ft	92	-
FIX	AWY-HI	87.35170	0 m		
BIKEN	P762	10.20580	0 ft	74	-
FIX	AWY-HI	88.53080	0 m		
DOTEN	P762	10.74280	0 ft	92	-
FIX	AWY-HI	89.99720	0 m		
ALADO	P762	11.35580	0 ft	112	-
FIX	AWY-HI	91.79720	0 m		
PPB	P762	11.64970	0 ft	58	PORT BLAIR
VOR	AWY-HI	92.74580	0 m		
LADER	P762	12.22220	0 ft	82	-
FIX	AWY-HI	94.03060	0 m		
LULDA	P762	12.39580	0 ft	24	-
FIX	AWY-HI	94.41670	0 m		
LALIT	P762	12.87330	0 ft	68	-
FIX	AWY-HI	95.47670	0 m		
RENOX	M502	13.43340	0 ft	163	-
FIX	AWY-HI	98.21740	0 m		
DALER	M502	13.49430	0 ft	18	-
FIX	AWY-HI	98.52440	0 m		
AKATO	M502	13.62100	0 ft	38	-
FIX	AWY-HI	99.17200	0 m		
BONVO	M502	13.73620	0 ft	35	-
FIX	AWY-HI	99.76850	0 m		
BKK	M502	13.89360	0 ft	49	BANGKOK
VOR	AWY-HI	100.59600	0 m		
KRT	-	14.91730	0 ft	108	KHORAT (NAKHON RATCHASIMA)
VOR	-	102.14000	0 m		
ROT	B460	16.11680	0 ft	118	ROI ET
VOR	AWY-HI	103.77200	0 m		
SAV	B460	16.56210	0 ft	63	SAVANNAKHET
VOR	AWY-HI	104.76700	0 m		
VILAO	A202	17.36670	0 ft	89	-
FIX	AWY-HI	106.08300	0 m		
DONGI	A202	17.68140	0 ft	34	-
FIX	AWY-HI	106.59500	0 m		
NIVEN	A202	17.88440	0 ft	22	-
FIX	AWY-HI	106.92900	0 m		
XONUS	A202	18.07000	0 ft	20	-
FIX	AWY-HI	107.23300	0 m		
ASSAD	A202	18.34170	0 ft	30	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	107.68200	0 m		
DABUB	A202	19.52000	0 ft	111	-
FIX	AWY-HI	109.19300	0 m		
AGPOR	A202	20.30330	0 ft	75	-
FIX	AWY-HI	110.23000	0 m		
SAMAS	A202	20.50500	0 ft	19	-
FIX	AWY-HI	110.49500	0 m		
ISBIG	A202	20.64500	0 ft	24	-
FIX	AWY-HI	110.90800	0 m		
SIKOU	A202	20.84330	0 ft	35	-
FIX	AWY-HI	111.50000	0 m		
GAMBA	V571	21.31890	0 ft	84	-
FIX	AWY-HI	112.92700	0 m		
MAPLE	V561	21.37410	0 ft	9	-
FIX	AWY-HI	113.09500	0 m		
COMBI	V571	21.49360	0 ft	21	-
FIX	AWY-HI	113.46200	0 m		
ROCCA	V561	21.53210	0 ft	7	-
FIX	AWY-HI	113.58100	0 m		
CANTO	V571	21.65070	0 ft	10	-
FIX	AWY-HI	113.70700	0 m		
CD07L	-	22.26120	0 ft	36	-
FIX	-	113.74400	0 m		
VHHH	-	22.30890	0 ft	9	Hong Kong Intl
APT	-	113.91500	0 m		

VCBI

Region: SRI LANKA
Timezone: ASIA/COLOMBO
Runways: 1

Elevation: 30 ft / 9 m
Location: 7.181250 79.883800
Magnetic Var: 1.613 W

METAR

VCBI 091010Z 24007KT 200V280 9999 BKN017 FEW019CB 32/26 Q1006 NOSIG RMK CB N/E/SE/S

TAF

TAF VCBI 090500Z 0906/1012 25005KT 9999 SCT018 FEW019CB TX34/0907Z TN26/1000Z PROB30 TEMPO 0910/0913 7000 -TSRA/S

Frequencies

REC - 127.20 MHz - ATIS
TWR - 118.70 MHz - COLOMBO TOWER
APP - 120.90 MHz - COLOMBO APPROACH
GND - 121.90 MHz - COLOMBO GROUND
TWR - 123.80 MHz - COLOMBO TOWER
APP - 132.40 MHz - COLOMBO DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,001 ft	37.22	ASPHALT	0 ft	407 ft
	45 m	3,353 m	38.83		0 m	124 m
22	148 ft	11,001 ft	217.22	ASPHALT	0 ft	390 ft
	45 m	3,353 m	218.83		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IKW	109.90 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
22	DME	IKA	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
04	LOC-ILS	IKW	109.90 MHz	18 nm	37.22	-	30 ft
				33 km	38.83		30 m
22	LOC-ILS	IKA	110.30 MHz	18 nm	217.22	-	30 ft
				33 km	218.83		30 m
04	GS	IKW	109.90 MHz	10 nm	37.22	3.00	30 ft
				19 km	38.83		30 m
22	GS	IKA	110.30 MHz	10 nm	217.22	3.00	30 ft
				19 km	218.83		30 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.237 W

METAR

VHHH 091100Z 09010KT 9999 FEW030 26/17 Q1014 NOSIG

TAF

TAF VHHH 090800Z 0909/1015 09015KT 9999 FEW025 TX29/1006Z TN25/0922Z TEMPO 0909/0912 09015G25KT

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.02		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m