

YPXM

Christmas Island


YPPH

Perth International

2024/06/07 0103Z

YPXM ISRAN **G209** IDOKU **B469** CAR **W14** OTKUN YPPH

1448.59 nm / 2682.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPXM	-	-10.45020	0 ft	-	Christmas Island
APT	-	105.69100	0 m		
ISRAN	-	-11.71730	32,600 ft	91	-
FIX	-	106.55200	9,936 m		
MALBI	G209	-14.49980	35,000 ft	200	-
FIX	AWY-HI	108.45100	10,668 m		
IDOKU	G209	-18.25910	35,000 ft	272	-
FIX	AWY-HI	111.11400	10,668 m		
CAR	B469	-24.88200	35,000 ft	422	CARNARVON
VOR	AWY-HI	113.67300	10,668 m		
HAMEL	W14	-26.84120	35,000 ft	120	-
FIX	AWY-LO	114.18000	10,668 m		
GEL	W14	-28.79030	35,000 ft	120	GERALDTON
VOR	AWY-LO	114.70600	10,668 m		
ONGAR	W14	-29.20010	35,000 ft	25	-
FIX	AWY-LO	114.79900	10,668 m		
BUVEL	W14	-30.31340	27,100 ft	68	-
FIX	AWY-LO	115.05400	8,260 m		
OTKUN	W14	-32.00420	4,600 ft	104	-
FIX	AWY-LO	115.54500	1,402 m		
YPPH	-	-31.93980	0 ft	21	Perth International
APT	-	115.96700	0 m		

YPPH

Region: AUSTRALIA
Timezone: AUSTRALIA/PERTH
Runways: 2

Elevation: 67 ft / 20 m
Location: -31.939800 115.967000
Magnetic Var: 1.733 W

METAR

YPPH 070030Z 00000KT 9999 FEW042 BKN056 15/14 Q1018 RF00.0/038.2

TAF

TAF YPPH 062331Z 0700/0806 05006KT 9999 SCT040 FM070900 10008KT CAVOK FM071600 08008KT 9999 -SHRA FEW010 SCT030 FM

Frequencies

REC - 113.70 MHz - PERTH ATIS
DEP - 118.70 MHz - PERTH DEPARTURE
GND - 121.70 MHz - PERTH GROUND WEST
CLD - 118.55 MHz - PERTH CLEARANCE DELIVERY
APP - 123.60 MHz - PERTH APPROACH
TWR - 127.40 MHz - PERTH TOWER
GND - 122.20 MHz - PERTH GROUND EAST

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,100 ft	58.88	ASPHALT	0 ft	217 ft
	45 m	2,164 m	60.62		0 m	66 m
24	148 ft	7,100 ft	238.87	ASPHALT	0 ft	220 ft
	45 m	2,164 m	240.61		0 m	67 m
03	148 ft	11,307 ft	13.88	ASPHALT	0 ft	302 ft
	45 m	3,446 m	15.61		0 m	92 m
21	148 ft	11,307 ft	193.88	ASPHALT	0 ft	210 ft
	45 m	3,446 m	195.61		0 m	64 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IPN	110.10 MHz	18 nm	-	-	75 ft
				33 km	-		75 m
21	DME	IGD	109.50 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
24	DME	IPH	109.90 MHz	18 nm	-	-	67 ft
				33 km	-		67 m
03	LOC-ILS	IPN	110.10 MHz	18 nm	13.88	-	67 ft
				33 km	15.61		67 m
21	LOC-ILS	IGD	109.50 MHz	18 nm	193.87	-	67 ft
				33 km	195.60		67 m
24	LOC-ILS	IPH	109.90 MHz	18 nm	238.88	-	67 ft
				33 km	240.61		67 m
03	GS	IPN	110.10 MHz	10 nm	13.88	3.00	67 ft
				19 km	15.61		67 m
21	GS	IGD	109.50 MHz	10 nm	193.87	3.00	67 ft
				19 km	195.60		67 m
24	GS	IPH	109.90 MHz	10 nm	238.88	3.00	67 ft
				19 km	240.61		67 m