

KFSM

Fort Smith Regl


KSGF

Springfield Branson National Airport

2024/05/18 1239Z

KFSM JEPRO KSGF

124.03 nm / 229.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KFSM	-	35.33700	0 ft	-	Fort Smith Regl	
APT	-	-94.36720	0 m			
JEPRO	-	36.45210	11,000 ft	72	-	
FIX	-	-93.79640	3,353 m			
KSGF	-	37.24560	0 ft	51	Springfield Branson National Airport	
APT	-	-93.38840	0 m			

KFSM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 469 ft / 143 m
Location: 35.337000 -94.367200
Magnetic Var: 1.002 E

METAR

KFSM 181220Z 11005KT 1/2SM R26/1200V1400FT FG OVC002 18/18 A2985 RMK A02 T01830178

TAF

KFSM 181124Z 1812/1912 00000KT 1SM BR BKN003 TEMPO 1812/1814 1/4SM FG VV001 FM181500 29005KT P6SM SCT050 FM190100

Frequencies

REC - 126.30 MHz - ATIS
COM - 118.30 MHz - CTAF
GND - 121.90 MHz - GROUND
APP - 120.90 MHz - APPROACH
COM - 122.95 MHz - UNICOM
CLD - 133.85 MHz - CLERANCE DELIVERY
TWR - 118.30 MHz - TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	5,010 ft	21.09	ASPHALT	0 ft	0 ft
	46 m	1,527 m	20.08		0 m	0 m
19	150 ft	5,010 ft	201.09	ASPHALT	0 ft	0 ft
	46 m	1,527 m	200.09		0 m	0 m
07	150 ft	8,002 ft	81.16	ASPHALT	0 ft	991 ft
	46 m	2,439 m	80.16		0 m	302 m
25	150 ft	8,002 ft	261.18	ASPHALT	0 ft	1,001 ft
	46 m	2,439 m	260.18		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IGKV	111.30 MHz	18 nm	81.17	-	448 ft
				33 km	80.17		448 m
25	LOC-ILS	IFSM	111.30 MHz	18 nm	261.15	-	469 ft
				33 km	260.15		469 m
07	GS	IGKV	111.30 MHz	10 nm	81.31	3.00	458 ft
				19 km	80.31		458 m
25	GS	IFSM	111.30 MHz	10 nm	261.31	2.96	438 ft
				19 km	260.31		438 m

KSGF

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 1,268 ft / 386 m
Location: 37.245600 -93.388400
Magnetic Var: 0.276 E

METAR

KSGF 181152Z 17004KT 10SM CLR 16/16 A2985 RMK A02 SLP099 T01610161 10178 20156 53013

TAF

TAF KSGF 181120Z 1812/1912 17004KT P6SM FEW250 FM181700 26004KT P6SM SKC

Frequencies

REC - 135.12 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 123.67 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SPRINGFIELD GROUND
TWR - 119.90 MHz - SPRINGFIELD TOWER	APP - 121.10 MHz - SPRINGFIELD APPROACH
DEP - 121.10 MHz - SPRINGFIELD DEPARTURE	APP - 124.95 MHz - SPRINGFIELD APPROACH
DEP - 124.95 MHz - SPRINGFIELD DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	8,005 ft	141.90	CONCRETE	0 ft	200 ft
	46 m	2,440 m	141.62		0 m	61 m
32	150 ft	8,005 ft	321.91	CONCRETE	0 ft	0 ft
	46 m	2,440 m	321.63		0 m	0 m
02	150 ft	7,014 ft	21.71	CONCRETE	0 ft	0 ft
	46 m	2,138 m	21.44		0 m	0 m
20	150 ft	7,014 ft	201.72	CONCRETE	0 ft	0 ft
	46 m	2,138 m	201.44		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IGWA	109.70 MHz	18 nm	-	-	1,286 ft
				33 km	-		1,286 m
02	LOC-ILS	ISGF	109.90 MHz	18 nm	21.72	-	1,268 ft
				33 km	21.44		1,268 m
14	LOC-ILS	IGWA	109.70 MHz	18 nm	141.91	-	1,268 ft
				33 km	141.63		1,268 m
02	GS	ISGF	109.90 MHz	10 nm	21.72	3.00	1,268 ft
				19 km	21.44		1,268 m
14	GS	IGWA	109.70 MHz	10 nm	141.91	3.00	1,268 ft
				19 km	141.63		1,268 m