

KBAF

Westfield-Barnes Regional


KPBI

Palm Beach Intl

2024/05/15 2024Z

KBAF JFK V1 WHITE J209 CYN V1 SBY J209 SAWED J121 ORF J174 DIW AR19 JENKS M201 BAHAA AR21 CRANS
KPBI

1005.36 nm / 1861.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBAF APT	-	42.15820 -72.71590	0 ft 0 m	-	Westfield-Barnes Regional
JFK VOR	-	40.63290 -73.77140	35,000 ft 10,668 m	103	KENNEDY (NEW YORK)
MOVFA FIX	V1 AWY-LO	40.23180 -74.06620	35,000 ft 10,668 m	27	-
DIXIE FIX	V1 AWY-LO	40.09940 -74.16450	35,000 ft 10,668 m	9	-
WHITE FIX	V1 AWY-LO	40.00680 -74.25130	35,000 ft 10,668 m	6	-
CYN VOR	J209 AWY-HI	39.81730 -74.43160	35,000 ft 10,668 m	14	COYLE
CRESI FIX	V1 AWY-LO	39.61090 -74.62630	35,000 ft 10,668 m	15	-
HOWIE FIX	V1 AWY-LO	39.58270 -74.65280	35,000 ft 10,668 m	2	-
LEEAH FIX	V1 AWY-LO	39.26090 -74.95310	35,000 ft 10,668 m	23	-
PEAPS FIX	V1 AWY-LO	39.04190 -75.07890	35,000 ft 10,668 m	14	-
ATR VOR	V1 AWY-LO	38.80980 -75.21130	35,000 ft 10,668 m	15	WATERLOO
SBY VOR	V1 AWY-LO	38.34500 -75.51060	35,000 ft 10,668 m	31	SALISBURY
SAWED FIX	J209 AWY-HI	37.53350 -75.85810	35,000 ft 10,668 m	51	-
ORF VOR	J121 AWY-HI	36.89190 -76.20030	35,000 ft 10,668 m	41	NORFOLK
EDDYS FIX	J174 AWY-HI	36.44040 -76.45010	35,000 ft 10,668 m	29	-
GILMA FIX	J174 AWY-HI	35.97670 -76.70340	35,000 ft 10,668 m	30	-
CLAPY FIX	J174 AWY-HI	35.59470 -76.90950	35,000 ft 10,668 m	25	-
DIW NDB	J174 AWY-HI	34.56850 -77.45290	35,000 ft 10,668 m	67	DIXON
SEELO FIX	AR19 AWY-HI	32.02340 -78.25700	35,000 ft 10,668 m	158	-
JENKS FIX	AR19 AWY-HI	30.63540 -78.69540	35,000 ft 10,668 m	86	-
BAHAA FIX	M201 AWY-HI	30.42300 -78.99470	35,000 ft 10,668 m	20	-
DULEE FIX	AR21 AWY-HI	29.83070 -79.14930	35,000 ft 10,668 m	36	-
HALSS FIX	AR21 AWY-HI	29.17040 -79.31550	33,200 ft 10,119 m	40	-
CRANS FIX	AR21 AWY-HI	28.30350 -79.53380	21,800 ft 6,645 m	53	-
KPBI APT	-	26.68290 -80.09700	0 ft 0 m	101	Palm Beach Intl

KBAF

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 270 ft / 82 m
Location: 42.158200 -72.715900
Magnetic Var: 13.579 W

METAR

KBAF 151953Z VRB03KT 10SM -RA OVC095 18/16 A2985 RMK A02 SLP107 P0001 T01830156

TAF

KBAF 151740Z 1518/1618 16005KT P6SM -SHRA OVC015 FM152200 15006KT P6SM VCSH OVC025 FM160200 03008KT 6SM -SHRA BR S

Frequencies

REC - 127.10 MHz - WESTFIELD ATIS
GND - 121.70 MHz - WESTFIELD GROUND
APP - 125.35 MHz - BRADLEY APPROACH
COM - 118.90 MHz - WESTFIELD CTAF
TWR - 118.90 MHz - WESTFIELD TOWER
DEP - 125.35 MHz - BRADLEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	9,008 ft	10.19	ASPHALT	0 ft	203 ft
	46 m	2,746 m	23.77		0 m	62 m
20	150 ft	9,008 ft	190.19	ASPHALT	0 ft	203 ft
	46 m	2,746 m	203.77		0 m	62 m
15	100 ft	5,005 ft	140.32	ASPHALT	489 ft	0 ft
	30 m	1,526 m	153.90		149 m	0 m
33	100 ft	5,005 ft	320.32	ASPHALT	0 ft	0 ft
	30 m	1,526 m	333.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	LOC-ILS	IBAF	111.90 MHz	18 nm	190.19	-	270 ft
				33 km	203.77		270 m
20	GS	IBAF	111.90 MHz	10 nm	190.19	3.00	271 ft
				19 km	203.77		271 m

KPBI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 19 ft / 6 m
Location: 26.682900 -80.097000
Magnetic Var: 7.498 W

METAR

KPBI 151953Z 02019G26KT 10SM SCT039 BKN075 BKN250 29/23 A2988 RMK A02 PK WND 34032/1926 WSHFT 1918 LTG DSNT NE-SE I

TAF

TAF AMD KPBI 151916Z 1519/1618 22012G20KT P6SM VCTS SCT030CB BKN050 FM152000 35014KT P6SM VCTS SCT030CB BKN050 FM

Frequencies

REC - 123.75 MHz - PALM BEACH ATIS

GND - 121.90 MHz - PALM BEACH GROUND

DEP - 128.30 MHz - PALM BEACH DEPARTURE

DEP - 125.20 MHz - PALM BEACH DEPARTURE

CLD - 121.60 MHz - PALM BEACH CLEARANCE

TWR - 119.10 MHz - PALM BEACH TOWER

DEP - 127.35 MHz - PALM BEACH DEPARTURE

APP - 124.60 MHz - PALM BEACH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.29		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.83		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.30		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.29		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.29		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.09		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.09		19 m