

ZLDH

Dunhuang Mogao


ZLLL

Lanzhou Zhongchuan

2024/06/05 2141Z

ZLDH VIKUP W191 AVBUD ZLLL

470.34 nm / 871.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZLDH	-	40.16190	0 ft	-	Dunhuang Mogao
APT	-	94.81250	0 m	-	
VIKUP	-	39.56330	24,800 ft	69	-
FIX	-	96.10330	7,559 m	-	-
MULRU	W191	38.94000	35,000 ft	81	-
FIX	AWY-HI	97.67000	10,668 m	-	-
RUSAT	W191	37.65670	33,700 ft	161	-
FIX	AWY-HI	100.68000	10,272 m	-	-
NODID	W191	37.29830	23,900 ft	45	-
FIX	AWY-HI	101.52500	7,285 m	-	-
AVBUD	W191	37.11500	15,500 ft	39	-
FIX	AWY-HI	102.31500	4,724 m	-	-
ZLLL	-	36.51350	0 ft	72	Lanzhou Zhongchuan
APT	-	103.62100	0 m	-	

ZLDH

Region: CHINA
Timezone: ASIA/URUMQI
Runways: 1

Elevation: 3,691 ft / 1,125 m
Location: 40.161900 94.812500
Magnetic Var: 0.285 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.60 MHz - DUNHUANG TOWER

TWR - 130.00 MHz - DUNHUANG TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	11,130 ft	84.14	ASPHALT	0 ft	197 ft
	45 m	3,392 m	83.85		0 m	60 m
26	148 ft	11,130 ft	264.16	ASPHALT	0 ft	194 ft
	45 m	3,392 m	263.88		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IMG	109.30 MHz	18 nm	84.15	-	3,691 ft
				33 km	83.87		3,691 m
26	LOC-ILS	IDH	108.70 MHz	18 nm	264.15	-	3,691 ft
				33 km	263.87		3,691 m
08	GS	IMG	109.30 MHz	10 nm	84.15	3.00	3,691 ft
				19 km	83.87		3,691 m
26	GS	IDH	108.70 MHz	10 nm	264.15	3.00	3,691 ft
				19 km	263.87		3,691 m

ZLLL

Region: CHINA
Timezone: ASIA/CHONGQING
Runways: 1

Elevation: 6,388 ft / 1,947 m
Location: 36.513500 103.621000
Magnetic Var: 2.465 W

METAR

ZLLL 052100Z 02008MPS 360V060 9999 -RA NSC 17/11 Q1013 NOSIG

TAF

TAF ZLLL 051504Z 0518/0618 06004MPS 6000 NSC TX20/0518Z TN12/0522Z TEMPO 0518/0521 -TSRA FEW033CB SCT040 BECMG 05

Frequencies

REC - 128.45 MHz - LANZHOU ATIS	CLD - 121.70 MHz - LANZHOU DELIVERY
GND - 121.95 MHz - LANZHOU GROUND	GND - 121.62 MHz - LANZHOU APRON
TWR - 118.10 MHz - LANZHOU TOWER	APP - 120.25 MHz - LANZHOU APPROACH
APP - 119.15 MHz - LANZHOU APPROACH	APP - 124.20 MHz - LANZHOU APPROACH
APP - 119.45 MHz - LANZHOU APPROACH	APP - 119.82 MHz - LANZHOU APPROACH
COM - 122.80 MHz - LANZHOU UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	13,153 ft	177.12	CONCRETE	0 ft	197 ft
	45 m	4,009 m	179.58		0 m	60 m
36	148 ft	13,153 ft	357.12	CONCRETE	0 ft	200 ft
	45 m	4,009 m	359.58		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IYY	109.30 MHz	18 nm	-	-	6,341 ft
				33 km	-		6,341 m
18	LOC-ILS	IKQ	108.50 MHz	18 nm	177.12	-	6,388 ft
				33 km	179.58		6,388 m
36	LOC-ILS	IYY	109.30 MHz	18 nm	357.12	-	6,388 ft
				33 km	359.58		6,388 m
18	GS	IKQ	108.50 MHz	10 nm	177.12	3.00	6,388 ft
				19 km	179.58		6,388 m
36	GS	IYY	109.30 MHz	10 nm	357.12	3.00	6,388 ft
				19 km	359.58		6,388 m