

CYQB

Quebec Jean Lesage Intl


CYOW

Ottawa Macdonald Cartier Intl

2024/05/03 1415Z

CYQB UFX CYOW

199.01 nm / 368.57 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 23000ft
- Cruise Speed: 330kts
- Descent Rate: 2000ft/min
- Descent Speed: 215kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYQB	-	46.78960	0 ft	-	Quebec	Jean Lesage Intl
APT	-	-71.39260	0 m			
UFX	-	46.19240	23,000 ft	91	SAINT FELIX DE VALOIS	
NDB	-	-73.41920	7,010 m			
CYOW	-	45.32270	0 ft	107	Ottawa	Macdonald Cartier Intl
APT	-	-75.67180	0 m			

CYQB

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 2

Elevation: 244 ft / 74 m
Location: 46.789600 -71.392600
Magnetic Var: 15.232 W

METAR

CYQB 031400Z 07013KT 30SM FEW015 BKN020 BKN240 09/05 A3029 RMK SF1SC6CI1 SF TR CI TR SLP262

TAF

TAF TAF CYQB 031140Z 0312/0412 06012KT P6SM BKN010 BKN220 TEMPO 0312/0315 SCT010 BKN220 PROB30 0312/0315 BKN008 FM

Frequencies

REC - 134.60 MHz - ATIS
TWR - 120.30 MHz -
APP - 124.00 MHz - TRML CON

GND - 121.90 MHz -
TWR - 118.65 MHz -
APP - 127.85 MHz - TRML CON

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,962 ft	44.60	ASPHALT	0 ft	0 ft
	46 m	2,732 m	59.83		0 m	0 m
24	150 ft	8,962 ft	224.62	ASPHALT	0 ft	0 ft
	46 m	2,732 m	239.85		0 m	0 m
11	150 ft	5,690 ft	97.70	ASPHALT	0 ft	0 ft
	46 m	1,734 m	112.93		0 m	0 m
29	150 ft	5,690 ft	277.72	ASPHALT	0 ft	0 ft
	46 m	1,734 m	292.95		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IQB	109.50 MHz	18 nm	44.62	-	244 ft
				33 km	59.85		244 m
06	GS	IQB	109.50 MHz	10 nm	44.62	3.00	244 ft
				19 km	59.85		244 m

CYOW

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 3

Elevation: 374 ft / 114 m
Location: 45.322700 -75.671800
Magnetic Var: 12.921 W

METAR

CYOW 031400Z 09010KT 15SM BKN010 11/09 A3018 RMK SC7 SLP223

TAF

TAF TAF AMD CYOW 031250Z 0312/0412 07008KT P6SM BKN012 TEMPO 0312/0315 SCT012 FM031500 08010KT P6SM SCT020 FM031800 10015KT P6SM SCT030

Frequencies

REC - 121.15 MHz - ATIS
GND - 121.90 MHz -
APP - 135.15 MHz - TRML

CLD - 119.40 MHz - CLNC DEL
TWR - 120.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	200 ft	9,973 ft	126.40	ASPHALT	0 ft	171 ft
	61 m	3,040 m	139.32		0 m	52 m
32	200 ft	9,973 ft	306.42	ASPHALT	0 ft	151 ft
	61 m	3,040 m	319.34		0 m	46 m
07	200 ft	7,981 ft	57.38	ASPHALT	0 ft	161 ft
	61 m	2,433 m	70.30		0 m	49 m
25	200 ft	7,981 ft	237.40	ASPHALT	0 ft	161 ft
	61 m	2,433 m	250.32		0 m	49 m
04	75 ft	3,300 ft	25.31	ASPHALT	253 ft	0 ft
	23 m	1,006 m	38.23		77 m	0 m
22	75 ft	3,300 ft	205.31	ASPHALT	0 ft	0 ft
	23 m	1,006 m	218.24		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IOW	109.50 MHz	18 nm	57.39	-	374 ft
				33 km	70.31		374 m
32	LOC-ILS	IRP	110.30 MHz	18 nm	306.41	-	374 ft
				33 km	319.33		374 m
07	GS	IOW	109.50 MHz	10 nm	57.39	3.00	374 ft
				19 km	70.31		374 m
32	GS	IRP	110.30 MHz	10 nm	306.41	3.00	374 ft
				19 km	319.33		374 m