

KHUF

Terre Haute Regional Airport


KEKM

Elkhart Municipal Airport

2024/05/06 1549Z

KHUF TORIO KEKM

148.63 nm / 275.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KHUF APT	-	39.45090 -87.30640	0 ft 0 m	-	-	Terre Haute Regional Airport
TORIO FIX	-	40.24910 -86.87600	18,500 ft 5,639 m	51	-	
KEKM APT	-	41.71910 -86.00320	0 ft 0 m	96	-	Elkhart Municipal Airport

KHUF

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 2

Elevation: 589 ft / 180 m
Location: 39.450900 -87.306400
Magnetic Var: 4.264 W

METAR

KHUF 061453Z 09003KT 10SM SCT065 BKN095 20/16 A2994 RMK A02 SLP135 T02000161 58000

TAF

TAF KHUF 061120Z 0612/0712 08007KT P6SM VCSH OVC070 FM061400 10006KT 6SM -SHRA BR BKN060 FM061700 12006KT P6SM VCS

Frequencies

REC - 127.50 MHz - ATIS
GND - 121.60 MHz - HULMAN GROUND
APP - 119.80 MHz - HULMAN APPROACH
COM - 122.95 MHz - UNICOM
TWR - 134.75 MHz - HULMAN TOWER
APP - 125.45 MHz - HULMAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	9,017 ft	47.07	ASPHALT	0 ft	997 ft
	46 m	2,749 m	51.33		0 m	304 m
23	150 ft	9,017 ft	227.08	ASPHALT	0 ft	1,325 ft
	46 m	2,749 m	231.35		0 m	404 m
14	150 ft	7,196 ft	135.03	ASPHALT	0 ft	0 ft
	46 m	2,193 m	139.30		0 m	0 m
32	150 ft	7,196 ft	315.04	ASPHALT	0 ft	400 ft
	46 m	2,193 m	319.31		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IHUF	109.70 MHz	18 nm	47.08	-	589 ft
				33 km	51.34		589 m
05	GS	IHUF	109.70 MHz	10 nm	47.08	3.00	589 ft
				19 km	51.34		589 m

KEKM

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 3

Elevation: 776 ft / 237 m
Location: 41.719100 -86.003200
Magnetic Var: 5.500 W

METAR

KEKM 061535Z 10012KT 10SM FEW200 17/08 A3002 RMK AO2 T01740084 \$

TAF

UNKNOWN

Frequencies

REC - 124.47 MHz - AWOS 3
COM - 122.95 MHz - UNICOM
TWR - 119.50 MHz - ELKHART TOWER
COM - 119.50 MHz - CTAF
GND - 121.80 MHz - ELKHART GROUND
APP - 118.55 MHz - SOUTH BEND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	120 ft	6,483 ft	89.89	CONCRETE	0 ft	200 ft
	37 m	1,976 m	95.39		0 m	61 m
27	120 ft	6,483 ft	269.90	CONCRETE	0 ft	200 ft
	37 m	1,976 m	275.41		0 m	61 m
18	75 ft	4,006 ft	171.97	ASPHALT	0 ft	0 ft
	23 m	1,221 m	177.48		0 m	0 m
36	75 ft	4,006 ft	351.98	ASPHALT	0 ft	0 ft
	23 m	1,221 m	357.48		0 m	0 m
08	250 ft	2,505 ft	89.38	GRASS	0 ft	0 ft
	76 m	763 m	94.88		0 m	0 m
26	250 ft	2,505 ft	269.39	GRASS	0 ft	0 ft
	76 m	763 m	274.89		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IOUP	111.50 MHz	18 nm	269.90	-	1,776 ft
				33 km	275.40		1,776 m
27	GS	IOUP	111.50 MHz	10 nm	269.90	3.00	776 ft
				19 km	275.40		776 m